NUVO LIGHTING



SATCO | NUVO


CONTENTS



"Raindrop", a contemporary pendant from Inspired Collections, page 78.



20 **Inspired Collections**
From today's trends to reimagined classical styles, complete collections that inspire a space.



266 **Eclectic Ensembles**
Expressive lighting fixtures that accent and complement design creation.



352 **Project and Functional Lighting**
Fashion and function that exceed expectations across a wide landscape of project applications.



474 **Exterior Expressions**
Create an impression, light the way, outdoor fixtures for everything from style to safety.



556 **Task Lighting**
Elegant function through quality and precision, lighting for coves, under cabinet and track lighting.



On the Cover:
"Boxer", modern farmhouse styled pendant, page 36.

Inspired Collections

Beaker 48
Bento 160
Bliss 32
Bounce 194
Boxer 36
Bridgeview 264
Candice 126
Castillo 256
Celine 136
Chester 220
Connie 154
Crate LED 190
Decker 176
Denver 204
Diesel 120
Donzi 40
Elizabeth 224
Fawn 196
Filigree 110
Frankie 90
Fusion 180
Gemini 112
Ginger 184
Harlow 102
Helium 164
Iron 56
Kettle 54
Krys 74
Laguna 248
Lake 80
Lansing 96
Laurel 60
Loren 152
Marion 24
Meadow 92
Mobili 140
Mystic 88
Nome 212
Odeon 168
Orin 84
Parallel 130
Parker 162
Patton 232
Paxton 70
Payne 38
Polaris 178
Portia 124
Pratt 58
Raindrop LED 78
Seneca 98
Serene 28
Shelby 72
Sherwood 44
Soho 156
Stanza 89
Surrey 148
Teller 144
Vintage 62
Willow 240
Winchester 50

Eclectic Ensembles

Bend LED 314
Bond LED 316
Bow LED 332
Breeze 336
Button LED 346
Chaz LED 306
Dale LED 344
Del LED 278
Doral LED 298
Drum Fixtures LED 349
EMR Flush LED 350
Fantom LED 274
Flush LED 347
Frame LED 292
Grill LED 320
Haley LED 345
Hawk LED 272
Heather LED 343
Jackson LED 312
Jess LED 313
Kinsey LED 307
Lana LED 315
Link 294
Link LED 296
Loop LED 324
Lucas LED 306
Lynne 338
Maxx 304
Mercer LED 310
Orbit LED 288
Pace LED 322
Perk LED 342
Petra LED 307
Pi LED 340
Pulse LED 282
Reflex LED 306
Saber LED 331
Slice LED 328
Slick LED 330
Surf LED 333
Task LED 290
Tex LED 302
Trax LED 309
Tucker LED 319
Vessel LED 300
Vista 337
Votive 334
Wave LED 308
Wired LED 286
Yogi 339
Zen 270
Zorin LED 307

Project and Functional

Blink "Eco" LED 468
Blink "Slim" LED 470
Blink Battery Backup 465
Blink LED 458
Blink Linear LED 469
Blink Plus LED 450
Blink Plus Profile LED 454
Blink Plus Round LED 457
Blink Slim Pendant Kits 471
Chandeliers 354
Close-To-Ceiling 364
Crispo LED 440
Disk Lights LED 472
Flush Mount LED 442
EMR Flush Mount LED 446
Glamour LED 434
Mini Pendants 402
Pendants 396
Range Voltage Flush LED 444
Sconce 432
Strip Lights LED 447
Vanity 404
Vanity / Wall 430
Wraps LED 448

Exterior Expressions

Adams 518
Banyon 520
Bethany LED 494
Boxwood 522
Briton 534
Bulkhead 538
Bulkhead LED 514
Canyon 504
Carport Flush Mounts 546
Central Park 528
Cornerstone 532
Cove Neck 526
Cube 537
Diego LED 496
Drexel 512
Essex LED 502
Genova LED 476
Hood 537
Howell 490
Huron 484
Industrial Style 544
Lakeview 486
Landscape PAR 552
Lansing 482
Onion 536
Outdoor Accessories 554
PAR Floodlights 550
Pathway 553
Piper 536
Poly Coach Wall 549
Porch Wall 548
Stanton 506
Step Lights LED 516
Tanner 492
Up/Down LED 515
Urbino LED 477
Utility Wall & Ceiling 546
Vega 510
Verona LED 480
Willis LED 500
Wingate 508

Task Lighting

Thread Linear Led 558
Led Track Heads 562
Led Track Kits 570
Thread Accessories 561
Track & Accessories 578
Track Heads 574
Track Kits 572

Index

Index 580

Nuvo Lighting: A legacy of lighting solutions.





"Wired", page 286

Nuvo Lighting: Impressive, everywhere.

Taking every space, every décor, from average to amazing.



Breadth of line. It's a simple enough idea, but one not easily achieved. Nuvo Lighting has been able to develop beautifully designed, highly engineered fixtures, in a range of styles and technologies, including many LED options, that are at home anywhere from condos to cottages, homes to hospitality venues, indoors or out. As you review the many families in this book, you'll soon discover that "breadth of line" – an elusive goal for most lighting companies – is an understatement at Nuvo Lighting.



"Marion", page 24

Fantastic families.

Complete fixture families mean design continuity.



Whole-house coordination requires a big picture look at the entire residence – and finding the right fixture family to go the distance. Nuvo Lighting has many fixture families in a number of styles that provide this high level of flexibility and versatility – fixtures in one family for many applications.



"Sherwood", page 44

Can a fixture define the room?

We believe so. And to our point, these beautiful kitchens.

A



The lighting in any room can make a statement, but should not overshadow the room's overall beauty. Tasteful design – in any style – can achieve that.

Nuvo Lighting has the solution – many varied design disciplines that can make a statement in any room, but do it with tastefull restraint.









A. "Stanza", page 89
B. "Thread", undercounter lighting page 558
C. "Zen", page 270
D. "Vessel", page 300
E. "Boxer", page 36

Sconces! Vanities!

Is there a space these fixtures can't complement?




A

With so many beautiful, LED efficient vanity and sconce options, it's no wonder condo developers, home builders and hospitality planners everywhere rely on Nuvo Lighting for their design and energy savings. Professionals rely on Nuvo Lighting; residents enjoy it.









A. "Slick", page 330
B. "Chaz", page 306
C. "Loop", page 324, "Perk" flush mount, (also shown), page 342
D. "Lucas", page 306
E. "Saber", page 331

Impressive first impressions.

Curb appeal isn't just about selling homes – and it isn't just for the daylight hours.



In addition to safety, the right lighting can make a home come alive all over again after the sun sets. With so many styles and families to choose from, Nuvo outdoor fixtures have made lasting impressions – all day long.







A. "Willis", page 500
B. "Verona", page 480
C. "Wingate", page 508
D. "Howell", page 490

Functional, Versatile. Efficient.

Nuvo covers the basics, in style.



With all the utility fixtures Nuvo Lighting offers, there's no reason every space can't have efficient, cleanly-designed LED lighting. From garage to laundry to workshop, closet to craft room to mud room, every space will benefit from the right lighting – the wide variety of functional Nuvo LED track and utility lighting









A. Disk lights, page 472
B. "Blink Plus Profile", page 454
C. "Ballerina", page 360
D. Track lights, page 562
E. Flush utility lights, page 442

Re-thinking hospitality.

Hospitality is not just an industry term, it's a feeling.



Rather than define the hospitality industry as just that, an industry, we define it another way: warm, inviting, comfortable, stylish, and all the thoughts that come to mind when we think of inviting spaces. But still being a business, Nuvo fixtures also help this industry meet energy requirements and maintenance costs with our focus on LED fixture families.

Nuvo Lighting can achieve true hospitality – and savings – in any number of styles and applications.



A. "Slice", page 328
B. "Del", page 278

Inspired Collections







LASTING IMPRESSIONS.

Simple design is hard to achieve. But when done correctly, the result is both elegant and impressive. The Marion Collection is just that.





MARION

Aged Bronze / Natural Brass




60-6523



60-6525



60-6522



*T9 Vintage
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6521	Sconce	Aged Bronze / Natural Brass	1	T9*	Med.	60W	•	6 ½"	16"	6"	Damp
60-6522	Mini Pendant	Aged Bronze / Natural Brass	1	T9*	Med.	60W	•	8"	16"	•	Dry
60-6523	Flush†	Aged Bronze / Natural Brass	4	T9*	Med.	60W	•	13 ¾"	11 ⅞"	•	Damp
60-6525	Chandelier	Aged Bronze / Natural Brass	4	T9*	Med.	60W	•	15"	22"	•	Dry
60-6526	Island Pendant	Aged Bronze / Natural Brass	7	T9*	Med.	60W	36"	16"	15"	•	Dry

*20W T9 **S2415** Vintage lamps included. Additional chain: (3') **25-5004,** †Pendant conversion kit for flush: **25-5013,** Additional Stems: (6") **25-4066**, (12") **25-4067.** Chandelier flush and pendants include 12' of wire .



60-6521



60-6526






A QUIET PRESENCE.

The Serene fixture family is just that – elegant Satin White glass and delicately shaped Natural Brass combine to create a reserved yet impactful design statement. Serene fixtures quietly go about enhancing any room lucky enough to have them.

SERENE

Natural Brass / Satin White Glass





60-6534



60-6537



60-6535



60-6536

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6531	1 Lt. Vanity	Natural Brass	1	A19	Med.	100W	•	4 ¾"	9 ¾"	6 ½"	Damp
60-6532	2 Lt. Vanity	Natural Brass	2	A19	Med.	100W	•	14"	9 ⅜"	6 ½"	Damp
60-6533	3 Lt. Vanity	Natural Brass	3	A19	Med.	100W	•	22"	9 ⅜"	6 ½"	Damp
60-6534	4 Lt. Chandelier	Natural Brass	4	A19	Med.	100W	•	19 ½"	17"	•	Dry
60-6535	Mini Pendant	Natural Brass	1	A19	Med.	100W	•	4 ¾"	8 ¼"	•	Dry
60-6536	6 Lt. Chandelier	Natural Brass	6	A19	Med.	100W	•	26"	24"	•	Dry
60-6537	Flush	Natural Brass	2	A19	Med.	100W	•	12 ⅞"	6 ¼"	•	Damp
60-6538	Island Pendant	Natural Brass	6	A19	Med.	100W	36"	20"	8 ¼"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-5003,** Additional Stems: (6") **25-5006,** (12") **25-5007.**
Chandeliers and pendants include 12' of wire and 4' of chain, where applicable.



60-6531



60-6533



60-6532



60-6538





UNIQUE PAIRING. BEAUTIFUL RESULT.

A bit rustic, a bit elegant, Bliss captures the imagination with a Driftwood frame, supported by tasteful Polished Nickel accents.



BLISS

Polished Nickel / Driftwood



60-6483



60-6484*

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6481	Pendant	Polished Nickel / Driftwood	4	Type B	Cand.	60W	•	11 ⅝"	28 ⅝"	•	Dry
60-6482	Flush	Polished Nickel / Driftwood	2	A19*	Med.	60W	•	12 ½"	5 ½"	•	Damp
60-6483	Pendant	Polished Nickel / Driftwood	4	Type B	Cand.	60W	•	13 ¾"	36 ⅜"	•	Dry
60-6484	Mini Pendant	Polished Nickel / Driftwood	1	A19*	Med.	60W	•	6 ¾"	15 ⅜"	•	Dry

*60W ST19 **S2423** Vintage lamps included.

Additional Stems: (6") **25-4118**, (12") **25-4119.**



60-6481




60-6482*



*ST19 Vintage lamps included





TASTEFUL COMBINATIONS.

Matte Black, Antique Silver and Satin White Glass combine to create Boxer – not just great design, but a presence in any venue. Simple, tasteful, elegant, all at once.

BOXER

Matte Black with Antique Silver Accents / Satin White Glass





60-6132



60-6135



60-6134

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6131	Sconce	Matte Black / Ant. Silver	1	A19	Med.	100W	•	7"	10"	6"	Damp
60-6132	Flush	Matte Black / Ant. Silver	2	A19	Med.	100W	•	14"	6 ¼"	•	Damp
60-6133	Island Pendant	Matte Black / Ant. Silver	3	A19	Med.	100W	38"	5 ⅛"	10 ⅜"	•	Dry
60-6134	Pendant	Matte Black / Ant. Silver	4	A19	Med.	100W	•	17"	17"	•	Dry
60-6135	Mini Pendant	Matte Black / Ant. Silver	1	A19	Med.	100W	•	7 ⅛"	10 ⅜"	•	Dry

Additional Stems: (6") **25-6135**, (12") **25-6136.**
Pendants include 12' of wire.



60-6131



60-6133



PAYNE

Midnight Bronze / Vintage Brass Accents / Clear Beveled Glass



60-6415



60-6412



60-6411



60-6414



*T9 Vintage
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6411	Sconce	Midnight Bronze	1	G25	Med.	60W	•	8"	8"	5 ½"	Damp
60-6412	Mini Pendant	Midnight Bronze	1	G25	Med.	60W	•	6 ½"	8 ½"	•	Dry
60-6413	Semi-flush†	Midnight Bronze	4	G25	Med.	60W	•	17 ⅛"	11 ⅝"	•	Dry
60-6414	4 Lt. Pendant	Midnight Bronze	4	G25	Med.	60W	•	22"	8"	•	Dry
60-6415	Foyer	Midnight Bronze	5	T9*	Med.	60W	•	14"	20 ¾"	•	Dry
60-6416	5 Lt. Pendant	Midnight Bronze	5	G25	Med.	60W	•	26"	12 ½"	•	Dry
60-6417	Island Pendant	Midnight Bronze	4	G25	Med.	60W	42"	10"	9"	•	Dry

*60W T9 **S2422** Vintage lamps included.

†Pendant conversion kit for semi-flush: **25-6418,** Additional Stems: (6") **25-6416**, (12") **25-6417.** Semi-flush and pendants include 12' of wire.



60-6413



60-6416



60-6417



DONZI

Iron Black / Clear Seeded Glass



60-6387



60-6381



60-6382



*T9 Vintage
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6381	Sconce	Iron Black	1	T9*	Med.	60W	•	4 ½"	12 ⅞"	4 ⅜"	Damp
60-6382	Vanity	Iron Black	2	T9*	Med.	60W	•	27 ½"	4 ½"	4 ⅜"	Damp
60-6383	3 Lt. Chandelier	Iron Black	3	T9*	Med.	60W	•	17"	17 ¼"	•	Dry
60-6385	5 Lt. Chandelier	Iron Black	5	T9*	Med.	60W	•	25"	17 ¼"	•	Dry
60-6387	7 Lt. Chandelier	Iron Black	7	T9*	Med.	60W	•	33"	17 ¼"	•	Dry

*60W T9 **S2422** Vintage lamps included.

Additional Stems: (6") **25-6261**, (12") **25-6262.**
Pendants include 12' of wire.



60-6383



60-6385





RUSTIC, REFINED ELEGANCE

With Iron Black and Brushed Nickel accents, Sherwood embodies the rustic and refined trend, elegantly.



SHERWOOD

Iron Black / Brushed Nickel Accents / Clear or Frosted Etched Glass



60-6128*



60-6125

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6125	Pendant	Iron Black / Br. Nickel	4	A19	Med.	60W	•	25 ⅞"	27 ⅛"	•	Dry
60-6126	Flush	Iron Black / Br. Nickel	2	A19	Med.	60W	•	14 ¾"	6 ⅝"	•	Damp
60-6127	Open Cage Foyer	Iron Black / Br. Nickel	4	T9*	Med.	60W	•	17"	35 ½"	•	Dry
60-6128	Chandelier	Iron Black / Br. Nickel	8	T9*	Med.	60W	25"	25"	33 ⅜"	•	Dry

*40W T9 **S2426** Vintage lamps included.
Additional chain: (3') **25-6125.**
Chandeliers, pendants and foyer fixtures include 12' of wire and 4' of chain where applicable.



60-6127*



60-6126



*T9 Vintage lamps included

SHERWOOD

Iron Black / Brushed Nickel Accents / Clear Glass



60-6124



* T9 Vintage
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6121	Sconce	Iron Black / Br. Nickel	1	T9*	Med.	60W	•	5 ½"	11 ⅝"	5 ⅞"	Damp
60-6122	2 Lt. Vanity	Iron Black / Br. Nickel	2	T9*	Med.	60W	•	16"	10 ⅜"	5 ⅞"	Damp
60-6123	3 Lt. Vanity	Iron Black / Br. Nickel	3	T9*	Med.	60W	•	24"	10 ⅜"	8 ⅝"	Damp
60-6124	Island Pendant	Iron Black / Br. Nickel	6	T9*	Med.	60W	38"	14"	24"	•	Dry
60-6129	4 Lt. Vanity	Iron Black / Br. Nickel	4	T9*	Med.	60W	•	32"	10 ⅜"	8 ⅝"	Damp

*40W T9 **S2426** Vintage lamps included.

Additional chain: (3') **25-6125**
Pendant includes 12' of wire and 4' of chain.



60-6123



60-6121



60-6129



60-6122



BEAKER

Brushed Nickel or Aged Bronze / Clear Glass



60-5265



60-5261



60-5264

60-5262



60-5263
(vertical or horizontal mounting)



*T9 Vintage
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5261	Sconce	Brushed Nickel	1	T9*	Med.	60W	•	5 ½"	14 ⅛"	5"	Damp
60-5262	Mini Pendant	Brushed Nickel	1	T9*	Med.	60W	•	4 ¾"	14 ½"	•	Dry
60-5263	Vanity	Brushed Nickel	2	T9*	Med.	60W	•	23 ¾"	4 ¾"	5 ⅞"	Damp
60-5264	Pendant	Brushed Nickel	4	T9*	Med.	60W	•	26"	9 ½"	•	Dry
60-5265	Trestle	Brushed Nickel	4	T9*	Med.	60W	36"	4 ¾"	13 ½"	•	Dry
60-5361	Sconce	Aged Bronze	1	T9*	Med.	60W	•	5 ½"	14 ⅛"	5"	Damp
60-5362	Mini Pendant	Aged Bronze	1	T9*	Med.	60W	•	4 ¾"	14 ½"	•	Dry
60-5363	Vanity	Aged Bronze	2	T9*	Med.	60W	•	23 ¾"	4 ¾"	5 ⅞"	Damp
60-5364	Pendant	Aged Bronze	4	T9*	Med.	60W	•	26"	9 ½"	•	Dry
60-5365	Trestle	Aged Bronze	4	T9*	Med.	60W	36"	4 ¾"	13 ½"	•	Dry

*20W T9 **S2415** Vintage lamps included.

Additional Stems (Brushed Nickel): (6") **25-2057**, (12") **25-2055,**
Additional Stems (Aged Bronze): (6") **25-4066**, (12") **25-4067.**
Pendants and Trestle include 12' of wire.



60-5365

60-5362



60-5361



60-5364



60-5363
(vertical or horizontal mounting)

WINCHESTER

Bronze / Aged Wood





60-6426



60-6425

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6421	Mini Pendant	Bronze / Aged Wood	1	A19*	Med.	60W	10 ¾"	10 ¾"	14 ¾"	•	Dry
60-6422	Pendant	Bronze / Aged Wood	4	A19*	Med.	60W	18 ¾"	18 ¾"	15 ¼"	•	Dry
60-6423	Pendant	Bronze / Aged Wood	4	A19*	Med.	60W	15"	15"	14 ¾"	•	Dry
60-6425	Pendant	Bronze / Aged Wood	2	A19*	Med.	60W	11 ¼"	11 ¼"	21"	•	Dry
60-6426	Pendant	Bronze / Aged Wood	4	A19*	Med.	60W	14 ¾"	14 ¾"	25 ½"	•	Dry

*60W ST19 **S2423** Vintage lamps included.

Additional chain: (3') **25-6423.**
Pendants include 12' of wire and 4' of chain.



60-6421



60-6422



60-6423



*ST19 Vintage lamps included

WINCHESTER

Bronze / Aged Wood





60-6424



*ST19 Vintage
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6424	Island Pendant	Bronze / Aged Wood	4	A19*	Med.	60W	40 ¾"	10 ¾"	15 ¼"	•	Dry
60-6427	1 Lt. Vanity	Bronze / Aged Wood	1	A19*	Med.	60W	•	5"	13 ⅜"	3 ⅞"	Damp
60-6428	2 Lt. Vanity	Bronze / Aged Wood	2	A19*	Med.	60W	•	16 ⅜"	8 ⅝"	5 ¾"	Damp
60-6429	3 Lt. Vanity	Bronze / Aged Wood	3	A19*	Med.	60W	•	24"	8 ⅝"	5 ¾"	Damp
60-6430	4 Lt. Vanity	Bronze / Aged Wood	4	A19*	Med.	60W	•	32 ⅛"	8 ⅝"	5 ¾"	Damp

*60W ST19 **S2423** Vintage lamps included.
Vanity fixtures CUL listed for up or down installation.

Additional chain: (3') **25-6423.**
Pendant includes 12' of wire and 4' of chain.



60-6427



60-6429



60-6428



60-6430

KETTLE

Weathered Brass





60-5895



60-5891

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5891	Sconce	Weathered Brass	1	A19*	Med.	60W	•	12"	8"	5"	Damp
60-5892	Mini Pendant	Weathered Brass	1	A19*	Med.	60W	•	7 ⅛"	7"	•	Dry
60-5893	Flush	Weathered Brass	3	A19*	Med.	60W	•	12"	8"	•	Dry
60-5894	Pendant	Weathered Brass	4	A19*	Med.	60W	•	20"	9"	•	Dry
60-5895	Oversized Pendant	Weathered Brass	5	A19*	Med.	60W	•	30"	28"	•	Dry

*60W ST19 **S2423** Vintage lamps included.

Additional chain: (3') **25-5895,** Additional Stems: (6") **25-5892**, (12") **25-5893.**
Chandelier and pendants include 12' of wire and 4' of chain where applicable.



60-5892



60-5894



60-5893



*ST19 Vintage lamps included

IRON

Industrial Bronze





60-5794

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5791	Sconce	Industrial Bronze	1	A19*	Med.	60W	•	5"	7"	7"	Damp
60-5792	2 Lt. Vanity	Industrial Bronze	2	A19*	Med.	60W	•	20"	7"	7"	Damp
60-5793	3 Lt. Vanity	Industrial Bronze	3	A19*	Med.	60W	•	24 ½"	7"	7"	Damp
60-5794	Trestle	Industrial Bronze	4	A19*	Med.	60W	•	27"	36 ½"	•	Dry
60-5795	5 Lt. Pendant	Industrial Bronze	5	A19*	Med.	60W	•	27"	17"	•	Dry

*60W ST19 **S2423** Vintage lamps included.
Vanity fixtures CUL listed for up or down installation.

Additional chain: (3') **25-5795.**
Trestle and Hanging fixtures include 12' of wire.



60-5792



60-5791



60-5795



60-5793



*ST19 Vintage lamps included



PRATT

Black / Brushed Nickel Accents / Frosted Glass



60-6455



60-6452

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6451	Mini Pendant	Black / Brushed Nickel	1	A19	Med.	100W	•	8"	12 ¾"	•	Dry
60-6452	Flush	Black / Brushed Nickel	3	A19	Med.	100W	•	16 ¾"	7"		Damp
60-6453	3 Lt. Pendant	Black / Brushed Nickel	3	A19	Med.	100W	•	20"	13 ½"		Dry
60-6454	5 Lt. Pendant	Black / Brushed Nickel	5	A19	Med.	100W	•	26"	13 ½"	•	Dry
60-6455	Island Pendant	Black / Brushed Nickel	4	A19	Med.	100W	38 ¾"	10"	13 ½"	•	Dry

Additional Stems: (6") **25-2057**, (12") **25-2055.**
Pendants include 12' of wire.



60-6454



60-6451



60-6453



LAUREL

Sudbury Bronze / Clear Seeded Glass



60-5546



60-5544



60-5545

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5541	1 Lt. Vanity	Sudbury Bronze	1	A19	Med.	60W	•	5 ¼"	13 ⅜"	6 ¼"	Damp
60-5542	2 Lt. Vanity	Sudbury Bronze	2	A19	Med.	60W	•	12 ⅞"	12 ⅞"	5 ½"	Damp
60-5543	3 Lt. Vanity	Sudbury Bronze	3	A19	Med.	60W	•	19 ⅛"	12 ⅞"	5 ¼"	Damp
60-5544	Semi-flush†	Sudbury Bronze	3	A19	Med.	60W	•	15 ½"	15 ⅞"	•	Dry
60-5545	5 Lt. Chandelier	Sudbury Bronze	5	A19	Med.	60W	•	22 ½"	25 ¼"	•	Dry
60-5546	3 Lt. Chandelier	Sudbury Bronze	3	A19	Med.	60W	•	21 ½"	23 ⅛"	•	Dry
60-5547	Pendant	Sudbury Bronze	3	A19	Med.	60W	•	15 ½"	25 ¼"	•	Dry
60-5548	Trestle	Sudbury Bronze	4	A19	Med.	60W	35 ¾"	5 ¼"	29"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-3023,** †Pendant conversion kit for semi-flush: **25-4096**
Chandelier, pendant, Trestle and semi-flush fixtures include 12' of wire and 4' of chain where applicable.



60-5547



60-5548



60-5542



60-5541



60-5543



VINTAGE

Polished Nickel / Clear or Ribbed Glass



60-5407



60-5411



60-5408



60-5401



*ST19 Vintage lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5401	Pendant	Polished Nickel	1	A19*	Med.	100W	•	7 ⅜"	10 ¾"	•	Dry
60-5406	Pendant	Polished Nickel	1	A19*	Med.	100W	•	14"	6 ¾"	•	Dry
60-5407	Pendant	Polished Nickel	1	A19*	Med.	100W	•	14"	6 ¾"	•	Dry
60-5408	Pendant	Polished Nickel	1	A19*	Med.	100W	•	14"	6 ⅜"	•	Dry
60-5409	Pendant	Polished Nickel	1	A19*	Med.	100W	•	14"	6 ½"	•	Dry
60-5411	Pendant	Polished Nickel	1	A19*	Med.	100W	•	7 ¾"	8 ¼"	•	Dry
60-5416	Pendant	Polished Nickel	1	A19*	Med.	100W	•	14"	6"	•	Dry

*40W ST19 **S2413** Vintage lamps included.

Pendants include 12' of black rayon cord.



60-5406



60-5409



60-5416



VINTAGE

Polished Nickel / Clear Glass



60-5402



60-5412



60-5404



60-5414



*ST19 Vintage lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5402	Pendant	Polished Nickel	1	A19*	Med.	100W	•	6 ½"	8 ⅝"	•	Dry
60-5403	Pendant	Polished Nickel	1	A19*	Med.	100W	•	7"	8 ⅝"	•	Dry
60-5404	Pendant	Polished Nickel	1	A19*	Med.	100W	•	5 ⅛"	8 ⅝"	•	Dry
60-5405	Pendant	Polished Nickel	1	A19*	Med.	100W	•	4 ⅞"	8"	•	Dry
60-5412	Sconce	Polished Nickel	1	A19*	Med.	100W	•	6 ½"	9 ¾"	7 ⅝"	Damp
60-5413	Sconce	Polished Nickel	1	A19*	Med.	100W	•	7"	9 ¾"	7 ⅞"	Damp
60-5414	Sconce	Polished Nickel	1	A19*	Med.	100W	•	5 ⅛"	9 ¾"	6 ⅛"	Damp
60-5415	Sconce	Polished Nickel	1	A19*	Med.	100W	•	4 ⅞"	9"	4 ¾"	Damp

*40W ST19 **S2413** Vintage lamps included.
Pendants include 12' of black rayon cord.
Vanity fixtures CUL listed for glass up or down installation.



60-5403



60-5413



60-5405



60-5415



VINTAGE

Rustic Bronze / Clear or Ribbed Glass



60-5507



60-5511



60-5508



60-5501



*ST19 Vintage lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5501	Pendant	Rustic Bronze	1	A19*	Med.	100W	•	7 ⅜"	10 ¾"	•	Dry
60-5506	Pendant	Rustic Bronze	1	A19*	Med.	100W	•	14"	6 ¾"	•	Dry
60-5507	Pendant	Rustic Bronze	1	A19*	Med.	100W	•	14"	6 ¾"	•	Dry
60-5508	Pendant	Rustic Bronze	1	A19*	Med.	100W	•	14"	6 ⅜"	•	Dry
60-5509	Pendant	Rustic Bronze	1	A19*	Med.	100W	•	14"	6 ½"	•	Dry
60-5511	Pendant	Rustic Bronze	1	A19*	Med.	100W	•	7 ¾"	8 ¼"	•	Dry
60-5516	Pendant	Rustic Bronze	1	A19*	Med.	100W	•	14"	6"	•	Dry

*40W ST19 **S2413** Vintage lamps included.

Pendants include 12' of brown rayon cord.



60-5506



60-5516



60-5509



VINTAGE

Polished Nickel / Clear Glass



60-5502



60-5512



60-5504



60-5514



*ST19 Vintage lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5502	Pendant	Rustic Bronze	1	A19*	Med.	100W	•	6 ½"	8 ⅝"	•	Dry
60-5503	Pendant	Rustic Bronze	1	A19*	Med.	100W	•	7"	8 ⅝"	•	Dry
60-5504	Pendant	Rustic Bronze	1	A19*	Med.	100W	•	5 ⅛"	8 ⅝"	•	Dry
60-5505	Pendant	Rustic Bronze	1	A19*	Med.	100W	•	4 ⅞"	8"	•	Dry
60-5512	Sconce	Rustic Bronze	1	A19*	Med.	100W	•	6 ½"	9 ¾"	7 ⅝"	Damp
60-5513	Sconce	Rustic Bronze	1	A19*	Med.	100W	•	7"	9 ¾"	7 ⅞"	Damp
60-5514	Sconce	Rustic Bronze	1	A19*	Med.	100W	•	5 ⅛"	9 ¾"	6 ⅛"	Damp
60-5515	Sconce	Rustic Bronze	1	A19*	Med.	100W	•	4 ⅞"	9"	4 ¾"	Damp

*40W ST19 **S2413** Vintage lamps included.
Vanity fixtures CUL listed for glass up or down installation.

Pendants include 12' of brown rayon cord.



60-5503



60-5513



60-5505



60-5515



PAXTON

Natural Brass or Aged Bronze Finish



60-5715



60-5711



60-5713



60-5712

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5711	Sconce	Natural Brass	1	A19*	Med.	100W	•	6 ¾"	9 ⅜"	4"	Damp
60-5712	Mini Pendant	Natural Brass	1	A19*	Med.	100W	•	5"	10 ⅞"	•	Dry
60-5713	Pendant	Natural Brass	3	A19*	Med.	100W	•	13 ½"	11 ¾"	•	Dry
60-5715	Chandelier	Natural Brass	5	A19*	Med.	100W	•	27 ¾"	23 ¾"	•	Dry
60-5721	Sconce	Aged Bronze	1	A19*	Med.	100W	•	6 ¾"	9 ⅜"	4"	Damp
60-5722	Mini Pendant	Aged Bronze	1	A19*	Med.	100W	•	5"	10 ⅞"	•	Dry
60-5723	Pendant	Aged Bronze	3	A19*	Med.	100W	•	13 ½"	11 ¾"	•	Dry
60-5725	Chandelier	Aged Bronze	5	A19*	Med.	100W	•	27 ¾"	23 ¾"	•	Dry

*40W ST19 **S2413** Vintage lamps included.
Sconces CUL listed for up or down installation.

Additional Stems (Natural Brass): (6") **25-4151,** (12") **25-4152,**
Additional Stems (Aged Bronze): (6") **25-4066,** (12") **25-4067.**
Chandeliers and pendants include 12' wire.



60-5722



60-5723



60-5725



60-5721



*ST19 Vintage lamps included



SHELBY

Polished Nickel / Clear Beveled Glass



60-6293



60-6294



60-6292



*ST19 or **T9 Vintage lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6291	Sconce	Polished Nickel	1	A19*	Med.	60W	•	4 ⅞"	8 ⅛"	4 ½"	Dry
60-6292	Foyer	Polished Nickel	4	A19*	Med.	60W	•	12 ¾"	18 ½"	•	Dry
60-6293	Pendant	Polished Nickel	4	T9**	Cand.	60W	•	10 ⅝"	10"	•	Dry
60-6294	Pendant	Polished Nickel	4	A19*	Med.	60W	•	20"	7 ⅝"	•	Dry
60-6295	Island Pendant	Polished Nickel	4	A19*	Med.	60W	38"	10 ⅝"	9 ⅝"	•	Dry

*60W ST19 **S2423** Vintage lamps included.
40W T9 **S2420 Vintage lamps included.

Additional Stems: (6") **25-4118**, (12") **25-4119.**
Pendants include 12' of wire.

60-6291



60-6295



KRYS

Polished Nickel / Clear Prism



60-5764



60-5761



60-5762





*ST19 or **T9 Vintage lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5761	Pendant	Polished Nickel	4	A19*	Med.	60W	•	24 ⅝"	20 ½"		Dry
60-5762	Foyer	Polished Nickel	4	T9**	Cand.	60W	•	14 ⅝"	26 ¼"	•	Dry
60-5763	Semi-flush†	Polished Nickel	2	A19*	Med.	60W	•	17 ¾"	12 ⅛"	•	Dry
60-5764	Mini Pendant	Polished Nickel	1	A19*	Med.	60W	•	7 ⅞"	11 ¾"	•	Dry
60-5765	Trestle	Polished Nickel	4	A19*	Med.	60W	36 ¾"	10"	23 ⅛"	•	Dry
60-5766	Short Sconce	Polished Nickel	1	A19*	Med.	60W	•	8 ¼"	12 ¾"	4 ¾"	Damp
60-5767	Long Sconce	Polished Nickel	1	A19*	Med.	60W	•	10 ¼"	22 ¾"	5 ⅜"	Damp

*60W ST19 **S2423** Vintage lamps included.
40W T9 **S2420 Vintage lamps included.

Additional chain: (3') **25-4141,** †Pendant conversion kit for semi-flush: **25-4143,**
Additional Stems: (6") **25-4118**, (12") **25-4119.**
Pendants trestle and Semi-flush include 12' of wire and 4' of chain where applicable.



60-5763



60-5767



60-5766



60-5765



KRYS

Aged Bronze / Clear Prisms



60-5771



60-5774



60-5772





*ST19 or **T9 Vintage lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5771	Pendant	Aged Bronze	4	A19*	Med.	60W	•	24 5⁄8"	20 1⁄2"	•	Dry
60-5772	Foyer	Aged Bronze	4	T9**	Cand.	60W	•	14 5⁄8"	26 1⁄4"	•	Dry
60-5773	Semi-flush†	Aged Bronze	2	A19*	Med.	60W	•	17 3⁄4"	12 1⁄8"	•	Dry
60-5774	Mini Pendant	Aged Bronze	1	A19*	Med.	60W	•	7 7⁄8"	11 3⁄4"	•	Dry
60-5775	Trestle	Aged Bronze	4	A19*	Med.	60W	36 3⁄4"	10"	23 1⁄8"	•	Dry
60-5776	Short Sconce	Aged Bronze	1	A19*	Med.	60W	•	8 1⁄4"	12 3⁄4"	4 3⁄4"	Damp
60-5777	Long Sconce	Aged Bronze	1	A19*	Med.	60W	•	10 1⁄4"	22 3⁄4"	5 3⁄8"	Damp

*60W ST19 **S2423** Vintage lamps included.
40W T9 **S2420 Vintage lamps included.

Additional chain: (3') **25-4058,** †Pendant conversion kit for semi-flush: **25-4097,**
Additional Stems: (6") **25-4066**, (12") **25-4067.**
Pendants trestle and Semi-flush include 12' of wire and 4' of chain where applicable.



60-5773



60-5777



60-5776



60-5775

RAINDROP
LED

Polished Nickel / White Glass with removable Aquamarine insert



DIMMABLE



62-141



62-145



62-145
shown without insert

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-141	Large Pendant	Polished Nickel	LED	25	2x75W	•	25"	10"	•	3000K	2,125*	90	Dry
62-142	Flush	Polished Nickel	LED	25	2x75W	•	15"	4 ⅜"	•	3000K	2,125*	90	Damp
62-143	Sconce	Polished Nickel	LED	10	60W	•	7 ¼"	7"	3 ½"	3000K	850*	90	Damp
62-144	Vanity	Polished Nickel	LED	26	2x60W	•	26 ¾"	7"	3 ⅝"	3000K	2,210*	90	Damp
62-145	Semi-flush	Polished Nickel	LED	25	2x75W	•	15"	10 ⅞"	•	3000K	2,125*	90	Dry
62-146	Small Pendant	Polished Nickel	LED	25	2x75W	•	15"	4"		3000K	2,125*	90	Dry

*Lumens measured at LED source.
Vanity and Sconce are ADA compliant.

Additional large pendant stems: (6") **25-126**, (12") **25-127** Additional small pendant stems: (6") **25-4118**, (12") **25-4119**
Pendants include 12' of wire. All fixtures include removable aquamarine inserts..



62-146



62-142



62-143



62-144



LAKE

Iron Black with Brushed Nickel Accents



60-5857



60-5859



ST19 Vintage
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5856	Sconce	Iron Black / Br. Nickel	1	A19†	Med.	60W	•	8"	12"	4 ½"	Damp
60-5857	2 Lt. Square Pendant	Iron Black / Br. Nickel	2	A19†	Med.	60W	•	14"	20 ½"	•	Dry
60-5858	4 Lt. Square Pendant	Iron Black / Br. Nickel	4	A19†	Med.	60W	•	19"	27 ¾"	•	Dry
60-5859	Island Pendant	Iron Black / Br. Nickel	4	A19†	Med.	60W	36"	10"	11 ¼"	•	Dry
60-5860	Mini Pendant	Iron Black / Br. Nickel	1	A19†	Med.	60W	•	8 ⅛"	13 ¾"	•	Dry

†60W ST19 **S2423** Vintage lamps included.

Additional Stems: (6") **25-5858**, (12") **25-5859.**
Pendants include 12' of wire.



60-5856



60-5860



60-5858



LAKE

Bronze with Copper Accents



60-5852



60-5854



ST19 Vintage
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5851	Sconce	Bronze / Copper	1	A19†	Med.	60W	•	8"	12"	4 ½"	Damp
60-5852	2 Lt. Square Pendant	Bronze / Copper	2	A19†	Med.	60W	•	14"	20 ½"	•	Dry
60-5853	4 Lt. Square Pendant	Bronze / Copper	4	A19†	Med.	60W	•	19"	27 ¾"	•	Dry
60-5854	Island Pendant	Bronze / Copper	4	A19†	Med.	60W	36"	10"	11 ¼"	•	Dry
60-5855	Mini Pendant	Bronze / Copper	1	A19†	Med.	60W	•	8 ⅛"	13 ¾"	•	Dry

†60W ST19 **S2423** Vintage lamps included.

Additional Stems: (6") **25-4171**, (12") **25-4172.**
Pendants include 12' of wire.



60-5851



60-5855



60-5853



ORIN

Iron Black with Brushed Nickel Accents or
Aged Bronze with Vintage Brass Accents



60-6261



60-6263



60-6262

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6261	4 Lt. Pendant	Iron Black	4	B10	Cand.	60W	•	24"	26 ⅜"	•	Dry
60-6262	3 Lt. Pendant	Iron Black	3	B10	Cand.	60W	•	18"	19 ¼"	•	Dry
60-6263	1 Lt. Pendant	Iron Black	1	A19	Med.	100W	•	12"	15 ⅜"	•	Dry
60-6361	4 Lt. Pendant	Aged Bronze	4	B10	Cand.	60W	•	24"	26 ⅜"	•	Dry
60-6362	3 Lt. Pendant	Aged Bronze	3	B10	Cand.	60W	•	18"	19 ¼"	•	Dry
60-6363	1 Lt. Pendant	Aged Bronze	1	A19	Med.	100W	•	12"	15 ⅜"	•	Dry

Additional Stems (Iron Black): (6") **25-6261**, (12") **25-6262,** Additional Stems (Aged Bronze): (6") **25-4066**, (12") **25-4067.**
Pendants include 12' of wire.



60-6361



60-6363



60-6362



DESIGN WITH AN OPEN MIND.

Three pendants, and so many possibilities – the only consideration would be size – it can't help but work. Antique Gold and Mirror Glass and an open frame design makes the Stanza collection one of those go-to fixture families for almost any venue.



Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6281	Small Pendant	Forest Bronze	1	A19	Med.	100W	•	17"	22 1⁄8"	•	Dry
60-6282	Medium Pendant	Forest Bronze	1	A19	Med.	100W	•	14"	17 3⁄8"	•	Dry
60-6283	Large Pendant	Forest Bronze	1	A19	Med.	100W	•	10"	22 1⁄8"	•	Dry

†60W ST19 **S2423** Vintage lamps included.

Additional Stems: (6") **25-5967**, (12") **25-5977.**
Pendants include 12' of wire.

MYSTIC

Forest Bronze / Antique Mirror Glass



60-6281



60-6283



60-6282



ST19 Vintage
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6271	Medium Pendant	Antique Gold	1	A19	Med.	60W	•	15"	15"	•	Dry
60-6272	Large Pendant	Antique Gold	1	A19	Med.	60W	•	18"	18"	•	Dry
60-6273	Small Pendant	Antique Gold	1	A19	Med.	60W	•	12"	12"	•	Dry

Additional Stems: (6") **25-6272**, (12") **25-6273.**
Pendants include 12' of wire.

STANZA

Antique Gold / Antique Mirror Glass



60-6273



60-6271



60-6272

FRANKIE

Aged Bronze / Cream Fabric Shade / White Diffuser





60-6544

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6543	3 Lt. Pendant	Aged Bronze	3	A19	Med.	100W	•	15"	16"	•	Dry
60-6544	4 Lt. Pendant	Aged Bronze	4	A19	Med.	100W	•	24"	24 3/8"	•	Dry
60-6545	Semi-flush*	Aged Bronze	3	A19	Med.	100W	•	15"	10 5/8"	•	Dry

Additional chain: (3') **25-5004***, Pendant conversion kit for semi-flush: **25-5013,** Additional Stems: (6") **25-5011,** (12") **25-5012.**
Pendants and semi-flush include 12' of wire.



60-6543



60-6545

MEADOW

Polished Nickel / White Fabric Shade / Frosted Glass Diffuser





60-5883



60-5881

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5881	Pendant	Polished Nickel	4	A19	Med.	60W	•	24"	21 ¾"	•	Dry
60-5882	Foyer	Polished Nickel	3	A19	Med.	60W	•	14"	24 ½"	•	Dry
60-5883	Semi-flush*	Polished Nickel	3	A19	Med.	60W	•	16"	11 ⅞"	•	Dry
60-5884	Mini Pendant	Polished Nickel	1	A19	Med.	60W	•	6 ½"	12 ⅝"	•	Dry
60-5885	Foyer	Polished Nickel	4	A19	Med.	60W	•	17"	32"	•	Dry

*Pendant conversion kit for semi-flush: **25-4143,** Additional Stems: (6") **25-4118,** (12") **25-4119.**
Pendants and semi-flush include 12' of wire.



60-5885




60-5884



60-5882

MEADOW

Russet Bronze / White Fabric Shade / Frosted Glass Diffuser





60-5888



60-5886

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5886	Pendant	Russet Bronze	4	A19	Med.	60W	•	24"	21 ¾"	•	Dry
60-5887	Foyer	Russet Bronze	3	A19	Med.	60W	•	14"	24 ½"	•	Dry
60-5888	Semi-flush*	Russet Bronze	3	A19	Med.	60W	•	16"	11 ⅞"	•	Dry
60-5889	Mini Pendant	Russet Bronze	1	A19	Med.	60W	•	6 ½"	12 ⅝"	•	Dry
60-5890	Foyer	Russet Bronze	4	A19	Med.	60W	•	17"	32"	•	Dry

*Pendant conversion kit for semi-flush: **25-5888,** Additional Stems: (6") **25-5886,** (12") **25-5887.**
Pendants and semi-flush include 12' of wire.



60-5890



60-5889



60-5887



LANSING

Midnight Bronze /White Fabric Shade / Etched Opal Glass



60-6435



60-6432



60-6433

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6431	Sconce	Midnight Bronze	2	Type B	Med.	60W	•	8"	12"	3 ⅞"	Damp
60-6432	Mini Pendant	Midnight Bronze	1	A19	Med.	60W	•	5 ¼"	12"	•	Dry
60-6433	Foyer	Midnight Bronze	4	A19	Med.	60W	•	14"	26 ⅜"	•	Dry
60-6434	Flush	Midnight Bronze	3	A19	Med.	60W	•	16"	5 ⅜"	•	Damp
60-6435	Pendant	Midnight Bronze	3	A19	Med.	60W	•	21"	18 ⅜"	•	Dry
60-6436	Semi-flush*	Midnight Bronze	3	A19	Med.	60W	•	16"	9 ⅜"	•	Dry

Additional chain: (3') **25-6419,** *Pendant conversion kit for semi-flush: **25-6418,** Additional Stems: (6") **25-6416**, (12") **25-6417.**
Semi-flush, foyer and pendants include 12' of wire.



60-6431



60-6434



60-6436



SENECA

Mahogany Bronze with wrapped rope/
Beige Linen Fabric Shade / Etched Glass Diffuser



60-5896



60-5898

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5896	Large Pendant	Mahogany Bronze	4	A19	Med.	60W	•	22"	22 1⁄8"	•	Dry
60-5897	Small Pendant	Mahogany Bronze	3	Type B	Cand.	60W	•	12"	20 5⁄8"	•	Dry
60-5898	Mini Pendant	Mahogany Bronze	1	A19	Med.	60W	•	8"	16"	•	Dry
60-5899	Medium Pendant	Mahogany Bronze	3	A19	Med.	60W	•	17"	30 3⁄8"	•	Dry

Additional Stems: (6") **25-2078,** (12") **25-2079.**
Pendants include 12' of wire.



60-5899



60-5897

SENECA

Natural Brass / Almond Mesh Fabric Shade / Etched Glass Diffuser



60-5841



60-5843

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5841	Large Pendant	Natural Brass	4	A19	Med.	60W	•	22"	22 1⁄8"	•	Dry
60-5842	Small Pendant	Natural Brass	3	Type B	Cand.	60W	•	12"	20 5⁄8"	•	Dry
60-5843	Mini Pendant	Natural Brass	1	A19	Med.	60W	•	8"	16"	•	Dry
60-5844	Medium Pendant	Natural Brass	3	A19	Med.	60W	•	17"	30 3⁄8"	•	Dry


Additional Stems: (6") **25-4151,** (12") **25-4152.**
Pendants include 12' of wire.



60-5844



60-5842



HARLOW

Polished Nickel / Slate Gray Fabric Shade / Frosted Diffuser



60-4630

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4620	3 Lt. Pendant	Polished Nickel	3	A19	Med.	60W	•	17 ¾"	20 ⅜"	•	Dry
60-4624	3 Lt. Chandelier	Polished Nickel	3	A19	Med.	60W	•	25"	20 ⅜"	•	Dry
60-4626	4 Lt. Pendant	Polished Nickel	4	A19	Med.	60W	•	23 ⅝"	20"	•	Dry
60-4630	9 Lt. Chandelier	Polished Nickel	9	A19	Med.	60W	•	38"	29 ¼"	•	Dry

Additional chain: (3') **25-4141,** Additional chain (for 2 tier chandelier): (3') **25-4142.**
2 Tier chandelier includes 12' of wire and 6' of chain. Other chandelier and pendants include 12' of wire and 4' of chain.



60-4624

60-4626

60-4620



HARLOW

Polished Nickel / Slate Gray Fabric Shade / Frosted Diffuser



60-4628



60-4625

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4621	1 Lt. Vanity	Polished Nickel	1	A19	Med.	100W	•	8 ⅞"	14 ⅛"	10"	Damp
60-4622	2 Lt. Vanity	Polished Nickel	2	A19	Med.	100W	•	20 ⅝"	10"	10"	Damp
60-4623	3 Lt. Vanity	Polished Nickel	3	A19	Med.	100W	•	31"	10"	10"	Damp
60-4625	Chandelier	Polished Nickel	5	A19	Med.	60W	•	27 ¾"	20 ⅜"	•	Dry
60-4627	Flush	Polished Nickel	2	A19	Med.	60W	•	13 ⅜"	6 ⅞"	•	Damp
60-4628	Mini Pendant	Polished Nickel	1	A19	Med.	60W	•	8 ⅞"	14 ¾"	•	Dry
60-4629	Semi-flush*	Polished Nickel	2	A19	Med.	60W	•	15"	12"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-4141,** *Pendant conversion kit for semi-flush: **25-4143.**
Chandelier, pendant and semi-flush fixture include 12' of wire and 4' of chain where applicable.



60-4627



60-4629



60-4623



60-4621



60-4622



HARLOW

Hazel Bronze / Khaki Fabric Shade / Cream Diffuser



60-4730

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4720	3 Lt. Pendant	Hazel Bronze	3	A19	Med.	60W	•	17 ¾"	20 ⅜"	•	Dry
60-4724	3 Lt. Chandelier	Hazel Bronze	3	A19	Med.	60W	•	25"	20 ⅜"	•	Dry
60-4726	4 Lt. Pendant	Hazel Bronze	4	A19	Med.	60W	•	23 ⅝"	20"	•	Dry
60-4730	9 Lt. Chandelier	Hazel Bronze	9	A19	Med.	60W	•	38"	29 ¼"	•	Dry

Additional chain: (3') **25-4212,** Additional chain (for 2 tier chandelier): (3') **25-4213.**
2 Tier chandelier includes 12' of wire and 6' of chain. Other chandelier and pendants include 12' of wire and 4' of chain.



60-4724

60-4726

60-4720

HARLOW

Hazel Bronze / Khaki Fabric Shade / Cream Diffuser





60-4728



60-4725

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4721	1 Lt. Vanity	Hazel Bronze	1	A19	Med.	100W	•	8 ⅞"	14 ⅛"	10"	Damp
60-4722	2 Lt. Vanity	Hazel Bronze	2	A19	Med.	100W	•	20 ⅝"	10"	10"	Damp
60-4723	3 Lt. Vanity	Hazel Bronze	3	A19	Med.	100W	•	31"	10"	10"	Damp
60-4725	Chandelier	Hazel Bronze	5	A19	Med.	60W	•	27 ¾"	20 ⅜"	•	Dry
60-4727	Flush	Hazel Bronze	2	A19	Med.	60W	•	13 ⅜"	6 ⅞"	•	Damp
60-4728	Mini Pendant	Hazel Bronze	1	A19	Med.	60W	•	8 ⅞"	14 ¾"	•	Dry
60-4729	Semi-flush*	Hazel Bronze	2	A19	Med.	60W	•	15"	12"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-4212,** ***Pendant conversion kit for semi-flush: **25-4214.**
Chandelier, pendant and semi-flush fixture include 12' of wire and 4' of chain where applicable.



60-4727



60-4729



60-4723




60-4721



60-4722

FILIGREE

Brushed Nickel / White Fabric Shade or Natural Brass / Beige Fabric Shade





60-5964



60-5961



60-5967

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5931	Flush/Beige	Natural Brass	2	A19	Med.	60W	•	15"	8"	•	Dry
60-5937	Semi-flush/Beige*	Natural Brass	2	A19	Med.	60W	•	15"	12 ½"	•	Dry
60-5942	Flush/White	Brushed Nickel	2	A19	Med.	60W	•	14 ⅝"	8"	•	Dry
60-5948	Semi-flush/White**	Brushed Nickel	2	A19	Med.	60W	•	14 ⅝"	12 ½"	•	Dry
60-5961	Flush/Beige	Natural Brass	2	A19	Med.	60W	•	15"	8"	•	Dry
60-5964	Pendant/Beige	Natural Brass	3	A19	Med.	60W	•	17 ½"	7 ⅝"	•	Dry
60-5967	Semi-flush/Beige*	Natural Brass	2	A19	Med.	60W	•	15"	12 ½"	•	Dry

Additional chain (Natural Brass): (3') **25-4153,** *Pendant conversion kit for semi-flush (Natural Brass): **25-4161**
Additional chain (Polished Nickel): (3') **25-1069,** **Pendant conversion kit for semi-flush (Polished Nickel): **25-1403**
Additional Stems (Natural Brass): (6") **25-4151**, (12") **25-4152.**
Semi-flush and pendant include 12' of wire.



60-5942



60-5931




60-5948



60-5937

GEMINI

Brushed Nickel / Slate Gray Fabric Shades / Frosted diffusers





60-4759

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4756	Pendant	Brushed Nickel	4	A19	Med.	60W	•	23 ½"	22 ⅞"	•	Dry
60-4758	Semi-Flush*	Brushed Nickel	2	A19	Med.	60W	•	18 ⅜"	12 ¼"	•	Dry
60-4759	Chandelier	Brushed Nickel	9	A19	Med.	60W	•	31 ¼"	26 ½"	•	Dry
60-4761	Flush	Brushed Nickel	2	A19	Med.	60W	•	14 ¾"	7 ⅛"	•	Damp

Additional chain: (3') **25-1069,** ***Pendant conversion kit for semi-flush: **25-1403.**
Pendant includes 12' of wire and 4' of chain. Semi-flush includes 12' of wire. Chandelier includes 12' of wire and 6' of chain.




60-4756



60-4761



60-4758



GEMINI

Brushed Nickel / Slate Gray Fabric Shades / Frosted diffusers



60-4757



60-4755

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4751	1 Lt. Vanity	Brushed Nickel	1	A19	Med.	100W	•	8"	10 ⅜"	5 ⅝"	Damp
60-4752	2 Lt. Vanity	Brushed Nickel	2	A19	Med.	100W	•	18 ¼"	11 ¼"	6"	Damp
60-4753	3 Lt. Vanity	Brushed Nickel	3	A19	Med.	100W	•	27 ¼"	11 ¼"	7 ½"	Damp
60-4754	Sconce	Brushed Nickel	2	A19	Med.	60W	•	16"	7 ¼"	5 ½"	Damp
60-4755	5 Lt. Chandelier	Brushed Nickel	5	A19	Med.	60W	•	25"	21 ¼"	•	Dry
60-4757	3 Lt. Chandelier	Brushed Nickel	3	A19	Med.	60W	•	21"	20 ¾"	•	Dry

Additional chain: (3') **25-1069**
Chandeliers include 12' of wire and 4' of chain.



60-4751



60-4752



60-4754



60-4753



GEMINI

Hazel Bronze / Khaki Fabric Shades / Cream diffusers



60-4859

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4856	Pendant	Hazel Bronze	4	A19	Med.	60W	•	23 ½"	22 ⅞"	•	Dry
60-4858	Semi-Flush*	Hazel Bronze	2	A19	Med.	60W	•	18 ⅜"	12 ¼"	•	Dry
60-4859	Chandelier	Hazel Bronze	9	A19	Med.	60W	•	31 ¼"	26 ½"	•	Dry
60-4861	Flush	Hazel Bronze	2	A19	Med.	60W	•	14 ¾"	7 ⅛"	•	Damp

Additional chain: (3') **25-4212,** ***Pendant conversion kit for semi-flush: **25-4214.**
Pendant includes 12' of wire and 4' of chain. Semi-flush includes 12' of wire. Chandelier includes 12' of wire and 6' of chain.



60-4856



60-4861



60-4858



GEMINI

Hazel Bronze / Khaki Fabric Shades / Cream diffusers



60-4857



60-4855

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4851	1 Lt. Vanity	Hazel Bronze	1	A19	Med.	100W	•	8"	10 ⅜"	5 ⅝"	Damp
60-4852	2 Lt. Vanity	Hazel Bronze	2	A19	Med.	100W	•	18 ¼"	11 ¼"	6"	Damp
60-4853	3 Lt. Vanity	Hazel Bronze	3	A19	Med.	100W	•	27 ¼"	11 ¼"	7 ½"	Damp
60-4854	Sconce	Hazel Bronze	2	A19	Med.	60W	•	16"	7 ¼"	5 ½"	Damp
60-4855	5 Lt. Chandelier	Hazel Bronze	5	A19	Med.	60W	•	25"	21 ¼"	•	Dry
60-4857	3 Lt. Chandelier	Hazel Bronze	3	A19	Med.	60W	•	21"	20 ¾"	•	Dry

Additional chain: (3') **25-4212**
Chandeliers include 12' of wire and 4' of chain.



60-4851



60-4852



60-4854



60-4853


DIESEL

Polished Nickel / Slate Gray Fabric Shade / Frosted Diffuser





60-4443



60-4441

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4441	Vertical Pendant	Polished Nickel	1	A19	Med.	100W	•	9 ½"	31 ¼"	•	Dry
60-4443	Round Pendant	Polished Nickel	4	A19	Med.	60W	•	21"	27 ⅝"	•	Dry
60-4446	Small Flush	Polished Nickel	3	A19	Med.	60W	•	16"	6 ½"	•	Damp
60-4447	Large Flush	Polished Nickel	4	A19	Med.	60W	•	24"	8 ½"	•	Damp
60-4448	Horizontal Sconce	Polished Nickel	3	A19	Med.	60W	•	22"	7"	5 ½"	Damp
60-4449	Vertical Sconce	Polished Nickel	3	A19	Med.	60W	•	6"	18"	6 ¾"	Damp

Additional Stems: (6") **25-4118,** (12") **25-4119.**
Pendants include 12' of wire.



60-4446



60-4447



60-4449



60-4448


DIESEL

Hazel Bronze / Khaki Fabric Shade / Cream Diffuser





60-4433



60-4431

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4431	Vertical Pendant	Hazel Bronze	1	A19	Med.	100W	•	9 ½"	31 ¼"	•	Dry
60-4433	Round Pendant	Hazel Bronze	4	A19	Med.	60W	•	21"	27 ⅝"	•	Dry
60-4436	Small Flush	Hazel Bronze	3	A19	Med.	60W	•	16"	6 ½"	•	Damp
60-4437	Large Flush	Hazel Bronze	4	A19	Med.	60W	•	24"	8 ½"	•	Damp
60-4438	Horizontal Sconce	Hazel Bronze	3	A19	Med.	60W	•	22"	7"	5 ½"	Damp
60-4439	Vertical Sconce	Hazel Bronze	3	A19	Med.	60W	•	6"	18"	6 ¾"	Damp

Additional Stems: (6") **25-4121,** (12") **25-4122.**
Pendants include 12' of wire.



60-4436



60-4437



60-4439



60-4438

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4464	Sconce	Polished Nickel	2	A19	Med.	60W	•	16 ¾"	8"	6 ⅝"	Damp
60-4468	Small Oval Flush	Polished Nickel	2	A19	Med.	60W	16"	11"	6 ¼"	•	Damp
60-4469	Large Oval Flush	Polished Nickel	6	A19	Med.	60W	24"	16"	7 ¾"	•	Damp

PORTIA

Polished Nickel / Slate Gray Fabric Shade / Frosted Diffuser



60-4469



60-4468



60-4464

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4454	Sconce	Hazel Bronze	2	A19	Med.	60W	•	16 ¾"	8"	6 ⅝"	Damp
60-4458	Small Oval Flush	Hazel Bronze	2	A19	Med.	60W	16"	11"	6 ¼"	•	Damp
60-4459	Large Oval Flush	Hazel Bronze	6	A19	Med.	60W	24"	16"	7 ¾"	•	Damp

PORTIA

Hazel Bronze / Khaki Fabric Shade / Cream Diffuser



60-4459



60-4458



60-4454



CANDICE

Brushed Nickel / Pleated White Shades / Frosted diffusers



60-4739

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4736	Pendant	Brushed Nickel	3	A19	Med.	60W	•	24"	24 ½"	•	Dry
60-4737	Semi-Flush*	Brushed Nickel	4	A19	Med.	60W	•	15"	12"	•	Dry
60-4739	9 Lt. Chandelier	Brushed Nickel	9	A19	Med.	60W	•	36"	32 ½"	•	Dry
60-4741	Flush	Brushed Nickel	3	A19	Med.	60W	•	15"	7 ½"	•	Damp

Additional chain: (3') **25-1069,** Additional chain (for 2 tier chandelier): (3') **25-4052, ***Pendant conversion kit for semi-flush: **25-1403.**
Pendant includes 12' of wire and 4' of chain. Semi-flush includes 12' of wire. Chandelier includes 12' of wire and 6' of chain.



60-4736



60-4741



60-4737



CANDICE

Brushed Nickel / Pleated White Shades / Frosted diffusers



60-4735



60-4738

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4731	1 Lt. Vanity	Brushed Nickel	1	A19	Med.	100W	•	7"	11"	10"	Damp
60-4732	2 Lt. Vanity	Brushed Nickel	2	A19	Med.	100W	•	16"	11 ¼"	10"	Damp
60-4733	3 Lt. Vanity	Brushed Nickel	3	A19	Med.	100W	•	25"	10 ¾"	10"	Damp
60-4734	3 Lt. Chandelier	Brushed Nickel	3	A19	Med.	60W	•	24"	24 ½"	•	Dry
60-4735	5 Lt. Chandelier	Brushed Nickel	5	A19	Med.	60W	•	28"	24 ½"	•	Dry
60-4738	Mini Pendant	Brushed Nickel	1	A19	Med.	60W	•	7"	9 ¼"	•	Dry

Additional chain: (3') **25-1069,** Additional Stems: (6") **25-2057**, (12") **25-2055**
Chandeliers and pendant include 12' of wire and 4' of chain where applicable.



60-4734



60-4731



60-4732



60-4733

PARALLEL

Polished Nickel / Etched Opal Glass





60-5206



60-5207



60-5205

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5201	1 Lt. Vanity	Polished Nickel	1	A19	Med.	100W	•	5"	12 ½"	8 ¾"	Damp
60-5202	2 Lt. Vanity	Polished Nickel	2	A19	Med.	100W	•	13"	7 ¾"	8 ¾"	Damp
60-5203	3 Lt. Vanity	Polished Nickel	3	A19	Med.	100W	•	21"	7 ¾"	8 ¾"	Damp
60-5204	4 Lt. Vanity	Polished Nickel	4	A19	Med.	100W	•	29"	7 ¾"	8 ¾"	Damp
60-5205	5 Lt. Chandelier	Polished Nickel	5	A19	Med.	60W	•	26"	20 ¼"	•	Dry
60-5206	3 Lt. Chandelier	Polished Nickel	3	A19	Med.	60W	•	23"	17 ¼"	•	Dry
60-5207	Flush	Polished Nickel	3	A19	Med.	60W	•	15"	6 ½"	•	Damp

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-4141**
Chandeliers includes 12' of wire and 4' of chain.



60-5203



60-5201



60-5204



60-5202



PARALLEL

Aged Bronze / Etched Opal Glass



60-5306



60-5305



60-5307

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5301	1 Lt. Vanity	Aged Bronze	1	A19	Med.	100W	•	5"	12 ½"	8 ¾"	Damp
60-5302	2 Lt. Vanity	Aged Bronze	2	A19	Med.	100W	•	13"	7 ¾"	8 ¾"	Damp
60-5303	3 Lt. Vanity	Aged Bronze	3	A19	Med.	100W	•	21"	7 ¾"	8 ¾"	Damp
60-5304	4 Lt. Vanity	Aged Bronze	4	A19	Med.	100W	•	29"	7 ¾"	8 ¾"	Damp
60-5305	5 Lt. Chandelier	Aged Bronze	5	A19	Med.	60W	•	26"	20 ¼"	•	Dry
60-5306	3 Lt. Chandelier	Aged Bronze	3	A19	Med.	60W	•	23"	17 ¼"	•	Dry
60-5307	Flush	Aged Bronze	3	A19	Med.	60W	•	15"	6 ½"	•	Damp

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-4058**
Chandeliers includes 12' of wire and 4' of chain.



60-5303



60-5301



60-5304



60-5302





WHEN THE HOME, THE ROOM AND THE LIGHTING COME TOGETHER PERFECTLY.

Classically contemporary in Brushed Nickel with Etched Opal Glass can be at home – or be the focal point – almost anywhere. This is the fixture interior designers know will give a space that final touch it needs.



CELINE

Polished Nickel / Etched Opal Glass



60-5477



60-5476



60-5475



*G9 Halogen
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5471	1 Lt. Vanity	Polished Nickel	1	Halogen	G9*	40W†	•	5 ⅜"	4 ¾"	6 ⅜"	Damp
60-5472	2 Lt. Vanity	Polished Nickel	2	Halogen	G9*	40W†	•	15 ¾"	4 ½"	6 ⅜"	Damp
60-5473	3 Lt. Vanity	Polished Nickel	3	Halogen	G9*	40W†	•	26"	4 ½"	10"	Damp
60-5474	4 Lt. Vanity	Polished Nickel	4	Halogen	G9*	40W†	•	36 ¼"	4 ½"	10"	Damp
60-5475	Chandelier	Polished Nickel	5	Halogen	G9*	40W†	•	26 ⅞"	20"	•	Dry
60-5476	Flush	Polished Nickel	2	A19	Med.	60W	•	13 ⅝"	6 ⅛"	•	Damp
60-5477	Semi-flush	Polished Nickel	3	Halogen	G9*	40W†	•	15"	11 ¼"	•	Dry
60-5478	Mini Pendant	Polished Nickel	1	Halogen	G9*	40W†	•	7"	9 ⅛"	•	Dry

*40w G9 **S4641** halogen lamp(s) included.
Vanity fixtures CUL listed for glass up or down installation.

Additional Stems: (6") **25-4118**, (12") **25-4119.**
Chandelier, mini pendant and semi-flush fixtures include 12' of wire.



60-5471



60-5472



60-5478



60-5473



60-5474



CELINE

Venetian Bronze / Etched Opal Glass



60-5577



60-5576

60-5575



*G9 Halogen
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5571	1 Lt. Vanity	Venetian Bronze	1	Halogen	G9*	40W†	•	5 ⅜"	4 ¾"	6 ⅜"	Damp
60-5572	2 Lt. Vanity	Venetian Bronze	2	Halogen	G9*	40W†	•	15 ¾"	4 ½"	6 ⅜"	Damp
60-5573	3 Lt. Vanity	Venetian Bronze	3	Halogen	G9*	40W†	•	26"	4 ½"	10"	Damp
60-5574	4 Lt. Vanity	Venetian Bronze	4	Halogen	G9*	40W†	•	36 ¼"	4 ½"	10"	Damp
60-5575	Chandelier	Venetian Bronze	5	Halogen	G9*	40W†	•	26 ⅞"	20"	•	Dry
60-5576	Flush	Venetian Bronze	2	A19	Med.	60W	•	13 ⅝"	6 ⅛"	•	Damp
60-5577	Semi-flush	Venetian Bronze	3	Halogen	G9*	40W†	•	15"	11 ¼"	•	Dry
60-5578	Mini Pendant	Venetian Bronze	1	Halogen	G9*	40W†	•	7"	9 ⅛"	•	Dry

*40w G9 **S4641** halogen lamp(s) included.
Vanity fixtures CUL listed for glass up or down installation.

Additional Stems: (6") **25-5105**, (12") **25-5106.**
Chandelier, mini pendant and semi-flush fixtures include 12' of wire.



60-5571



60-5572



60-5578



60-5573



60-5574

MOBILI

Brushed Nickel / Satin White Glass





60-5460



60-5456



60-5458



60-5457



60-5450

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5450	Semi-flush*	Brushed Nickel	2	A19	Med.	60W	•	13 ⅛"	10 ¼"	•	Dry
60-5451	1 Lt. Vanity	Brushed Nickel	1	A19	Med.	100W	•	5 ⅞"	8 ½"	6 ⅞"	Damp
60-5452	2 Lt. Vanity	Brushed Nickel	2	A19	Med.	100W	•	15 ⅜"	7 ⅞"	6 ⅞"	Damp
60-5453	3 Lt. Vanity	Brushed Nickel	3	A19	Med.	100W	•	25"	7 ⅞"	6 ⅞"	Damp
60-5454	4 Lt. Vanity	Brushed Nickel	4	A19	Med.	100W	•	34 ⅝"	7 ⅞"	6 ⅞"	Damp
60-5455	Island Pendant	Brushed Nickel	5	A19	Med.	100W	44 ⅛"	5 ⅞"	7 ⅝"	•	Dry
60-5456	6 Lt. Chandelier	Brushed Nickel	6	A19	Med.	100W	•	28"	14 ½"	•	Dry
60-5457	Mini Pendant	Brushed Nickel	1	A19	Med.	100W	•	5 ⅞"	11 ⅛"	•	Dry
60-5458	4 Lt. Chandelier	Brushed Nickel	4	A19	Med.	100W	•	18"	13 ⅝"	•	Dry
60-5460	Flush	Brushed Nickel	2	A19	Med.	60W	•	13 ⅛"	5 ⅛"	•	Damp

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-1069,** Additional Stems: (6") **25-2057**, (12") **25-2055.**
*Pendant conversion kit for semi-flush: **25-1403** Chandelier, pendants and semi-flush fixtures include 12' of wire.



60-5455



60-5451



60-5454



60-5452



60-5453

MOBILI

Aged Bronze / Satin White Glass





60-5560



60-5558



60-5557



60-5556



60-5550

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5550	Semi-flush*	Aged Bronze	2	A19	Med.	60W	•	13 ⅛"	10 ¼"	•	Dry
60-5551	1 Lt. Vanity	Aged Bronze	1	A19	Med.	100W	•	5 ⅞"	8 ½"	6 ⅞"	Damp
60-5552	2 Lt. Vanity	Aged Bronze	2	A19	Med.	100W	•	15 ⅜"	7 ⅞"	6 ⅞"	Damp
60-5553	3 Lt. Vanity	Aged Bronze	3	A19	Med.	100W	•	25"	7 ⅞"	6 ⅞"	Damp
60-5554	4 Lt. Vanity	Aged Bronze	4	A19	Med.	100W	•	34 ⅝"	7 ⅞"	6 ⅞"	Damp
60-5555	Island Pendant	Aged Bronze	5	A19	Med.	100W	44 ⅛"	5 ⅞"	7 ⅝"	•	Dry
60-5556	6 Lt. Chandelier	Aged Bronze	6	A19	Med.	100W	•	28"	14 ½"	•	Dry
60-5557	Mini Pendant	Aged Bronze	1	A19	Med.	100W	•	5 ⅞"	11 ⅛"	•	Dry
60-5558	4 Lt. Chandelier	Aged Bronze	4	A19	Med.	100W	•	18"	13 ⅝"	•	Dry
60-5560	Flush	Aged Bronze	2	A19	Med.	60W	•	13 ⅛"	5 ⅛"	•	Damp

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-4058,** Additional Stems: (6") **25-4066**, (12") **25-4067,**
*Pendant conversion kit for semi-flush: **25-4097.** Chandelier, pendants and semi-flush fixtures include 12' of wire.



60-5555



60-5551



60-5554




60-5552



60-5553

TELLER

Polished Chrome / Frosted Etched Glass





60-4267



60-4269

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4265	5 Lt. Chandelier	Polished Chrome	5	A19	Med.	60W	•	22"	19 ½"	•	Dry
60-4266	3 Lt. Chandelier	Polished Chrome	3	A19	Med.	60W	•	20"	18"	•	Dry
60-4267	Mini Pendant	Polished Chrome	1	A19	Med.	100W	•	6"	16"	•	Dry
60-4268	Semi-flush*	Polished Chrome	2	A19	Med.	60W	•	12"	13"	•	Dry
60-4269	9 Lt. Chandelier	Polished Chrome	9	A19	Med.	60W	•	30"	27"	•	Dry

Additional chain: (3') **25-2077,** Additional chain (for 2 tier chandelier): (3') **25-4115.**
***Pendant conversion kit for semi-flush: **25-1437.**
2 Tier chandelier includes 12' of wire and 6' of chain.
Other chandeliers, pendant and semi-flush fixtures include 12' of wire and 4' of chain where applicable.



60-4266



60-4268



60-4265

TELLER

Polished Chrome / Frosted Etched Glass





60-4272



60-4271



60-4273

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4261	1 Lt. Vanity	Polished Chrome	1	A19	Med.	100W	•	5 ⅜"	9"	6 ⅝"	Damp
60-4262	2 Lt. Vanity	Polished Chrome	2	A19	Med.	100W	•	13 ½"	9"	6 ⅝"	Damp
60-4263	3 Lt. Vanity	Polished Chrome	3	A19	Med.	100W	•	21"	9"	6 ⅝"	Damp
60-4264	4 Lt. Vanity	Polished Chrome	4	A19	Med.	100W	•	28 ½"	9"	6 ⅝"	Damp
60-4271	Small Flush	Polished Chrome	2	A19	Med.	60W	•	13"	8 ¼"	•	Damp
60-4272	Large Flush	Polished Chrome	3	A19	Med.	60W	•	15"	8 ½"	•	Damp
60-4273	3 Lt. Dinette	Polished Chrome	3	A19	Med.	60W	•	24 ¾"	21 ½"	•	Dry
60-5372	1 Lt. Sconce	Polished Chrome	1	A19	Med.	60W	•	12"	6 ⅞"	6"	Damp

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-2077.**
Dinette includes 12' of wire and 4' of chain.



60-5372



60-4263



60-4261



60-4262



60-4264

SURREY

Brushed Nickel / Frosted Glass





60-4149



60-4148

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4145	3 Lt. Chandelier	Brushed Nickel	3	A19	Med.	60W	•	21 ¾"	24"	•	Dry
60-4146	5 Lt. Chandelier	Brushed Nickel	5	A19	Med.	60W	•	24 ¼"	24"	•	Dry
60-4148	Mini Pendant	Brushed Nickel	1	A19	Med.	100W	•	6"	33"	•	Dry
60-4149	9 Lt. Chandelier	Brushed Nickel	9	A19	Med.	60W	•	32"	35"	•	Dry
60-4151	Semi-flush*	Brushed Nickel	2	A19	Med.	60W	•	13"	10"	•	Dry

Additional chain: (3') **25-1069,** Additional chain (for 2 tier chandelier): (3') **25-4052.**
Additional Stems: (6") **25-2057**, (12") **25-2055,** ***Pendant conversion kit for semi-flush: **25-1403.**
2 Tier chandelier includes 12' of wire and 6' of chain.
Other chandeliers, pendant and semi-flush fixtures include 12' of wire and 4' of chain where applicable.



60-4145




60-4146



60-4151

SURREY

Brushed Nickel / Frosted Glass





60-4153



60-4147



60-4152

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4141	1 Lt. Vanity	Polished Chrome	1	A19	Med.	100W	•	6"	8"	7"	Damp
60-4142	2 Lt. Vanity	Polished Chrome	2	A19	Med.	100W	•	16"	10 ¼"	6 ¾"	Damp
60-4143	3 Lt. Vanity	Polished Chrome	3	A19	Med.	100W	•	23 ¾"	10 ¼"	6 ¾"	Damp
60-4144	4 Lt. Vanity	Polished Chrome	4	A19	Med.	100W	•	30"	10 ¼"	6 ¾"	Damp
60-4147	3 Lt. Pendant	Polished Chrome	3	A19	Med.	60W	•	15 ¾"	21"	•	Dry
60-4152	Small Flush	Polished Chrome	2	A19	Med.	60W	•	13"	7"	•	Damp
60-4153	Large Flush	Polished Chrome	3	A19	Med.	60W	•	15 ½"	8 ¾"	•	Damp
60-5154	Fixed Track Bar	Polished Chrome	3	Halogen*	GU10	50W	26 ¾"	5 ½"	12"	•	Dry

*50W MR16/GU10 **S3502** halogen lamps included.
Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-1069.**
Pendant includes 12' of wire and 4' of chain.



60-4141



60-4154*



60-4142



60-4143



60-4144



*MR16 Halogen lamps included



LOREN

Polished Nickel / Etched Opal Glass / White Linen Shade



60-5107



60-5108



60-5104

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5101	1 Lt. Vanity	Polished Nickel	1	A19	Med.	100W	•	9 ¼"	6 ¼"	7 ⅛"	Damp
60-5102	2 Lt. Vanity	Polished Nickel	2	A19	Med.	100W	•	18 ¾"	6 ¼"	7 ⅛"	Damp
60-5103	3 Lt. Vanity	Polished Nickel	3	A19	Med.	100W	•	28"	6 ¼"	7 ⅛"	Damp
60-5104	Chandelier	Polished Nickel	4	A19	Med.	60W	•	26 ¼"	18 ¾"	•	Dry
60-5105	Mini Pendant	Polished Nickel	1	A19	Med.	100W	•	8 ½"	9 ¼"	•	Dry
60-5106	Island Pendant	Polished Nickel	3	A19	Med.	60W	36"	6"	17 ⅜"	•	Dry
60-5107	Semi-flush*	Polished Nickel	2	A19	Med.	60W	•	15"	13 ⅛"	•	Dry
60-5108	Pendant	Polished Nickel	4	A19	Med.	60W	•	22"	19 ¾"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-4141,** Additional Stems: (6") **25-4118**, (12") **25-4119,**
***Pendant conversion kit for semi-flush: **25-4143.**
Chandelier, pendants and semi-flush fixtures include 12' of wire and 4' of chain where applicable.



60-5105



60-5106



60-5101



60-5102



60-5103



CONNIE

Polished Nickel / Etched Opal Glass



60-5495



60-5496



60-5499

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5491	1 Lt. Vanity	Polished Nickel	1	A19	Med.	100W	•	4 ¾"	9 ½"	6 ⅞"	Damp
60-5492	2 Lt. Vanity	Polished Nickel	2	A19	Med.	100W	•	14 ⅜"	9 ½"	6 ⅞"	Damp
60-5493	3 Lt. Vanity	Polished Nickel	3	A19	Med.	100W	•	24"	9 ½"	6 ⅞"	Damp
60-5494	Pendant	Polished Nickel	3	A19	Med.	100W	•	20"	37 ⅛"	•	Dry
60-5495	5 Lt. Chandelier	Polished Nickel	5	A19	Med.	100W	•	26"	34 ⅝"	•	Dry
60-5496	3 Lt. Chandelier	Polished Nickel	3	A19	Med.	100W	•	18"	29"	•	Dry
60-5497	Semi-flush*	Polished Nickel	2	A19	Med.	60W	•	13"	10 ¾"	•	Dry
60-5498	Mini Pendant	Polished Nickel	1	A19	Med.	100W	•	4 ¾"	8 ⅞"	•	Dry
60-5499	Chandelier	Polished Nickel	9	A19	Med.	100W	•	30"	40 ⅞"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-4141,** Additional chain (for 2 tier chandelier): (3') **25-4142,**
Additional Stems: (6") **25-4118**, (12") **25-4119,** ***Pendant conversion kit for semi-flush: **25-4143.**
2 Tier chandelier includes 12' of wire and 6' of chain.
Other chandeliers, pendants and semi-flush fixtures include 12' of wire and 4' of chain where applicable.



60-5498



60-5494



60-5497



60-5491



60-5493



60-5492



SOHO

Polished Chrome / Satin White Glass



60-4586



60-4585

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4585	Chandelier	Polished Chrome	5	A19	Med.	60W	•	27 ½"	20 ¼"	•	Dry
60-4586	Pendant	Polished Chrome	3	A19	Med.	60W	•	16 ½"	23"	•	Dry
60-4591	Medium Flush	Polished Chrome	2	A19	Med.	60W	•	15 ⅜"	8"	•	Damp
60-4592	Large Flush	Polished Chrome	3	A19	Med.	60W	•	18 ¾"	9 ½"	•	Damp
60-4593	Semi-flush*	Polished Chrome	2	A19	Med.	60W	•	13"	10 ⅛"	•	Dry

Additional chain: (3') **25-2077,** ***Pendant conversion kit for semi-flush: **25-4143.**
Chandelier, pendant and semi-flush fixtures include 12' of wire and 4' of chain where applicable.



60-4591



60-4592



60-4593


SOHO

Polished Chrome / Satin White Glass





60-4587



60-4588

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4581	1 Lt. Vanity	Polished Chrome	1	A19	Med.	100W	•	7"	8 ¼"	8"	Damp
60-4582	2 Lt. Vanity	Polished Chrome	2	A19	Med.	100W	•	16"	7 ¼"	8"	Damp
60-4583	3 Lt. Vanity	Polished Chrome	3	A19	Med.	100W	•	25"	7 ¼"	8"	Damp
60-4584	4 Lt. Vanity	Polished Chrome	4	A19	Med.	100W	•	34"	7 ¼"	8"	Damp
60-4587	Chandelier	Polished Chrome	3	A19	Med.	60W	•	22"	17 ½"	•	Dry
60-4588	Mini Pendant	Polished Chrome	1	A19	Med.	60W	•	7"	6 ⅞"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-2077,** Additional Stems: (6") **25-2062**, (12") **25-2061.**
Chandelier and pendant include 12' of wire and 4' of chain where applicable.



60-4583



60-4581



60-4582



60-4584

BENTO

Polished Chrome / Satin White Glass





60-4088



60-4086



60-4085



60-4087

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4081	1 Lt. Vanity	Polished Chrome	1	A19	Med.	100W	•	5 ¼"	8 ½"	7"	Damp
60-4082	2 Lt. Vanity	Polished Chrome	2	A19	Med.	100W	•	14 ¼"	9 ¼"	7"	Damp
60-4083	3 Lt. Vanity	Polished Chrome	3	A19	Med.	100W	•	22"	9 ¼"	7"	Damp
60-4084	4 Lt. Vanity	Polished Chrome	4	A19	Med.	100W	•	30"	9 ¼"	7"	Damp
60-4085	3 Lt. Chandelier	Polished Chrome	3	A19	Med.	100W	•	20 ¼"	21"	•	Dry
60-4086	5 Lt. Chandelier	Polished Chrome	5	A19	Med.	60W	•	25 ¾"	24 ¾"	•	Dry
60-4087	Semi-flush*	Polished Chrome	2	A19	Med.	60W	•	13"	8 ⅞"	•	Dry
60-4088	Flush	Polished Chrome	2	A19	Med.	60W	•	13"	6 ¼"	•	Damp
60-4091	Island Pendant	Polished Chrome	5	A19	Med.	60W	37 ½"	5 ⅜"	7 ¾"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-2077,** Additional Stems: (6") **25-2062**, (12") **25-2061,**
***Pendant conversion kit for semi-flush: **25-4143.**
Chandeliers, pendant and semi-flush fixtures include 12' of wire and 4' of chain where applicable.



60-4091



60-4081



60-4082



60-4083



60-4084



PARKER

Polished Chrome / Sandstone Etched Glass



60-4006



60-4005



60-5373



60-4007

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4001	1 Lt. Vanity	Polished Chrome	1	A19	Med.	100W	•	4 ¾"	9 ½"	6 ⅜"	Damp
60-4002	2 Lt. Vanity	Polished Chrome	2	A19	Med.	100W	•	11 ¼"	9 ½"	6 ⅜"	Damp
60-4003	3 Lt. Vanity	Polished Chrome	3	A19	Med.	100W	•	18 ¾"	9 ½"	6 ⅜"	Damp
60-4004	4 Lt. Vanity	Polished Chrome	4	A19	Med.	100W	•	26"	9 ½"	6 ⅜"	Damp
60-4005	Chandelier	Polished Chrome	4	A19	Med.	100W	•	18"	16"	•	Dry
60-4006	Flush	Polished Chrome	2	A19	Med.	60W	15 ¼"	15 ¼"	8 ⅝"	•	Damp
60-4007	Semi-flush*	Polished Chrome	2	A19	Med.	60W	13 ¼"	13 ¼"	11 ¼"	•	Dry
60-4009	Mini Pendant	Polished Chrome	1	A19	Med.	100W	•	4 ¾"	16 ⅝"	•	Dry
60-5373	Sconce	Polished Chrome	1	A19	Med.	60W	•	13"	6 ¾"	6 ½"	Damp

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-2077,** *Pendant conversion kit for semi-flush: **25-1437.**
Chandelier, pendants and semi-flush fixtures include 12' of wire and 4' of chain where applicable.



60-4009



60-4001



60-4002



60-4003



60-4004



HELIUM

Brushed Nickel / Satin White Glass



60-4186



60-4185

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4185	3 Lt. Chandelier	Brushed Nickel	3	A19	Med.	60W	•	20"	25 ¼"	•	Dry
60-4186	6 Lt. Chandelier	Brushed Nickel	6	A19	Med.	60W	•	27"	27 ½"	•	Dry
60-4191	Small Flush	Brushed Nickel	1	A19	Med.	60W	•	11 ¼"	6 ½"	•	Damp
60-4192	Medium Flush	Brushed Nickel	2	A19	Med.	60W	•	13"	7"	•	Damp
60-4193	Large Flush	Brushed Nickel	3	A19	Med.	60W	•	15"	7 ½"	•	Damp
60-4194	Mini Pendant	Brushed Nickel	2	A19	Med.	60W	15"	6 ½"	9 ¼"	•	Dry

Additional chain: (3') **25-1069,** Additional Stems: (6") **25-2057**, (12") **25-2055.**
Chandeliers and pendants include 12' of wire and 4' of chain where applicable.



60-4194



60-4191



60-4192



60-4193

HELIUM

Brushed Nickel / Satin White Glass





60-4187



60-4188

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4181	1 Lt. Vanity	Brushed Nickel	1	A19	Med.	100W	•	6"	13 ½"	6 ½"	Damp
60-4182	2 Lt. Vanity	Brushed Nickel	2	A19	Med.	100W	•	15 ¼"	10"	6 ½"	Damp
60-4183	3 Lt. Vanity	Brushed Nickel	3	A19	Med.	100W	•	24 ½"	10 ¾"	6 ½"	Damp
60-4184	4 Lt. Vanity	Brushed Nickel	4	A19	Med.	100W	•	33 ¾"	11 ½"	6 ½"	Damp
60-4187	Pendant	Brushed Nickel	3	A19	Med.	60W	•	17"	24"	•	Dry
60-4188	Semi-flush*	Brushed Nickel	2	A19	Med.	60W	•	13 ¾"	12"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-1069,** ***Pendant conversion kit for semi-flush: **25-1403.**
Pendant includes 12' of wire and 4' of chain, Semi-flush fixture includes 12' of wire.



60-4181



60-4183



60-4182



60-4184

ODEON

Brushed Nickel / Satin White Glass





60-2855
(shown arms up)

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-2855	9 Lt. Chandelier*	Brushed Nickel	9	A19	Med.	60W	•	30"	27 ⅛"	•	Dry
60-2857	Pendant	Brushed Nickel	4	A19	Med.	60W	•	17"	17"	•	Dry
60-2859	Small Flush	Brushed Nickel	2	A19	Med.	60W	•	13 ⅛"	4 ⅞"	•	Damp
60-2862	Medium Flush	Brushed Nickel	3	A19	Med.	60W	•	15"	5 ⅝"	•	Damp
60-2864	Large Flush	Brushed Nickel	3	A19	Med.	60W	•	17"	5 ⅝"	•	Damp

Additional chain: (3') **25-1069,** Additional chain (for 2 tier chandelier): (3') **25-4052.**
Pendant includes 12' of wire and 4' of chain. Chandelier includes 12' of wire and 6' of chain. *Chandeliers are convertible for arm up or down use.



60-2857



60-2859



60-2862



60-2864



ODEON

Brushed Nickel / Satin White Glass



60-2853
(shown arms down)



60-2866

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-2851	6 Lt. Chandelier*	Brushed Nickel	3	A19	Med.	60W	•	17 ¾"	18 ½"	•	Dry
60-2853	3 Lt. Chandelier*	Brushed Nickel	6	A19	Med.	60W	•	28"	19 ⅞"	•	Dry
60-2866	Mini Pendant	Brushed Nickel	1	A19	Med.	60W	•	5 ⅛"	8 ½"	•	Dry
60-2868	Sconce	Brushed Nickel	1	A19	Med.	100W	•	6"	8"	4 ¼"	Damp
60-2871	2 Lt. Vanity	Brushed Nickel	2	A19	Med.	100W	•	15 ½"	5"	4 ¼"	Damp
60-2873	3 Lt. Vanity	Brushed Nickel	3	A19	Med.	100W	•	23 ⅞"	5"	4 ¼"	Damp
60-2875	4 Lt. Vanity	Brushed Nickel	4	A19	Med.	100W	•	32"	5"	4 ¼"	Damp

Additional chain: (3') **25-1069,** Additional Stems: (6") **25-2057**, (12") **25-2055.**
Chandeliers and pendant include 12' of wire. Chandeliers include 4' of chain. *Chandeliers are convertible for arm up or down use.



60-2851
(shown arms up)



60-2868



60-2871



60-2873



60-2875



ODEON

Aged Bronze / Satin White Glass



60-2979
(shown arms up)

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-2978	Large Pendant	Aged Bronze	4	A19	Med.	60W	•	17"	17"	•	Dry
60-2979	Chandelier*	Aged Bronze	9	A19	Med.	60W	•	30"	27 1⁄8"	•	Dry
60-2981	Small Flush	Aged Bronze	2	A19	Med.	60W	•	13 1⁄8"	4 7⁄8"	•	Damp
60-2982	Medium Flush	Aged Bronze	3	A19	Med.	60W	•	15"	5 5⁄8"	•	Damp
60-2983	Large Flush	Aged Bronze	3	A19	Med.	60W	•	17"	5 5⁄8"	•	Damp

Additional chain: (3') **25-4058,** Additional chain (for 2 tier chandelier): (3') **25-4065.**
Pendant includes 12' of wire and 4' of chain. Chandelier includes 12' of wire and 6' of chain. *Chandeliers are convertible for arm up or down use.



60-2978



60-2981



60-2982



60-2983

ODEON

Aged Bronze / Satin White Glass





60-2975
(shown arms up)



60-2977

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-2975	6 Lt. Chandelier*	Aged Bronze	6	A19	Med.	60W	•	28"	19 ⅞"	•	Dry
60-2976	3 Lt. Chandelier*	Aged Bronze	3	A19	Med.	60W	•	17 ¾"	18 ½"	•	Dry
60-2977	Mini Pendant	Aged Bronze	1	A19	Med.	60W	•	5 ⅛"	8 ½"	•	Dry
60-2971	Sconce	Aged Bronze	1	A19	Med.	100W	•	6"	8"	4 ¼"	Damp
60-2972	2 Lt. Vanity	Aged Bronze	2	A19	Med.	100W	•	15 ½"	5"	4 ¼"	Damp
60-2973	3 Lt. Vanity	Aged Bronze	3	A19	Med.	100W	•	23 ⅞"	5"	4 ¼"	Damp
60-2974	4 Lt. Vanity	Aged Bronze	4	A19	Med.	100W	•	32"	5"	4 ¼"	Damp

Additional chain: (3') **25-4058,** Additional Stems: (6") **25-4066**, (12") **25-4067.**
Chandeliers and pendant include 12' of wire. Chandeliers include 4' of chain. *Chandeliers are convertible for arm up or down use.



60-2976
(shown arms down)



60-2971



60-2972



60-2973



60-2974

DECKER

Brushed Nickel / Clear and Frosted Glass





60-4645



60-4647



60-4648

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4641	1 Lt. Vanity	Brushed Nickel	1	A19	Med.	60W	•	5 ¾"	10 ¼"	6 ¾"	Damp
60-4642	2 Lt. Vanity	Brushed Nickel	2	A19	Med.	100W	•	13 ¾"	10 ¼"	6 ¾"	Damp
60-4643	3 Lt. Vanity	Brushed Nickel	3	A19	Med.	100W	•	21 ¾"	10 ¼"	6 ¾"	Damp
60-4644	4 Lt. Vanity	Brushed Nickel	4	A19	Med.	100W	•	29 ¾"	10 ¼"	6 ¾"	Damp
60-4645	5 Lt. Chandelier	Brushed Nickel	5	A19	Med.	100W	•	25"	23 ¼"	•	Dry
60-4647	3 Lt. Chandelier	Brushed Nickel	3	A19	Med.	100W	•	25"	23 ¼"	•	Dry
60-4648	Mini Pendant	Brushed Nickel	1	A19	Med.	100W	•	6"	8 ⅝"	•	Dry
60-4651	Medium Flush	Brushed Nickel	2	A19	Med.	100W	•	13"	7"	•	Damp
60-4652	Large Flush	Brushed Nickel	3	A19	Med.	60W	•	15"	6 ⅝"	•	Damp

Additional chain: (3') **25-1069,** Additional Stems: (6") **25-2057**, (12") **25-2055.**
Chandeliers and pendant and include 12' of wire and 4' of chain where applicable.



60-4651



60-4641



60-4642



60-4652



60-4643



60-4644



POLARIS

Brushed Nickel / White Opal Glass



60-610



60-608



60-607




60-609

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-607	Chandelier	Brushed Nickel	6	A19	Med.	60W	•	28 ½"	30"	•	Dry
60-608	Flush	Brushed Nickel	2	A19	Med.	60W	•	13 ½"	4 ⅞"	•	Damp
60-609	Semi-flush*	Brushed Nickel	2	A19	Med.	60W	•	13 ¾"	8"	•	Dry
60-610	Pendant	Brushed Nickel	3	A19	Med.	60W	•	23"	30 ¼"	•	Dry
60-611	1 Lt. Vanity	Brushed Nickel	1	A19	Med.	100W	•	4 ½"	8 ¼"	8"	Damp
60-612	2 Lt. Vanity	Brushed Nickel	2	A19	Med.	100W	•	13 ½"	8 ¼"	8"	Damp
60-613	3 Lt. Vanity	Brushed Nickel	3	A19	Med.	100W	•	21"	8 ¼"	8"	Damp
60-614	4 Lt. Vanity	Brushed Nickel	4	A19	Med.	100W	•	29 ¾"	8 ¼"	8"	Damp
60-615	Mini Pendant	Brushed Nickel	1	A19	Med.	100W	•	5 ⅛"	8 ⅞"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-1069,** Additional Stems: (6") **25-2057**, (12") **25-2055,**
***Pendant conversion kit for semi-flush: **25-1431.**
Chandelier, pendant and semi-flush fixture include 12' of wire and 4' of chain where applicable.



60-615



60-612



60-611



60-613



60-614

FUSION

Brushed Nickel / Frosted Glass





60-4689

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4686	Pendant	Brushed Nickel	3	A19	Med.	60W	•	13 ¾"	19 ¼"	•	Dry
60-4689	Chandelier	Brushed Nickel	9	A19	Med.	60W	•	30 ⅞"	27 ½"	•	Dry
60-4691	Flush	Brushed Nickel	2	A19	Med.	60W	•	15"	6 ⅝"	•	Damp
60-4692	Semi-flush*	Brushed Nickel	2	A19	Med.	60W	•	13 ¾"	12"	•	Dry

Additional chain: (3') **25-1069,** Additional chain (for 2 tier chandelier): (3') **25-4052** ***Pendant conversion kit for semi-flush: **25-1403.**
Pendant and semi-flush fixture include 12' of wire and 4' of chain where applicable. . Chandelier includes 12' of wire and 6' of chain.



60-4686



60-4691



60-4692



FUSION

Brushed Nickel / Frosted Glass



60-4687



60-4685



60-4688

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-4681	1 Lt. Vanity	Brushed Nickel	1	A19	Med.	100W	•	5"	7 ¼"	7 ½"	Damp
60-4682	2 Lt. Vanity	Brushed Nickel	2	A19	Med.	100W	•	12"	8 ¼"	7 ½"	Damp
60-4683	3 Lt. Vanity	Brushed Nickel	3	A19	Med.	100W	•	19"	8 ¼"	7 ½"	Damp
60-4684	4 Lt. Vanity	Brushed Nickel	4	A19	Med.	100W	•	27"	8 ¼"	7 ½"	Damp
60-4685	5 Lt. Chandelier	Brushed Nickel	5	A19	Med.	60W	•	22 ⅜"	19 ¾"	•	Dry
60-4687	3 Lt. Chandelier	Brushed Nickel	3	A19	Med.	60W	•	17 ⅞"	15"	•	Dry
60-4688	Mini Pendant	Brushed Nickel	1	A19	Med.	60W	•	5"	7 ¼"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-1069,** Additional Stems: (6") **25-2057**, (12") **25-2055.**
Chandeliers and pendant include 12' of wire and 4' of chain.



60-4683



60-4681



60-4682




60-4684

GINGER

Brushed Nickel / Etched Opal Glass



60-5331



60-5334

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5329	6 Lt. Pendant	Brushed Nickel	6	A19	Med.	100W	•	16"	24 5⁄8"	•	Dry
60-5331	Semi-flush*	Brushed Nickel	2	A19	Med.	100W	•	14"	8 1⁄4"	•	Dry
60-5332	Mini Pendant	Brushed Nickel	1	A19	Med.	100W	•	8"	13 7⁄8"	•	Dry
60-5333	3 Lt. Pendant	Brushed Nickel	3	A19	Med.	100W	•	16"	17"	•	Dry
60-5334	Island Pendant	Brushed Nickel	4	A19	Med.	100W	38"	12"	19 1⁄8"	•	Dry

Additional chain: (3') **25-1069,** Additional chain (for 2 tier chandelier): (3') **25-4052.**
Additional Stems: (6") **25-2057**, (12") **25-2055.** *Pendant conversion kit for semi-flush: **25-1403.**
Pendants and semi-flush fixture include 12' of wire and 4' of chain where applicable.. 2 Tier chandelier includes 12' of wire and 6' of chain.



60-5333



60-5332



60-5329

GINGER

Old Bronze / Etched Opal Glass



60-5335



60-5338

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5335	Semi-flush*	Old Bronze	2	A19	Med.	100W	•	14"	24 5⁄8"	•	Dry
60-5336	Mini Pendant	Old Bronze	1	A19	Med.	100W	•	8"	8 1⁄4"	•	Dry
60-5337	3 Lt. Pendant	Old Bronze	3	A19	Med.	100W	•	16"	13 7⁄8"	•	Dry
60-5338	Island Pendant	Old Bronze	4	A19	Med.	100W	38"	12"	17"	•	Dry
60-5339	6 Lt. Pendant	Old Bronze	6	A19	Med.	100W	•	16"	19 1⁄8"	•	Dry

Additional chain: (3') **25-1067,** Additional chain (for 2 tier chandelier): (3') **25-362.**
Additional Stems: (6") **25-2028,** (12") **25-2002.** *Pendant conversion kit for semi-flush: **25-1402.**
Pendants and semi-flush fixture include 12' of wire and 4' of chain where applicable. 2 Tier chandelier includes 12' of wire and 6' of chain.



60-5337



60-5336



60-5339



SIMPLE IS BEAUTIFUL.

Simplicity is not easy to achieve in design. It's boiling down an object to only it's most essential – and beautiful – elements. Crate is a glowing example of this thinking. Right for so many applications, large or small, Crate's understated design is sure to add elegance and interest to any space.





CRATE **LED**

Brushed Nickel / Gray Marbleized Acrylic Panels

DIMMABLE



62-894



62-893

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-891	14" Flush	Brushed Nickel	LED	25	2x100W	•	14"	6"	•	3000K	2,125*	90	Damp
62-892	17" Flush	Brushed Nickel	LED	39	3x75W	•	17"	6"	•	3000K	3,315*	90	Damp
62-893	Pendant	Brushed Nickel	LED	39	3x75W	•	20"	6"	•	3000K	3,315*	90	Dry
62-894	Foyer	Brushed Nickel	LED	25	2x100W	•	14"	22"	•	3000K	2,125*	90	Dry
62-895	12" Vanity	Brushed Nickel	LED	13	75W	•	12"	5"	2 ½"	3000K	1,105*	90	Damp
62-896	24" Vanity	Brushed Nickel	LED	26	2x75W	•	24"	5"	2 ½"	3000K	2,380*	90	Damp
62-897	36" Vanity	Brushed Nickel	LED	39	3x75W	•	36"	5"	2 ½"	3000K	3,315*	90	Damp

*Lumens measured at LED source.
Vanity fixtures are ADA compliant.

Additional Stems: (6") **25-2057**, (12") **25-2055**



62-892



62-895



62-891



62-896



62-897





IMPACT MADE SIMPLE

Clean, simple design speaks volumes. And even in all its simplicity, Bounce becomes a presence. Polished Nickel and the clear lamps themselves form a simple, almost playful contemporary statement perfect for so many hospitality applications.

BOUNCE

Polished Nickel





60-6565



60-6566

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6561	1 Lt. Vanity	Polished Nickel	1	G25	Med.	60W	•	5"	11 3⁄8"	5 3⁄4"	Damp
60-6562	2 Lt. Vanity	Polished Nickel	2	G25	Med.	60W	•	13 7⁄8"	10 5⁄8"	4 7⁄8"	Damp
60-6563	3 Lt. Vanity	Polished Nickel	3	G25	Med.	60W	•	24"	10 5⁄8"	4 7⁄8"	Damp
60-6564	Flush	Polished Nickel	4	G25	Med.	60W	•	18"	6 3⁄8	•	Damp
60-6565	Chandelier	Polished Nickel	5	G25	Med.	60W	•	27"	13 3⁄8"	•	Dry
60-6566	Mini Pendant	Polished Nickel	1	G25	Med.	60W	•	5"	4 5⁄8"	•	Dry

Additional Stems: (6") **25-4118,** (12") **25-4119.**
Chandelier and pendant include 12' of wire.



60-6564



60-6561



60-6563



60-6562

FAWN

Brushed Nickel / Satin White Glass





60-6212



60-6209

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6205	5 Lt. Chandelier	Brushed Nickel	5	A19	Med.	100W	•	25"	22"	•	Dry
60-6207	Pendant	Brushed Nickel	2	A19	Med.	100W	•	16"	19 ¾"	•	Dry
60-6209	9 Lt. Chandelier	Brushed Nickel	9	A19	Med.	100W	•	30"	26"	•	Dry
60-6211	Flush	Brushed Nickel	2	A19	Med.	100W	•	14 ⅜"	7 ⅝"	•	Damp
60-6212	Semi-flush	Brushed Nickel	2	A19	Med.	100W	•	13 ½"	12 ⅝"	•	Dry

Additional chain: (3') **25-1069,** *Pendant conversion kit for semi-flush: **25-1403.**
2 tier chandelier includes 12' of wire and 6' of chain, chandelier, pendant and semi-flush include 12' of wire and 4' of chain where applicable.



60-6205



60-6211



60-6207

FAWN

Brushed Nickel / Satin White Glass



60-6213



60-6208

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6201	1 Lt. Vanity	Brushed Nickel	1	A19	Med.	100W	•	6"	8 ¾"	8 ¼"	Damp
60-6202	2 Lt. Vanity	Brushed Nickel	2	A19	Med.	100W	•	15"	8 ¾"	8 ¼"	Damp
60-6203	3 Lt. Vanity	Brushed Nickel	3	A19	Med.	100W	•	22"	8 ¾"	8 ¼"	Damp
60-6204	4 Lt. Vanity	Brushed Nickel	4	A19	Med.	100W	•	29 ½"	8 ¾"	8 ¼"	Damp
60-6208	Island Pendant	Brushed Nickel	3	A19	Med.	100W	48 ½"	13 ½"	25"	•	Dry
60-6213	Mini Pendant	Brushed Nickel	1	A19	Med.	100W	•	6"	6 ¾"	•	Dry

Additional chain: (3') **25-1069,** Additional Stems: (6") **25-2057**, (12") **25-2055.**
Pendants include 12' of wire and 4' of chain, where applicable.



60-6204



60-6201



60-6203



60-6202

FAWN

Mahogany Bronze / Satin White Glass





60-6312



60-6309

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6305	5 Lt. Chandelier	Mahogany Bronze	5	A19	Med.	100W	•	25"	22"	•	Dry
60-6307	Pendant	Mahogany Bronze	2	A19	Med.	100W	•	16"	19 ¾"	•	Dry
60-6309	9 Lt. Chandelier	Mahogany Bronze	9	A19	Med.	100W	•	30"	26"	•	Dry
60-6311	Flush	Mahogany Bronze	2	A19	Med.	100W	•	14 ⅜"	7 ⅝"	•	Damp
60-6312	Semi-flush	Mahogany Bronze	2	A19	Med.	100W	•	13 ½"	12 ⅝"	•	Dry

Additional chain: (3') **25-2081,** *Pendant conversion kit for semi-flush: **25-2082.**
2 tier chandelier includes 12' of wire and 6' of chain, chandelier, pendant and semi-flush include 12' of wire and 4' of chain where applicable.



60-6305



60-6311



60-6307

FAWN

Mahogany Bronze / Satin White Glass



60-6313



60-6308

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6301	1 Lt. Vanity	Mahogany Bronze	1	A19	Med.	100W	•	6"	8 ¾"	8 ¼"	Damp
60-6302	2 Lt. Vanity	Mahogany Bronze	2	A19	Med.	100W	•	15"	8 ¾"	8 ¼"	Damp
60-6303	3 Lt. Vanity	Mahogany Bronze	3	A19	Med.	100W	•	22"	8 ¾"	8 ¼"	Damp
60-6304	4 Lt. Vanity	Mahogany Bronze	4	A19	Med.	100W	•	29 ½"	8 ¾"	8 ¼"	Damp
60-6308	Island Pendant	Mahogany Bronze	3	A19	Med.	100W	48 ½"	13 ½"	25"	•	Dry
60-6313	Mini Pendant	Mahogany Bronze	1	A19	Med.	100W	•	6"	6 ¾"	•	Dry

Additional chain: (3') **25-2081,** Additional Stems: (6") **25-2078**, (12") **25-2079.**
Pendants include 12' of wire and 4' of chain, where applicable.



60-6304



60-6301



60-6303



60-6302

DENVER

Polished Nickel / Satin White Glass





60-6227



60-6229

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6225	5 Lt. Chandelier	Polished Nickel	5	A19	Med.	100W	•	22"	17 ½"	•	Dry
60-6226	3 Lt. Pendant	Polished Nickel	3	A19	Med.	100W	•	11 ⅝"	18 ¾"	•	Dry
60-6227	2 Lt. Pendant	Polished Nickel	2	A19	Med.	100W	•	14 ⅜"	19 ½"	•	Dry
60-6229	9 Lt. Chandelier	Polished Nickel	9	A19	Med.	100W	•	31"	28"	•	Dry
60-6231	Flush	Polished Nickel	2	A19	Med.	100W	•	13 ⅝"	6 ⅜"	•	Damp

Additional chain: (3') **25-4141.**
2 tier chandelier includes 12' of wire and 6' of chain, chandelier and pendant include 12' of wire and 4' of chain.



60-6225



60-6231



60-6226



DENVER

Polished Nickel / Satin White Glass



60-6228

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6221	1 Lt. Vanity	Polished Nickel	1	A19	Med.	100W	•	4 ⅝"	10 ⅛"	6"	Damp
60-6222	2 Lt. Vanity	Polished Nickel	2	A19	Med.	100W	•	14"	10 ⅛"	6"	Damp
60-6223	3 Lt. Vanity	Polished Nickel	3	A19	Med.	100W	•	21 ¼"	10 ⅛"	6"	Damp
60-6224	4 Lt. Vanity	Polished Nickel	4	A19	Med.	100W	•	29"	10 ⅛"	6"	Damp
60-6228	Island Pendant	Polished Nickel	4	A19	Med.	100W	34"	3 ⅝"	17 ½"	•	Dry

Additional chain: (3') **25-4141.**
Pendant includes 12' of wire and 4' of chain.



60-6224



60-6221



60-6223



60-6222



DENVER

Mahogany Bronze / Satin White Glass



60-6327



60-6329

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6325	5 Lt. Chandelier	Mahogany Bronze	5	A19	Med.	100W	•	22"	17 ½"	•	Dry
60-6326	3 Lt. Pendant	Mahogany Bronze	3	A19	Med.	100W	•	11 ⅝"	18 ¾"	•	Dry
60-6327	2 Lt. Pendant	Mahogany Bronze	2	A19	Med.	100W	•	14 ⅜"	19 ½"	•	Dry
60-6329	9 Lt. Chandelier	Mahogany Bronze	9	A19	Med.	100W	•	31"	28"	•	Dry
60-6331	Flush	Mahogany Bronze	2	A19	Med.	100W	•	13 ⅝"	6 ⅜"	•	Damp

Additional chain: (3') **25-2081.**
2 tier chandelier includes 12' of wire and 6' of chain, chandelier and pendant include 12' of wire and 4' of chain.



60-6325



60-6331



60-6326

DENVER

Mahogany Bronze / Satin White Glass





60-6328

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6321	1 Lt. Vanity	Mahogany Bronze	1	A19	Med.	100W	•	4 ⅝"	10 ⅛"	6"	Damp
60-6322	2 Lt. Vanity	Mahogany Bronze	2	A19	Med.	100W	•	14"	10 ⅛"	6"	Damp
60-6323	3 Lt. Vanity	Mahogany Bronze	3	A19	Med.	100W	•	21 ¼"	10 ⅛"	6"	Damp
60-6324	4 Lt. Vanity	Mahogany Bronze	4	A19	Med.	100W	•	29"	10 ⅛"	6"	Damp
60-6328	Island Pendant	Mahogany Bronze	4	A19	Med.	100W	34"	3 ⅝"	17 ½"	•	Dry

Additional chain: (3') **25-2081.**
Pendant includes 12' of wire and 4' of chain.



60-6324



60-6321



60-6323



60-6322

NOME

Brushed Nickel / Satin White Glass





60-6251



60-6249

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6245	Pendant	Brushed Nickel	3	A19	Med.	100W	•	19 ½"	22"	•	Dry
60-6246	5 Lt. Chandelier	Brushed Nickel	5	A19	Med.	100W	•	24	23"	•	Dry
60-6249	9 Lt. Chandelier	Brushed Nickel	9	A19	Med.	100W	•	31"	28 ½"	•	Dry
60-6251	Semi-flush*	Brushed Nickel	2	A19	Med.	100W	•	16 ⅛"	14"	•	Dry
60-6252	Flush	Brushed Nickel	2	A19	Med.	100W	•	16 ⅞"	7 ⅛"	•	Damp

Additional chain: (3') **25-1069,** Additional Stems: (6") **25-2057**, (12") **25-2055.** *Pendant conversion kit for semi-flush: **25-1403.**
Chandeliers, semi-flush and pendant include 12' of wire.



60-6245



60-6252



60-6246



NOME

Brushed Nickel / Satin White Glass



60-6247

60-6253



60-6248

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6241	1 Lt. Vanity	Brushed Nickel	1	A19	Med.	100W	•	4 ¾"	10"	7"	Damp
60-6242	2 Lt. Vanity	Brushed Nickel	2	A19	Med.	100W	•	13 ½"	9 ¼"	7"	Damp
60-6243	3 Lt. Vanity	Brushed Nickel	3	A19	Med.	100W	•	21"	9 ¼"	7"	Damp
60-6244	4 Lt. Vanity	Brushed Nickel	4	A19	Med.	100W	•	29 ½"	9 ¼"	7"	Damp
60-6247	Pendant	Brushed Nickel	2	A19	Med.	100W	•	16 ⅛"	18"	•	Dry
60-6248	Island Pendant	Brushed Nickel	2	A19	Med.	100W	36 ½"	14 ⅛"	15"	•	Dry
60-6253	Mini Pendant	Brushed Nickel	1	A19	Med.	100W	•	4 ¾"	7 ⅛"	•	Dry

Additional Stems: (6") **25-2057**, (12") **25-2055.**
Pendant includes 12' of wire and 4' of chain.



60-6244



60-6241



60-6243



60-6242



NOME

Mahogany Bronze / Satin White Glass



60-6351



60-6349

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6345	Pendant	Mahogany Bronze	3	A19	Med.	100W	•	19 ½"	22"	•	Dry
60-6346	5 Lt. Chandelier	Mahogany Bronze	5	A19	Med.	100W	•	24	23"	•	Dry
60-6349	9 Lt. Chandelier	Mahogany Bronze	9	A19	Med.	100W	•	31"	28 ½"	•	Dry
60-6351	Semi-flush*	Mahogany Bronze	2	A19	Med.	100W	•	16 ⅛"	14"	•	Dry
60-6352	Flush	Mahogany Bronze	2	A19	Med.	100W	•	16 ⅞"	7 ⅛"	•	Damp

Additional chain: (3') **25-2081,** Additional Stems: (6") **25-2078**, (12") **25-2079.** *Pendant conversion kit for semi-flush: **25-2082.**
Chandeliers, semi-flush and pendant include 12' of wire.



60-6345



60-6352



60-6346

NOME

Mahogany Bronze / Satin White Glass



60-6347

60-6353



60-6348

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6341	1 Lt. Vanity	Mahogany Bronze	1	A19	Med.	100W	•	4 ¾"	10"	7"	Damp
60-6342	2 Lt. Vanity	Mahogany Bronze	2	A19	Med.	100W	•	13 ½"	9 ¼"	7"	Damp
60-6343	3 Lt. Vanity	Mahogany Bronze	3	A19	Med.	100W	•	21"	9 ¼"	7"	Damp
60-6344	4 Lt. Vanity	Mahogany Bronze	4	A19	Med.	100W	•	29 ½"	9 ¼"	7"	Damp
60-6347	Pendant	Mahogany Bronze	2	A19	Med.	100W	•	16 ⅛"	18"	•	Dry
60-6348	Island Pendant	Mahogany Bronze	2	A19	Med.	100W	36 ½"	14 ⅛"	15"	•	Dry
60-6353	Mini Pendant	Mahogany Bronze	1	A19	Med.	100W	•	4 ¾"	7 ⅛"	•	Dry

Additional Stems: (6") **25-2078**, (12") **25-2079.**
Pendant includes 12' of wire and 4' of chain.



60-6344



60-6341



60-6343



60-6342



CHESTER

Iron Black with Brushed Nickel Accents / White Glass



60-6379

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6369	Semi-flush	Iron Black	2	A19	Med.	100W	•	15 ¾"	11 ¾"	•	Dry
60-6375	5 Lt. Chandelier	Iron Black	5	A19	Med.	100W	•	26"	25 ½"	•	Dry
60-6378	Pendant	Iron Black	3	A19	Med.	100W	•	18 ⅞"	21 ½".	•	Dry
60-6379	9 Lt. Chandelier	Iron Black	9	A19	Med.	100W	•	32"	29 ½"	•	Dry

Additional chain: (3') **25-6379,** *Pendant conversion kit for semi-flush: **25-6378.**
2 tier chandelier includes 12' of wire and 6' of chain, chandelier, pendant and semi-flush include 12' of wire and 4' of chain where applicable.



60-6369



60-6378



60-6375

CHESTER

Iron Black with Brushed Nickel Accents / White Glass





60-6376



60-6377

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6371	1 Lt. Vanity	Iron Black	1	A19	Med.	100W	•	5 ⅛"	7 ¾"	7 ½"	Damp
60-6372	2 Lt. Vanity	Iron Black	2	A19	Med.	100W	•	14 ⅝"	7 ¾"	8 ¼"	Damp
60-6373	3 Lt. Vanity	Iron Black	3	A19	Med.	100W	•	24"	7 ¾"	8 ¼"	Damp
60-6374	4 Lt. Vanity	Iron Black	4	A19	Med.	100W	•	33 ½"	7 ¾"	8 ¼"	Damp
60-6376	Foyer	Iron Black	2	A19	Med.	100W	•	17"	30 ⅝"	•	Dry
60-6377	Mini Pendant	Iron Black	2	A19	Med.	100W	•	5 ⅛"	8 ½"	•	Dry

Additional chain: (3') **25-6379,** Additional Stems: (6") **25-6261**, (12") **25-6262.**
Pendants include 12' of wire and 4' of chain, where applicable.



60-6374



60-6371



60-6373



60-6372

ELIZABETH

Brushed Nickel / Frosted Glass





60-5599

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5590	Flush	Brushed Nickel	2	A19	Med.	60W	•	11"	5 ½"	•	Damp
60-5597	Mini Pendant	Brushed Nickel	1	A19	Med.	60W	•	6"	6 ½"	•	Dry
60-5599	Chandelier	Brushed Nickel	9	A19	Med.	60W	•	27"	28 ½"	•	Dry
60-5600	Semi-Flush*	Brushed Nickel	2	A19	Med.	60W	•	13 ½"	13 ¾"	•	Dry

Additional chain: (3') **25-1069,** Additional chain (for 2 tier chandelier): (3') **25-4052,**
***Pendant conversion kit for semi-flush: **25-1403.** Additional Stems: (6") **25-2057**, (12") **25-2055.**
Pendant includes 12' of wire. Semi-flush includes 12' of wire. Chandelier includes 12' of wire and 6' of chain.




60-5597



60-5590



60-5600



ELIZABETH

Brushed Nickel / Frosted Glass



60-5596



60-5595

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5591	1 Lt. Vanity	Brushed Nickel	1	A19	Med.	60W	•	6"	11 ⅛"	6 ⅜"	Damp
60-5592	2 Lt. Vanity	Brushed Nickel	2	A19	Med.	60W	•	13 ¾"	6 ½"	7 ½"	Damp
60-5593	3 Lt. Vanity	Brushed Nickel	3	A19	Med.	60W	•	24"	6 ½"	7 ½"	Damp
60-5594	4 Lt. Vanity	Brushed Nickel	4	A19	Med.	60W	•	30"	6 ½"	7 ½"	Damp
60-5595	5 Lt. Chandelier	Brushed Nickel	5	A19	Med.	60W	•	25"	24 ⅝"	•	Dry
60-5596	3 Lt. Chandelier	Brushed Nickel	3	A19	Med.	60W	•	21 ½"	22 ½"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-1069.**
Chandeliers include 12' of wire and 4' of chain.



60-5591



60-5592



60-5593



60-5594

ELIZABETH

Sudbury Bronze / Frosted Glass





60-5699

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5690	Flush	Sudbury Bronze	2	A19	Med.	60W	•	11"	5 ½"	•	Damp
60-5697	Mini Pendant	Sudbury Bronze	1	A19	Med.	60W	•	6"	6 ½"	•	Dry
60-5699	Chandelier	Sudbury Bronze	9	A19	Med.	60W	•	27"	28 ½"	•	Dry
60-5700	Semi-Flush*	Sudbury Bronze	2	A19	Med.	60W	•	13 ½"	13 ¾"	•	Dry

Additional chain: (3') **25-3023,** Additional chain (for 2 tier chandelier): (3') **25-4051,**
***Pendant conversion kit for semi-flush: **25-3069.** Additional Stems: (6") **25-4085**, (12") **25-4086.**
Pendant includes 12' of wire. Semi-flush includes 12' of wire. Chandelier includes 12' of wire and 6' of chain.



60-5697



60-5690



60-5700



ELIZABETH

Sudbury Bronze / Frosted Glass



60-5696



60-5695

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5691	1 Lt. Vanity	Sudbury Bronze	1	A19	Med.	60W	•	6"	11 ⅛"	6 ⅜"	Damp
60-5692	2 Lt. Vanity	Sudbury Bronze	2	A19	Med.	60W	•	13 ¾"	6 ½"	7 ½"	Damp
60-5693	3 Lt. Vanity	Sudbury Bronze	3	A19	Med.	60W	•	24"	6 ½"	7 ½"	Damp
60-5694	4 Lt. Vanity	Sudbury Bronze	4	A19	Med.	60W	•	30"	6 ½"	7 ½"	Damp
60-5695	5 Lt. Chandelier	Sudbury Bronze	5	A19	Med.	60W	•	25"	24 ⅝"	•	Dry
60-5696	3 Lt. Chandelier	Sudbury Bronze	3	A19	Med.	60W	•	21 ½"	22 ½"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-3023.**
Chandeliers include 12' of wire and 4' of chain.



60-5691



60-5692



60-5693



60-5694

PATTON

Brushed Nickel / Frosted Glass





60-5036



60-5039

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5035	5 Lt. Up Chandelier	Brushed Nickel	5	A19	Med.	60W	•	25"	20"	•	Dry
60-5036	3 Lt. Up Chandelier	Brushed Nickel	3	A19	Med.	60W	•	21"	23"	•	Dry
60-5039	9 Lt. Chandelier	Brushed Nickel	9	A19	Med.	60W	•	30"	31"	•	Dry
60-5042	3 Lt. Down Chandelier	Brushed Nickel	3	A19	Med.	60W	•	21"	19"	•	Dry
60-5043	5 Lt. Down Chandelier	Brushed Nickel	5	A19	Med.	60W	•	25"	20"	•	Dry

Additional chain: (3') **25-1069,** Additional chain (for 2 tier chandelier): (3') **25-4052.**
Chandeliers includes 12' of wire and 4' of chain. 2 tier chandelier includes 12' of wire and 6' of chain.



60-5042



60-5043



60-5035



PATTON

Brushed Nickel / Frosted Glass



60-5038



60-5041



60-5037



60-5044

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5031	1 Lt. Vanity	Brushed Nickel	1	A19	Med.	60W	•	5 ½"	11"	8"	Damp
60-5032	2 Lt. Vanity	Brushed Nickel	2	A19	Med.	60W	•	15"	10"	7"	Damp
60-5033	3 Lt. Vanity	Brushed Nickel	3	A19	Med.	60W	•	21"	10"	7 ½"	Damp
60-5034	4 Lt. Vanity	Brushed Nickel	4	A19	Med.	60W	•	28"	11"	7 ½"	Damp
60-5037	Mini Pendant	Brushed Nickel	1	A19	Med.	60W	•	5 ⅛"	11 ⅜"	•	Dry
60-5038	Pendant	Brushed Nickel	3	A19	Med.	60W	•	16"	21"	•	Dry
60-5041	Flush	Brushed Nickel	3	A19	Med.	60W	•	15 ¾"	7 ¾"	•	Damp
60-5044	Semi-flush*	Brushed Nickel	3	A19	Med.	60W	•	13"	11"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-1069,** *Pendant conversion kit for semi-flush: **25-1403,**
Additional Stems: (6") **25-2057**, (12") **25-2055.**
Pendant includes 12' of wire. Semi-flush includes 12' of wire.



60-5031



60-5034



60-5033



60-5032



PATTON

Prairie Bronze / Frosted Glass



60-5136



60-5139

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5135	5 Lt. Up Chandelier	Prairie Bronze	5	A19	Med.	60W	•	25"	20"	•	Dry
60-5136	3 Lt. Up Chandelier	Prairie Bronze	3	A19	Med.	60W	•	21"	23"	•	Dry
60-5139	9 Lt. Chandelier	Prairie Bronze	9	A19	Med.	60W	•	30"	31"	•	Dry
60-5142	3 Lt. Down Chandelier	Prairie Bronze	3	A19	Med.	60W	•	21"	19"	•	Dry
60-5143	5 Lt. Down Chandelier	Prairie Bronze	5	A19	Med.	60W	•	25"	20"	•	Dry

Additional chain: (3') **25-4206,** Additional chain (for 2 tier chandelier): (3') **25-4207.**
Chandeliers includes 12' of wire and 4' of chain. 2 tier chandelier includes 12' of wire and 6' of chain.



60-5142



60-5143



60-5135



PATTON

Prairie Bronze / Frosted Glass



60-5138



60-5141



60-5137



60-5144

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5131	1 Lt. Vanity	Prairie Bronze	1	A19	Med.	60W	•	5 ½"	11"	8"	Damp
60-5132	2 Lt. Vanity	Prairie Bronze	2	A19	Med.	60W	•	15"	10"	7"	Damp
60-5133	3 Lt. Vanity	Prairie Bronze	3	A19	Med.	60W	•	21"	10"	7 ½"	Damp
60-5134	4 Lt. Vanity	Prairie Bronze	4	A19	Med.	60W	•	28"	11"	7 ½"	Damp
60-5137	Mini Pendant	Prairie Bronze	1	A19	Med.	60W	•	5 ⅛"	11 ⅜"	•	Dry
60-5138	Pendant	Prairie Bronze	3	A19	Med.	60W	•	16"	21"	•	Dry
60-5141	Flush	Prairie Bronze	3	A19	Med.	60W	•	15 ¾"	7 ¾"	•	Damp
60-5144	Semi-flush*	Prairie Bronze	3	A19	Med.	60W	•	13"	11"	•	Dry

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-4206,** *Pendant conversion kit for semi-flush: **25-4211,**
Additional Stems: (6") **25-4208**, (12") **25-4209.**
Pendant includes 12' of wire. Semi-flush includes 12' of wire.



60-5131



60-5134



60-5133



60-5132



WILLOW

Polished Nickel / White Glass



60-5800



60-5809

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5800	4 Lt. Caged Pendant	Polished Nickel	4	Type B	Cand.	60W	•	14"	27 ¾"	•	Dry
60-5805	5 Lt. Chandelier	Polished Nickel	5	A19	Med.	100W	•	27"	21"	•	Dry
60-5809	9 Lt. Chandelier	Polished Nickel	9	A19	Med.	100W	•	32"	27 ⅛"	•	Dry
60-5872	8 Lt. Caged Pendant	Polished Nickel	8	Type B	Cand.	60W	•	17"	34"	•	Dry

Additional chain: (3') **25-4141,** Additional chain (for 2 tier chandelier): (3') **25-4142.**
Chandelier and pendants includes 12' of wire and 4' of chain. 2 tier chandelier includes 12' of wire and 6' of chain.



60-5872



60-5805



WILLOW

Polished Nickel / White Glass



60-5807



60-5804



60-5808



60-5806

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5801	1 Lt. Vanity	Polished Nickel	1	A19	Med.	100W	•	4 ⅜"	8 ⅝"	8"	Damp
60-5802	2 Lt. Vanity	Polished Nickel	2	A19	Med.	100W	•	14"	8"	8"	Damp
60-5803	3 Lt. Vanity	Polished Nickel	3	A19	Med.	100W	•	23"	8"	8"	Damp
60-5804	Flush	Polished Nickel	2	A19	Med.	60W	•	13 ½"	5 ½"	•	Damp
60-5806	Semi-flush*	Polished Nickel	2	A19	Med.	60W	•	13"	8"	•	Dry
60-5807	Pendant	Polished Nickel	4	A19	Med.	60W	•	18"	17 ⅝"	•	Dry
60-5808	Mini Pendant	Polished Nickel	1	A19	Med.	100W	•	3 ⅞"	8 ⅝"	•	Dry
60-5871	4 Lt. Vanity	Polished Nickel	4	A19	Med.	100W	•	34"	8 ¼"	8"	Damp

Additional chain: (3') **25-4141, ***Pendant conversion kit for semi-flush: **25-4143.** Additional Stems: (6") **25-4118**, (12") **25-4119.**
Pendants and semi-flush include 12' of wire and 4' of chain, where applicable.



60-5871



60-5801



60-5803



60-5802



WILLOW

Forest Bronze / White Glass



60-5900



60-5909

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5900	4 Lt. Caged Pendant	Forest Bronze	4	Type B	Cand.	60W	•	14"	27 ¾"	•	Dry
60-5905	5 Lt. Chandelier	Forest Bronze	5	A19	Med.	100W	•	27"	21"	•	Dry
60-5909	9 Lt. Chandelier	Forest Bronze	9	A19	Med.	100W	•	32"	27 ⅛"	•	Dry
60-5972	8 Lt. Caged Pendant	Forest Bronze	8	Type B	Cand.	60W	•	17"	34"	•	Dry

Additional chain: (3') **25-5924.**
Chandelier and pendants include 12' of wire and 4' of chain. 2 tier chandelier includes 12' of wire and 6' of chain.



60-5972



60-5905



WILLOW

Forest Bronze / White Glass



60-5907



60-5904



60-5908



60-5906

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5901	1 Lt. Vanity	Forest Bronze	1	A19	Med.	100W	•	4 ⅜"	8 ⅝"	8"	Damp
60-5902	2 Lt. Vanity	Forest Bronze	2	A19	Med.	100W	•	14"	8"	8"	Damp
60-5903	3 Lt. Vanity	Forest Bronze	3	A19	Med.	100W	•	23"	8"	8"	Damp
60-5904	Flush	Forest Bronze	2	A19	Med.	60W	•	13 ½"	5 ½"	•	Damp
60-5906	Semi-flush*	Forest Bronze	2	A19	Med.	60W	•	13"	8"	•	Dry
60-5907	Pendant	Forest Bronze	4	A19	Med.	60W	•	18"	17 ⅝"	•	Dry
60-5908	Mini Pendant	Forest Bronze	1	A19	Med.	100W	•	3 ⅞"	8 ⅝"	•	Dry
60-5971	4 Lt. Vanity	Forest Bronze	4	A19	Med.	100W	•	34"	8 ¼"	8"	Damp

Additional chain: (3') **25-5924,** ***Pendant conversion kit for semi-flush: **25-5926.** Additional Stems: (6") **25-5976**, (12") **25-5977.**
Pendants and semi-flush include 12' of wire and 4' of chain, where applicable.



60-5971



60-5901



60-5903



60-5902



LAGUNA

Brushed Nickel / White Glass



60-5825



60-5829

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5825	5 Lt. Chandelier	Brushed Nickel	5	A19	Med.	100W	•	23"	17 ⅛"	•	Dry
60-5829	9 Lt. Chandelier	Brushed Nickel	9	A19	Med.	100W	•	31"	27 ¾"	•	Dry
60-5875	Island Pendant	Brushed Nickel	4	A19	Med.	60W	33"	5 ⅛"	8 ⅝"	•	Dry
60-5876	4 Lt. Caged Pendant	Brushed Nickel	4	Type B	Cand.	60W	•	14"	22 ¾"	•	Dry
60-5877	8 Lt. Caged Pendant	Brushed Nickel	8	Type B	Cand.	60W	•	17"	32 ¾"	•	Dry

Additional chain: (3') **25-1069,** Additional chain (for 2 tier chandelier): (3') **25-4052,** Additional Stems: (6") **25-2057**, (12") **25-2055.**
Chandeliers and pendant include 12' of wire and 4' of chain. 2 tier chandelier includes 12' of wire and 6' of chain.



60-5876



60-5877



60-5875

LAGUNA

Brushed Nickel / White Glass





60-5827



60-5824



60-5828



60-5826

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5821	1 Lt. Vanity	Brushed Nickel	1	A19	Med.	100W	•	5 ⅛"	8 ½"	7 ⅜"	Damp
60-5822	2 Lt. Vanity	Brushed Nickel	2	A19	Med.	100W	•	16"	9"	6 ½"	Damp
60-5823	3 Lt. Vanity	Brushed Nickel	3	A19	Med.	100W	•	24"	9"	6 ½"	Damp
60-5824	Flush	Brushed Nickel	3	A19	Med.	60W	•	15 ⅛"	6 ¾"	•	Damp
60-5826	Semi-flush*	Brushed Nickel	2	A19	Med.	60W	•	15 ¼"	10 ⅝"	•	Dry
60-5827	Pendant	Brushed Nickel	4	A19	Med.	60W	•	19 ½"	22 ⅜"	•	Dry
60-5828	Mini Pendant	Brushed Nickel	1	A19	Med.	100W	•	5 ⅛"	7 ⅞"	•	Dry
60-5874	4 Lt. Vanity	Brushed Nickel	4	A19	Med.	100W	•	33"	9"	6 ½"	Damp

Additional chain: (3') **25-1069.** ***Pendant conversion kit for semi-flush: **25-2782,** Additional Stems: (6") **25-2057**, (12") **25-2058.**
Pendants and semi-flush include 12' of wire and 4' of chain, where applicable.



60-5874



60-5821



60-5823



60-5822



LAGUNA

Forest Bronze/ White Glass



60-5925



60-5929

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5925	5 Lt. Chandelier	Forest Bronze	5	A19	Med.	100W	•	23"	17 ⅛"	•	Dry
60-5929	9 Lt. Chandelier	Forest Bronze	9	A19	Med.	100W	•	31"	27 ¾"	•	Dry
60-5975	Island Pendant	Forest Bronze	4	A19	Med.	60W	33"	5 ⅛"	8 ⅝"	•	Dry
60-5976	4 Lt. Caged Pendant	Forest Bronze	4	Type B	Cand.	60W	•	14"	22 ¾"	•	Dry
60-5977	8 Lt. Caged Pendant	Forest Bronze	8	Type B	Cand.	60W	•	17"	32 ¾"	•	Dry

Additional chain: (3') **25-5924,** Additional chain (for 2 tier chandelier): (3') **25-5926,** Additional Stems: (6") **25-5976**, (12") **25-5977.**
Chandeliers and pendant include 12' of wire and 4' of chain. 2 tier chandelier includes 12' of wire and 6' of chain.



60-5976



60-5977



60-5975

LAGUNA

Forest Bronze/ White Glass





60-5927



60-5924



60-5928



60-5926

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5921	1 Lt. Vanity	Forest Bronze	1	A19	Med.	100W	•	5 ⅛"	8 ½"	7 ⅜"	Damp
60-5922	2 Lt. Vanity	Forest Bronze	2	A19	Med.	100W	•	16"	9"	6 ½"	Damp
60-5923	3 Lt. Vanity	Forest Bronze	3	A19	Med.	100W	•	24"	9"	6 ½"	Damp
60-5924	Flush	Forest Bronze	3	A19	Med.	60W	•	15 ⅛"	6 ¾"	•	Damp
60-5926	Semi-flush*	Forest Bronze	2	A19	Med.	60W	•	15 ¼"	10 ⅝"	•	Dry
60-5927	Pendant	Forest Bronze	4	A19	Med.	60W	•	19 ½"	22 ⅜"	•	Dry
60-5928	Mini Pendant	Forest Bronze	1	A19	Med.	100W	•	5 ⅛"	7 ⅞"	•	Dry
60-5974	4 Lt. Vanity	Forest Bronze	4	A19	Med.	100W	•	33"	9"	6 ½"	Damp

Additional chain: (3') **25-5924.** ***Pendant conversion kit for semi-flush: **25-5926,** Additional Stems: (6") **25-5976**, (12") **25-5977.**
Pendants and semi-flush include 12' of wire and 4' of chain, where applicable.



60-5974



60-5921



60-5923



60-5922

CASTILLO

Sonoma Bronze / Champagne Glass





60-1023



60-1029



60-1021

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-1021	3 Lt. Chandelier	Sonoma Bronze	3	A19	Med.	60W	•	26"	20"	•	Dry
60-1023	5 Lt. Up Chandelier	Sonoma Bronze	5	A19	Med.	60W	•	28"	21"	•	Dry
60-1024	5 Lt. Down Chandelier	Sonoma Bronze	5	A19	Med.	60W	•	28"	21"	•	Dry
60-1025	Trestle	Sonoma Bronze	3	A19	Med.	60W	44"	11 ¾"	21"	•	Dry
60-1028	Pendant	Sonoma Bronze	3	A19	Med.	60W	•	20 ½"	28 ½"	•	Dry
60-1029	Mini Pendant	Sonoma Bronze	1	A19	Med.	100W	•	7 ¼"	5 ⅜"	•	Dry

Additional chain: (3') **25-2075,** Additional Stems: (6") **25-2043**, (12") **25-2016,**
Chandeliers and pendants include 12' of wire and 4' of chain where applicable.



60-1024



60-1028



60-1025

CASTILLO

Sonoma Bronze / Champagne Glass





60-1027



60-1037



60-1038



60-1026

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-1026	Large Flush	Sonoma Bronze	2	A19	Med.	60W	•	15 ¼"	8"	•	Damp
60-1027	Semi-flush*	Sonoma Bronze	3	A19	Med.	60W	•	18 ½"	15 ½"	•	Dry
60-1031	2 Lt. Vanity	Sonoma Bronze	2	A19	Med.	60W	•	17 ¼"	9"	10"	Damp
60-1032	1 Lt. Vanity	Sonoma Bronze	1	A19	Med.	60W	•	7 ¼"	9"	10"	Damp
60-1035	3 Lt. Vanity	Sonoma Bronze	3	A19	Med.	60W	•	25 ½"	9"	10 ¼"	Damp
60-1036	4 Lt. Vanity	Sonoma Bronze	4	A19	Med.	60W	•	33 ½"	9"	10 ¼"	Damp
60-1037	Small Flush	Sonoma Bronze	2	A19	Med.	60W	•	11 ¼"	7"	•	Damp
60-1038	Medium Flush	Sonoma Bronze	2	A19	Med.	60W	•	13 ¼"	7 ½"	•	Damp

Additional chain: (3') **25-2075,** *Pendant conversion kit for semi-flush: **25-1418.**
Semi-flush includes 12' of wire.



60-1032



60-1036



60-1031



60-1035

CASTILLO

Textured Flat Black / Alabaster Glass





60-380



60-378



60-386

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-378	3 Lt. Chandelier	Textured Flat Black	3	A19	Med.	60W	•	26"	20"	•	Dry
60-380	5 Lt. Up Chandelier	Textured Flat Black	5	A19	Med.	60W	•	28"	21"	•	Dry
60-381	5 Lt. Down Chandelier	Textured Flat Black	5	A19	Med.	60W	•	28"	21"	•	Dry
60-385	Pendant	Textured Flat Black	3	A19	Med.	60W	•	20 ½"	28 ½"	•	Dry
60-386	Mini Pendant	Textured Flat Black	1	A19	Med.	100W	•	7 ¼"	5 ⅜"	•	Dry

Additional chain: (3') **25-1071,** Additional Stems: (6") **25-2052**, (12") **25-20256,**
Chandeliers and pendants include 12' of wire and 4' of chain where applicable.



60-385



60-381

CASTILLO

Textured Flat Black / Alabaster Glass





60-382

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-382	Trestle	Textured Flat Black	3	A19	Med.	60W	44"	11 ¾"	21"	•	Dry
60-383	Large Flush	Textured Flat Black	2	A19	Med.	60W	•	15 ¼"	8"	•	Damp
60-384	Semi-flush*	Textured Flat Black	3	A19	Med.	60W	•	18 ½"	15 ½"	•	Dry
60-387	1 Lt. Vanity	Textured Flat Black	1	A19	Med.	60W	•	7 ¼"	9"	10"	Damp
60-388	2 Lt. Vanity	Textured Flat Black	2	A19	Med.	60W	•	17 ¼"	9"	10"	Damp

Vanity fixtures CUL listed for glass up or down installation.

Additional chain: (3') **25-1071,** ***Pendant conversion kit for semi-flush: **25-1417.**
Semi-flush includes 12' of wire.



60-388



60-383



60-387



60-384



BRIDGEVIEW

Mission Dust Bronze Finish



60-1702



60-1701



60-1708

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-1701	3 Lt. Chandelier	Mission Dust Bronze	3	A19	Med.	60W	•	26 ½"	22"	•	Dry
60-1702	5 Lt. Chandelier	Mission Dust Bronze	5	A19	Med.	60W	•	30"	27"	•	Dry
60-1703	Trestle	Mission Dust Bronze	2	A19	Med.	150W	40"	16"	28"	•	Dry
60-1707	Pendant	Mission Dust Bronze	1	A19	Med.	150W	•	16"	15"	•	Dry
60-1708	Mini Pendant	Mission Dust Bronze	1	A19	Med.	100W	•	8 ½"	6 ½"	•	Dry
60-1709	Sconce	Mission Dust Bronze	1	A19	Med.	100W	•	8 ½"	7 ¼"	10"	Damp
60-1711	Vanity	Mission Dust Bronze	2	A19	Med.	100W	•	20"	7 ¼"	10"	Damp

Additional chain: (3') **25-3021,** Additional Stems: (6") **25-4001**, (12") **25-4002.**
Chandeliers, pendants and Trestle include 12' of wire and 4' of chain where applicable.



60-1711



60-1709





60-1703



60-1707

Eclectic Ensembles





"Wired", page 286






CAN A FIXTURE INSPIRE AN ENTIRE VENUE?

In this case, Zen has done just that. This modern retro style is strong enough to set the style, yet not so serious that it overpowers the space. This is when a fixture can be an inspiration.

ZEN

Matte Black and Brushed Nickel or White





60-6392



60-6391



60-6393

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6391	Small Pendant	Black / Brushed Nickel	1	G25	Med.	60W	•	10"	10"	•	Dry
60-6392	Medium Pendant	Black / Brushed Nickel	1	G40	Med.	60W	•	14 ⅛"	14 ⅛"	•	Dry
60-6393	Large Pendant	Black / Brushed Nickel	4	G25	Med.	60W	•	24"	24"	•	Dry
60-6395	Small Pendant	White	1	G25	Med.	60W	•	10"	10"	•	Dry
60-6396	Medium Pendant	White	1	G40	Med.	60W	•	14 ⅛"	14 ⅛"	•	Dry
60-6397	Large Pendant	White	4	G25	Med.	60W	•	24"	24"	•	Dry

Additional Stems (Brushed Nickel): (6") **25-4118,** (12") **25-4119,** Additional Stems (White): (6") **25-5014,** (12") **25-5015.**
Pendants include 12' of wire.



60-6395



60-6396



60-6397

HAWK **LED**

Pivoting Heads in Black, White and Brushed Nickel



DIMMABLE



62-994



62-993




62-992

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-992	Sconce	White	LED	15	75W	•	6 ½"	5"	7 ⅝"	3000K	1,275*	90	Damp
62-993	Sconce	Black	LED	15	75W	•	6 ½"	5"	7 ⅝"	3000K	1,275*	90	Damp
62-994	Sconce	Brushed Nickel	LED	15	75W	•	6 ½"	5"	7 ⅝"	3000K	1,275*	90	Damp
62-995	Pendant	White	LED	15	75W	•	6 ½"	2 ½"	•	3000K	1,275*	90	Dry
62-996	Pendant	Black	LED	15	75W	•	6 ½"	2 ½"	•	3000K	1,275*	90	Dry
62-997	Pendant	Brushed Nickel	LED	15	75W	•	6 ½"	2 ½"	•	3000K	1,275*	90	Dry

*Lumens measured at LED source.


Pendants include 12' wire and cable.



62-995



62-996




62-997

FANTOM
LED

Assorted Colors / Matching braided rayon cord / Frosted Glass



DIMMABLE



62-446

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-441	Pendant	Yellow	LED	18†	2x60W	•	10 ½"	8"	•	3000K	1,500*	90	Dry
62-442	Pendant	White	LED	18†	2x60W	•	10 ½"	8"	•	3000K	1,500*	90	Dry
62-443	Pendant	Black	LED	18†	2x60W	•	10 ½"	8"	•	3000K	1,500*	90	Dry
62-444	Pendant	Blue	LED	18†	2x60W		10 ½"	8"		3000K	1,500*	90	Dry
62-445	Pendant	Green	LED	18†	2x60W		10 ½"	8"		3000K	1,500*	90	Dry
62-446	Pendant	Orange	LED	18†	2x60W		10 ½"	8"		3000K	1,500*	90	Dry
62-447	Pendant	Red	LED	18†	2x60W		10 ½"	8"		3000K	1,500*	90	Dry

*Lumens measured at LED source.

Pendants include 12' color matched rayon cord.




62-441




62-442



62-443



62-444



62-445



62-447



FUNCTIONAL, BUT WITH PLENTY OF STYLE.

Del fixtures make "getting the job done in style" an understatement. Five different glass finishes, all stunning, and LED efficiency combine to deliver substance and style.



DEL **LED**

Brushed Nickel with Assorted Glass:
Copper, Mirrored, White Opal, Clear Crackle or Antique Gold



DIMMABLE



62-889
Copper Glass



62-888
Mirrored Glass

Item#	Description	Glass	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-877	Mini Pendant	White Opal	LED	12	60W	•	6 ¾"	9 ¼"	•	3000K	1,020*	90	Damp
62-878	Mini Pendant	Crackle	LED	12	60W	•	6 ¾"	9 ¼"	•	3000K	1,020*	90	Damp
62-879	Mini Pendant	Antique Gold	LED	12	60W	•	6 ¾"	9 ¼"	•	3000K	1,020*	90	Damp
62-888	Mini Pendant	Mirrored	LED	12	60W	•	6 ¾"	9 ¼"	•	3000K	1,020*	90	Damp
62-889	Mini Pendant	Copper	LED	12	60W	•	6 ¾"	9 ¼"	•	3000K	1,020*	90	Damp

*Lumens measured at LED source.

Pendants include 12' of black SVT cable.



62-877
White Opal Glass



62-878
Crackle Glass



62-879
Antique Gold Glass



LESS ENERGY.
MORE COMPLIMENTS.

Clean design is more than just visual. It's bringing that same thinking inside – to the energy efficient LED module. And the Pulse family does just that.



PULSE **LED**

Brushed Nickel with Assorted Glass:
Copper, Mirrored, White Opal, Clear Crackle or Clear Seeded

DIMMABLE





62-955
Copper Glass



62-954
Mirrored Glass

Item#	Description	Glass	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-951	Mini Pendant	Clear Seeded	LED	12	60W	•	3"	10"	•	3000K	1,020*	90	Damp
62-952	Mini Pendant	Crackle	LED	12	60W	•	3"	10"	•	3000K	1,020*	90	Damp
62-953	Mini Pendant	White Opal	LED	12	60W	•	3"	10"	•	3000K	1,020*	90	Damp
62-954	Mini Pendant	Mirrored	LED	12	60W	•	3"	10"	•	3000K	1,020*	90	Damp
62-955	Mini Pendant	Copper	LED	12	60W	•	3"	10"	•	3000K	1,020*	90	Damp

*Lumens measured at LED source.

Pendants include 12' of black SVT cable.




62-953
White Opal Glass



62-952
Crackle Glass



62-951
Clear Seeded Glass



LET'S BE OPEN ABOUT DESIGN…

When it's good, it's great. And the Wired family is great. Delicately shaped wire with matching glass create a simple, open design that, at the same time, has great presence.



WIRED **LED**

Brushed Nickel with Clear Glass, Vintage Brass with Copper Glass, or Aged Bronze with Mirrored Glass



DIMMABLE



62-1352

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1351	Pendant	Brushed Nickel	60W	12	60W	•	20"	9"	•	3000K	1,020*	90	Damp
62-1352	Pendant	Vintage Brass	60W	12	60W	•	20"	9"	•	3000K	1,020*	90	Damp
62-1353	Pendant	Aged Bronze	60W	12	60W	•	20"	9"	•	3000K	1,020*	90	Damp

*Lumens measured at LED source.

Pendants include 12' of black SVT cable.



62-1351



62-1353

ORBIT **LED**

White or Black



DIMMABLE

62-1455



62-1458

62-1451



62-1454

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1451	Flush	White	LED	20	75W	•	17 ¾"	6 ⅛"	•	3000K	1,300*	90	Dry
62-1452	Flush	Black	LED	20	75W	•	17 ¾"	6 ⅛"	•	3000K	1,300*	90	Dry
62-1453	Flush	White	LED	30	100W	•	23 ½"	6"	•	3000K	1,700*	90	Dry
62-1454	Flush	Black	LED	30	100W	•	23 ½"	6"	•	3000K	1,700*	90	Dry
62-1455	Pendant	White	LED	20	75W	•	17 ¾"	4 ⅜"	•	3000K	1,300*	90	Dry
62-1456	Pendant	Black	LED	20	75W	•	17 ¾"	4 ⅜"	•	3000K	1,300*	90	Dry
62-1457	Pendant	White	LED	30	100W	•	23 ½"	4 ⅜"	•	3000K	1,700*	90	Dry
62-1458	Pendant	Black	LED	30	100W	•	23 ½"	4 ⅜"	•	3000K	1,700*	90	Dry

*Lumens measured at LED source.

Pendants include 12' wire and cable.



62-1456



62-1457



62-1452

62-1453



TASK **LED**

Black or Wood

DIMMABLE



62-1461



Built in wave sensor.

Wave hand past sensor to turn bottom light on. Wave again to turn top light on. Wave a third time to turn both top and bottom lights on. Simply wave one last time to turn the fixture off.

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1461	Linear Pendant	Black	LED	20	75W	41 ½"	1 ⅝"	2 ⅝"	•	3000K	1,300*	90	Dry
62-1462	Flush	Wood	LED	20	75W	48"	2 ⅛"	2 ⅞"	•	3000K	1,300*	90	Dry

*Lumens measured at LED source.

Pendants include 12' wire and cable.



62-1462





FRAME **LED**

Brushed Nickel or Hazel Bronze

DIMMABLE



62-105



62-136



62-106

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-105	Sconce	Brushed Nickel	LED	10	60W	•	7 ⅞"	20 ¼"	4"	3000K	850*	90	Damp
62-106	Pendant	Brushed Nickel	LED	10	60W	7 ⅞""	5 ⅝"	16 ¾"	•	3000K	850*	90	Damp
62-116	Island Pendant	Hazel Bronze	LED	39	3x75W	36"	4 ⅛"	14"	•	3000K	3,315*	90	Damp
62-125	Sconce	Hazel Bronze	LED	10	60W	•	7 ⅞"	20 ¼"	4"	3000K	850*	90	Damp
62-126	Pendant	Hazel Bronze	LED	10	60W	7 ⅞""	5 ⅝"	16 ¾"	•	3000K	850*	90	Damp
62-136	Island Pendant	Brushed Nickel	LED	39	3x75W	36"	4 ⅛"	14"	•	3000K	3,315*	90	Damp

*Lumens measured at LED source.
Sconces are ADA compliant.

Additional Brushed Nickel pendant stems: (6") **25-2057**, (12") **25-2055** Additional Hazel Bronze pendant stems: (6") **25-4121**, (12") **25-4122**
Pendants include 12' of wire.



62-126



62-125



62-116

LINK

Brushed Nickel / Satin White Glass





60-2936
(horizontal mount)



60-2936
(vertical mount)



60-2934




60-2938

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-2932	Single Tube Pendant	Brushed Nickel	1	T10	Med.	60W	•	2 ¾"	10 ¾"	•	Dry
60-2934	Single Tube Sconce	Brushed Nickel	1	T10	Med.	60W	•	4 ½"	11 ½"	3 ¾"	Damp
60-2936	Double Tube Sconce	Brushed Nickel	2	T10	Med.	60W	•	4 ½"	21"	3 ¾"	Damp
60-2938	Dual Tube Sconce	Brushed Nickel	2	T10	Med.	60W	•	8"	11 ½"	3 ¾"	Damp
25-4091	3 Lt. Mounting Plate	Brushed Nickel	•	•	•	•	•	36"	5 ½"	•	•

Sconces are ADA compliant.

Brushed Nickel 3 light canopy mounting plate (36" x 5 ½"): **25-4091.**
Pendant includes 12' of wire.



60-2932



(3) 60-2932 pendants (with optional 25-4091 mounting plate)

LINK **LED**

Brushed Nickel / Satin White Glass



DIMMABLE



62-2936
(horizontal mount)



62-2936
(vertical mount)




62-2934

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-2932	Single Tube Pendant	Brushed Nickel	LED	12	60W	•	2 ¾"	10 ¾"	•	3000K	1,020*	90	Damp
62-2934	Single Tube Sconce	Brushed Nickel	LED	12	60W	•	4 ½"	11 ½"	3 ¾"	3000K	1,020*	90	Damp
62-2936	Double Tube Sconce	Brushed Nickel	LED	24	2x60W	•	4 ½"	21"	3 ¾"	3000K	2,040*	90	Damp
25-4091	3 Lt. Mounting Plate	Brushed Nickel	•	•	•	•	36"	5 ½"	•	•	•	•	•

*Lumens measured at LED source.
Sconces are ADA compliant.

Brushed Nickel 3 light canopy mounting plate (36" x 5 ½"): **25-4091.**
Pendant includes 12' of wire.



62-2932



(3) 62-2932 pendants (with optional 25-4091 mounting plate)

DORAL **LED**

Brushed Nickel / White or Bronze / Copper



DIMMABLE



62-852



62-851

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-851	Small Pendant	Brushed Nickel	LED	12	60W	•	10"	6"	•	3000K	1,020*	90	Damp
62-852	Large Pendant	Brushed Nickel	LED	15	75W	•	14"	11"	•	3000K	1,275*	90	Damp
62-856	Small Pendant	Bronze	LED	12	60W	•	10"	6"	•	3000K	1,020*	90	Damp
62-857	Large Pendant	Bronze	LED	15	75W	•	14"	11"	•	3000K	1,275*	90	Damp

*Lumens measured at LED source.

Additional Brushed Nickel Stems: (6") **25-2057**, (12") **25-2055** Additional Bronze Stems: (6") **25-4171**, (12") **25-4172.**
Pendants include 12' of wire.



62-856



62-857

VESSEL **LED**

Brushed Nickel / White or Bronze / Copper



DIMMABLE



62-837

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-837	Mini Pendant	Brushed Nickel	LED	12	60W	•	6"	8 ½"	•	3000K	1,020*	90	Damp
62-838	Mini Pendant	Bronze	LED	12	60W	•	6"	8 ½"	•	3000K	1,020*	90	Damp

*Lumens measured at LED source.

Pendants include 12' of black SVT cable.



62-838

TEX **LED**

Brushed Nickel with Black Mesh or Bronze with Copper Mesh



DIMMABLE



62-882



62-881

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-881	Small Pendant	Brushed Nickel	LED	12	60W	•	8 ¼"	8"	•	3000K	1,020*	90	Damp
62-882	Large Pendant	Brushed Nickel	LED	15	75W	•	13 ½"	12"	•	3000K	1,275*	90	Damp
62-886	Small Pendant	Bronze	LED	12	60W	•	8 ¼"	8"	•	3000K	1,020*	90	Damp
62-887	Large Pendant	Bronze	LED	15	75W	•	13 ½"	12"	•	3000K	1,275*	90	Damp

*Lumens measured at LED source.

Additional Brushed Nickel Stems: (6") **25-2057**, (12") **25-2055** Additional Bronze Stems: (6") **25-4171**, (12") **25-4172.**
Pendants include 12' of wire.



62-886



62-887

MAXX

Polished Nickel or Mahogany Bronze





60-5838



60-5839



60-5837



ST19 Vintage
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5837	Small Pendant	Polished Nickel	1	A19†	Med.	60W	•	7 ¼"	8 ½"	•	Dry
60-5838	Medium Pendant	Polished Nickel	1	A19†	Med.	60W	•	8 ⅛"	9 ½"	•	Dry
60-5839	Large Pendant	Polished Nickel	1	A19†	Med.	60W	•	10 ⅜"	13"	•	Dry
60-5847	Small Pendant	Mahogany Bronze	1	A19†	Med.	60W	•	7 ¼"	8 ½"	•	Dry
60-5848	Medium Pendant	Mahogany Bronze	1	A19†	Med.	60W	•	8 ⅛"	9 ½"	•	Dry
60-5849	Large Pendant	Mahogany Bronze	1	A19†	Med.	60W	•	10 ⅜"	13"	•	Dry

†60W T9 **S2423** Vintage lamps included. Additional Polished Nickel Stems: (6") **25-4118**, (12") **25-4119** Additional Mahogany Bronze Stems: (6") **25-2078**, (12") **25-2079.** Pendants include 12' of wire.



60-5847



60-5848



60-5849

LED SCONCES

Aged Bronze or Black / Assorted Glass



DIMMABLE



62-1404



62-1401



62-1402

Item#	Name / Glass	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1401	"Reflex"	Aged Bronze	LED	30	3x75W	•	8"	22"	2 ¾"	3000K	2,550*	90	Damp
62-1402	"Lucas" / Water Glass	Black	LED	15	75W	•	6"	16 ⅛"	2 ¾"	3000K	1,275*	90	Damp
62-1403	"Zorin" / Crackle Glass	Black	LED	15	75W	•	6 ¾"	15"	3"	3000K	1,275*	90	Damp
62-1404	"Chaz"	Aged Bronze	LED	18	2x60W	•	6 ¾"	26"	3"	3000K	1,500*	90	Damp
62-1405	"Petra" / Ice Glass	Black	LED	26	3x60W	•	8"	27 ½"	3 ¼"	3000K	2,210*	90	Damp
62-1406	"Kinsey" / Ribbed Glass	Aged Bronze	LED	16	2x60W	•	4 ¾"	14"	3 ¾"	3000K	1,360*	90	Damp

*Lumens measured at LED source.
ADA compliant. Indoor use only.



62-1403



62-1406



62-1405

LED SCONCES

Hazel Bronze or Brushed Nickel



DIMMABLE



62-104



62-124

Item#	Name / Glass	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-102	"Trax" Sconce	Brushed Nickel	LED	10	60W	•	7"	20"	3 ½"	3000K	850*	82	Damp
62-104	"Wave" Sconce	Brushed Nickel	LED	10	60W	•	7 ⅞"	17"	4"	3000K	850*	82	Damp
62-122	"Trax" Sconce	Hazel Bronze	LED	10	60W	•	7"	20"	3 ½"	3000K	850*	82	Damp
62-124	"Wave" Sconce	Hazel Bronze	LED	10	60W	•	7 ⅞"	17"	4"	3000K	850*	82	Damp

*Lumens measured at LED source.
ADA compliant. Indoor use only.



62-102



62-122

MERCER **LED**

Polished Nickel, Georgetown Bronze
and Brushed Nickel / Frosted Glass



DIMMABLE



62-311



62-314



62-317

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-311	1 Light Sconce	Polished Nickel	LED	10	60W	•	10"	4 ⅛"	3 ½"	3000K	850*	90	Damp
62-312	2 Light Sconce	Polished Nickel	LED	20	2x60W	•	20 ½"	4 ⅛"	3 ½"	3000K	1,700*	90	Damp
62-313	3 Light Sconce	Polished Nickel	LED	30	3x60W	•	27 ⅞"	4"	3 ½"	3000K	2,550*	90	Damp
62-314	1 Light Sconce	Georgetown Bronze	LED	10	60W	•	10"	4 ⅛"	3 ½"	3000K	850*	90	Damp
62-315	2 Light Sconce	Georgetown Bronze	LED	20	2x60W	•	20 ½"	4 ⅛"	3 ½"	3000K	1,700*	90	Damp
62-316	3 Light Sconce	Georgetown Bronze	LED	30	3x60W	•	27 ⅞"	4"	3 ½"	3000K	2,550*	90	Damp
62-317	1 Light Sconce	Brushed Nickel	LED	10	60W	•	10"	4 ⅛"	3 ½"	3000K	850*	90	Damp
62-318	2 Light Sconce	Brushed Nickel	LED	20	2x60W	•	20 ½"	4 ⅛"	3 ½"	3000K	1,700*	90	Damp
62-319	3 Light Sconce	Brushed Nickel	LED	30	3x60W	•	27 ⅞"	4"	3 ½"	3000K	2,550*	90	Damp

*Lumens measured at LED source.
ADA compliant.



62-315



62-312



62-318



62-313



62-316



62-319

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1327	Sconce	Brushed Nickel	LED	13	60W	•	12 ½"	4 ½"	2"	3000K	1,105*	90	Damp
62-1328	Vanity	Brushed Nickel	LED	26	2x60W	•	24"	4 ½"	2"	3000K	2,210*	90	Damp
62-1329	Vanity	Brushed Nickel	LED	39	3x60W	•	35 ½"	4 ½"	2"	3000K	3,315*	90	Damp

*Lumens measured at LED source.
ADA Compliant.

JACKSON **LED**

Brushed Nickel / White Acrylic Lens

DIMMABLE



62-1329



62-1328



62-1327


Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1330	Sconce	Brushed Nickel	LED	13	60W	•	12 ½"	4 ½"	2"	3000K	1,105*	90	Damp
62-1331	Vanity	Brushed Nickel	LED	26	2x60W	•	25"	4 ½"	2"	3000K	2,210*	90	Damp
62-1332	Vanity	Brushed Nickel	LED	39	3x60W	•	36"	4 ½"	2"	3000K	3,315*	90	Damp

*Lumens measured at LED source.
ADA Compliant.

JESS **LED**

Brushed Nickel / White Acrylic Lens

DIMMABLE



62-1332



62-1331



62-1330

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1321	Sconce	Brushed Nickel	LED	13	60W	•	13"	4 ½"	3"	3000K	1,105*	90	Damp
62-1322	Vanity	Brushed Nickel	LED	26	2x60W	•	25 ½"	4 ½"	3"	3000K	2,210*	90	Damp
62-1323	Vanity	Brushed Nickel	LED	39	3x60W	•	36 ¼"	4 ½"	3"	3000K	3,315*	90	Damp

*Lumens measured at LED source.
ADA Compliant.

BEND LED

Brushed Nickel / White Acrylic Lens

DIMMABLE



62-1323



62-1322



62-1321

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1324	Sconce	Polished Nickel	LED	13	60W	•	14 ¼"	4 ½"	3 ¾"	3000K	1,105*	90	Damp
62-1325	Vanity	Polished Nickel	LED	26	2x60W	•	25 ¾"	4 ½"	3 ¾"	3000K	2,210*	90	Damp
62-1326	Vanity	Polished Nickel	LED	39	3x60W	•	36 ¾"	4 ½"	3 ¾"	3000K	3,315*	90	Damp

*Lumens measured at LED source.
ADA Compliant.

LANA **LED**

Polished Nickel / White Acrylic Lens

DIMMABLE



62-1326



62-1325



62-1324


Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-731	Sconce	Brushed Nickel	LED	10	60W	•	6"	9 ½"	4"	3000K	850*	90	Damp
62-732	Sconce / Vanity	Brushed Nickel	LED	20	2x60W	•	6"	17 ½"	4"	3000K	1,700*	90	Damp
62-733	Large Sconce	Brushed Nickel	LED	13	75W	•	6"	19 ½"	4"	3000K	1,105*	90	Damp
62-734	Vanity	Brushed Nickel	LED	26	2x75W	•	6"	37 ⅜"	4"	3000K	2,210*	90	Damp

*Lumens measured at LED source.
ADA compliant.


BOND **LED**

Brushed Nickel / White Acrylic Lens

DIMMABLE



62-734



62-732
(horizontal mount)



62-732
(vertical mount)



62-731



62-733

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-741	Sconce	Aged Bronze	LED	10	60W	•	6"	9 ½"	4"	3000K	850*	90	Damp
62-742	Sconce / Vanity	Aged Bronze	LED	20	2x60W	•	6"	17 ½"	4"	3000K	1,700*	90	Damp
62-743	Large Sconce	Aged Bronze	LED	13	75W	•	6"	19 ½"	4"	3000K	1,105*	90	Damp
62-744	Vanity	Aged Bronze	LED	26	2x75W	•	6"	37 ⅜"	4"	3000K	2,210*	90	Damp

*Lumens measured at LED source.
ADA compliant.

BOND **LED**

Aged Bronze / White Acrylic Lens

DIMMABLE



62-744



62-742
(horizontal mount)



62-742
(vertical mount)



62-741



62-743


Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-721	Sconce	Polished Nickel	LED	10	60W	•	6"	9 ½"	4"	3000K	850*	90	Damp
62-722	Sconce / Vanity	Polished Nickel	LED	20	2x60W	•	6"	17 ½"	4"	3000K	1,700*	90	Damp
62-723	Large Sconce	Polished Nickel	LED	13	75W	•	6"	19 ½"	4"	3000K	1,105*	90	Damp
62-724	Vanity	Polished Nickel	LED	26	2x75W	•	6"	37 ⅜"	4"	3000K	2,210*	90	Damp

*Lumens measured at LED source.
ADA compliant.

BOND LED

Polished Nickel / White Acrylic Lens

DIMMABLE



62-724



62-722
(horizontal mount)



62-722
(vertical mount)



62-721



62-723

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-185	Sconce	Brushed Nickel	LED	10	60W	•	6"	11 ½"	3 ¾"	3000K	850*	90	Damp
62-186	Sconce	Aged Bronze	LED	10	60W	•	6"	11 ½"	3 ¾"	3000K	850*	90	Damp

*Lumens measured at LED source.
ADA compliant.

TUCKER **LED**

Brushed Nickel or Aged Bronze / Etched Opal Glass

DIMMABLE



62-185



62-186



GRILL **LED**

Polished Nickel or Aged Bronze / White Acrylic Lens

DIMMABLE



62-871



62-875



62-872

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-871	12" Sconce	Polished Nickel	LED	13	75W	•	4"	12"	3"	3000K	1,105*	90	Damp
62-872	24" Vanity	Polished Nickel	LED	26	2x75W	•	24"	4"	3"	3000K	2,210*	90	Damp
62-873	12" Sconce	Aged Bronze	LED	13	75W	•	4"	12"	3"	3000K	1,105*	90	Damp
62-874	24" Vanity	Aged Bronze	LED	26	2x75W	•	24"	4"	3"	3000K	2,210*	90	Damp
62-875	36" Vanity	Polished Nickel	LED	39	3x75W	•	36"	4"	3"	3000K	3,315*	90	Damp
62-876	36" Vanity	Aged Bronze	LED	39	3x75W	•	36"	4"	3"	3000K	3,315*	90	Damp

*Lumens measured at LED source.
ADA compliant.



62-873



62-876



62-874



PACE **LED**

Brushed Nickel or Aged Bronze / White Acrylic Lens

DIMMABLE



62-911



62-915



62-912

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-911	12" Vanity	Brushed Nickel	LED	13	75W	•	5"	12"	3 ¼"	3000K	1,105*	90	Damp
62-912	24" Vanity	Brushed Nickel	LED	26	2x75W	•	24"	5"	3 ¼"	3000K	2,210*	90	Damp
62-913	12" Vanity	Aged Bronze	LED	13	75W	•	5"	12"	3 ¼"	3000K	1,105*	90	Damp
62-914	24" Vanity	Aged Bronze	LED	26	2x75W	•	24"	5"	3 ¼"	3000K	2,210*	90	Damp
62-915	36" Vanity	Brushed Nickel	LED	39	3x75W	•	36"	5"	3 ¼"	3000K	3,315*	90	Damp
62-916	36" Vanity	Aged Bronze	LED	39	3x75W	•	36"	5"	3 ¼"	3000K	3,315*	90	Damp

*Lumens measured at LED source.
ADA compliant.



62-913



62-916



62-914



LOOP **LED**

Brushed Nickel or Aged Bronze / White Acrylic Lens

DIMMABLE



62-921



62-925



62-922

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-921	12" Sconce	Brushed Nickel	LED	13	75W	•	4"	12"	3 ⅛"	3000K	1,105*	90	Damp
62-922	24" Vanity	Brushed Nickel	LED	26	2x75W	•	24"	4"	3 ⅛"	3000K	2,210*	90	Damp
62-923	12" Sconce	Aged Bronze	LED	13	75W	•	4"	12"	3 ⅛"	3000K	1,105*	90	Damp
62-924	24" Vanity	Aged Bronze	LED	26	2x75W	•	24"	4"	3 ⅛"	3000K	2,210*	90	Damp
62-925	36" Vanity	Brushed Nickel	LED	39	3x75W	•	36"	4"	3 ⅛"	3000K	3,315*	90	Damp
62-926	36" Vanity	Aged Bronze	LED	39	3x75W	•	36"	4"	3 ⅛"	3000K	3,315*	90	Damp


*Lumens measured at LED source.
ADA compliant.



62-923



62-926



62-924



LEAN AND CLEAN.

The clean, contemporary design and efficient LED operation of our Slice vanity series make them very popular for both residential and hospitality applications. Finished in Polished Nickel, Slice fixtures blend well in a variety of styles, yet make their presence known through energy savings and tasteful lighting design.



SLICE **LED**

Polished Nickel or Aged Bronze / White Acrylic Lens



DIMMABLE



62-931



62-935



62-932

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-931	12" Sconce	Polished Nickel	LED	13	75W	•	4 ½"	12"	3"	3000K	1,105*	90	Damp
62-932	24" Vanity	Polished Nickel	LED	26	2x75W	•	24"	4 ½"	3"	3000K	2,210*	90	Damp
62-933	12" Sconce	Aged Bronze	LED	13	75W	•	4 ½"	12"	3"	3000K	1,105*	90	Damp
62-934	24" Vanity	Aged Bronze	LED	26	2x75W	•	24"	4 ½"	3"	3000K	2,210*	90	Damp
62-935	36" Vanity	Polished Nickel	LED	39	3x75W	•	36"	4 ½"	3"	3000K	3,315*	90	Damp
62-936	36" Vanity	Aged Bronze	LED	39	3x75W	•	36"	4 ½"	3"	3000K	3,315*	90	Damp

*Lumens measured at LED source.
ADA compliant.



62-933



62-936



62-934

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1101	Vanity	Polished Nickel	LED	13	75W	•	13"	4 ½"	2 ⅞"	3000K	1,105*	90	Damp
62-1102	Vanity	Polished Nickel	LED	26	2x75W	•	25"	4 ½"	2 ⅞"	3000K	2,210*	90	Damp
62-1103	Vanity	Polished Nickel	LED	39	3x75W	•	36"	4 ½"	2 ⅞"	3000K	3,315*	90	Damp

*Lumens measured at LED source.
ADA Compliant.

SLICK **LED**

Polished Nickel / White Acrylic Lens

DIMMABLE



62-1101



62-1102



62-1103

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1131	Vanity	Polished Nickel	LED	13	75W	•	14 ¼"	5 ½"	5"	3000K	1,105*	90	Damp
62-1132	Vanity	Polished Nickel	LED	26	2x75W	•	25 ¾"	5 ½"	5"	3000K	2,210*	90	Damp
62-1133	Vanity	Polished Nickel	LED	39	3x75W	•	37 ½"	5 ½"	5"	3000K	3,315*	90	Damp

*Lumens measured at LED source.

SABER **LED**

Polished Nickel / White Acrylic Lens

DIMMABLE



62-1131



62-1132



62-1133

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1081	Vanity	Brushed Nickel	LED	13	75W	•	20"	4 ¼"	2 ¾"	3000K	1,105*	90	Damp
62-1082	Vanity	Brushed Nickel	LED	26	2x75W	•	31"	4 ¼"	2 ¾"	3000K	2,210*	90	Damp
62-1083	Vanity	Brushed Nickel	LED	39	3x75W	•	43"	4 ¼"	2 ¾"	3000K	3,315*	90	Damp

*Lumens measured at LED source.
ADA Compliant.

BOW **LED**

Brushed Nickel / White Acrylic Lens

DIMMABLE



62-1081



62-1082



62-1083

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1091	Vanity	Polished Nickel	LED	13	75W	•	16"	4 ½"	2 ⅞"	3000K	1,105*	90	Damp
62-1092	Vanity	Polished Nickel	LED	26	2x75W	•	25"	4 ½"	2 ⅞"	3000K	2,210*	90	Damp
62-1093	Vanity	Polished Nickel	LED	39	3x75W	•	37"	4 ½"	2 ⅞"	3000K	3,315*	90	Damp

*Lumens measured at LED source.
ADA Compliant.

SURF **LED**

Polished Nickel / White Acrylic Lens

DIMMABLE



62-1091



62-1092



62-1093

VOTIVE

Polished Nickel / Clear, Crystal Cut Glass





60-6444



60-6441

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6441	1 Lt. Vanity	Polished Nickel	1	G16 ½	Cand.	60W	•	4 ⅞"	5 ½"	5 ⅝"	Damp
60-6442	2 Lt. Vanity	Polished Nickel	2	G16 ½	Cand.	60W	•	10 ¾"	5 ¾"	5 ⅝"	Damp
60-6443	3 Lt. Vanity	Polished Nickel	3	G16 ½	Cand.	60W	•	17 ⅞"	5 ¾"	5 ⅝"	Damp
60-6444	4 Lt. Vanity	Polished Nickel	4	G16 ½	Cand.	60W	•	25"	5 ¾"	5 ⅝"	Damp



60-6442



60-6443

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5171	1 Lt. Vanity	Polished Nickel	1	A19	Med.	100W	•	6 ¾"	7 ¾"	5 ¾"	Damp
60-5172	2 Lt. Vanity	Polished Nickel	2	A19	Med.	100W	•	16 ½"	8 ¼"	5 ¼"	Damp
60-5173	3 Lt. Vanity	Polished Nickel	3	A19	Med.	100W	•	24"	8 ¼"	5 ¼"	Damp
60-5174	4 Lt. Vanity	Polished Nickel	4	A19	Med.	60W	•	32 ⅝"	8 ¼"	5 ¼"	Damp

BREEZE

Polished Nickel / Etched Opal Glass



60-5172



60-5171



60-5173



60-5174

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5181	1 Lt. Vanity	Polished Nickel	1	A19	Med.	100W	•	4 ½"	8"	5 ⅜"	Damp
60-5182	2 Lt. Vanity	Polished Nickel	2	A19	Med.	100W	•	15 ½"	8"	5 ⅜"	Damp
60-5183	3 Lt. Vanity	Polished Nickel	3	A19	Med.	100W	•	23 ⅜"	8"	5 ⅜"	Damp
60-5184	4 Lt. Vanity	Polished Nickel	4	A19	Med.	60W	•	32 ⅜"	8"	5 ⅜"	Damp

VISTA

Polished Nickel / Etched Opal Glass



60-5181



60-5182



60-5183



60-5184

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5177	3 Lt. Vanity	Polished Nickel	3	Halogen	G9	40W	•	24"	5 ¾"	5"	Damp
60-5178	5 Lt. Vanity	Polished Nickel	5	Halogen	G9	40W	•	36"	5 ¾"	5"	Damp

*40w G9 **S4641** halogen lamp(s) included.

LYNNE

Polished Nickel / Frosted Glass



60-5177



60-5178



*G9 Halogen
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5187	3 Lt. Vanity	Brushed Nickel	3	Halogen	G9	40W	•	24"	5 ⅜"	5 ¼"	Damp
60-5188	5 Lt. Vanity	Brushed Nickel	5	Halogen	G9	40W	•	36"	5 ⅜"	5 ¼"	Damp

*40w G9 **S4641** halogen lamp(s) included.

YOGI

Brushed Nickel / Frosted Glass



60-5187



60-5188



*G9 Halogen
lamps included

PI LED

Brushed Nickel or Black / Etched Glass



DIMMABLE



62-460



62-459



62-458

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-458	9" Flush	Brushed Nickel	LED	18	75W	•	9"	3 ⅛"	•	3000K	1,500*	90	Damp
62-459	11" Flush	Brushed Nickel	LED	25	75W	•	11"	3 ⅛"	•	3000K	2,125*	90	Damp
62-460	14" Flush	Brushed Nickel	LED	25	75W	•	14"	3 ⅛"	•	3000K	2,125*	90	Damp
62-468	9" Flush	Black	LED	18	75W	•	9"	3 ⅛"	•	3000K	1,500*	90	Damp
62-469	11" Flush	Black	LED	25	75W	•	11"	3 ⅛"	•	3000K	2,125*	90	Damp
62-470	14" Flush	Black	LED	25	75W	•	14"	3 ⅛"	•	3000K	2,125*	90	Damp

*Lumens measured at LED source.



62-470



62-469



62-468

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-771	Flush	Polished Nickel	LED	18	75W	•	9"	4"	•	3000K	1,500*	90	Damp
62-772	Flush	Brushed Nickel	LED	18	75W	•	9"	4"	•	3000K	1,500*	90	Damp
62-773	Flush	Aged Bronze	LED	18	75W	•	9"	4"	•	3000K	1,500*	90	Damp
62-774	Flush	Polished Nickel	LED	18	75W	•	13"	4"	•	3000K	1,500*	90	Damp
62-775	Flush	Brushed Nickel	LED	18	75W	•	13"	4"	•	3000K	1,500*	90	Damp
62-776	Flush	Aged Bronze	LED	18	75W	•	13"	4"	•	3000K	1,500*	90	Damp

*Lumens measured at LED source.

PERK **LED**

Polished Nickel, Brushed Nickel or Aged Bronze / White Glass

DIMMABLE



62-771



62-773



62-772



62-774



62-776



62-775

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-524	Flush	Brushed Nickel	LED	18	2x60W	•	13"	3 ⅞"	•	3000K	1,500*	90	Damp
62-525	Flush	Aged Bronze	LED	18	2x60W	•	13"	3 ⅞"	•	3000K	1,500*	90	Damp
62-526	Flush	Polished Nickel	LED	18	2x60W	•	13"	3 ⅞"	•	3000K	1,500*	90	Damp

*Lumens measured at LED source.

HEATHER **LED**

Brushed Nickel, Polished Nickel, or Aged Bronze / White Linen Shade

DIMMABLE



62-524



62-526



62-525

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-609	Flush	Brushed Nickel	LED	18	2x60W	•	13"	2"	•	3000K	1,500*	90	Damp
62-709	Flush	Aged Bronze	LED	18	2x60W	•	13"	2"	•	3000K	1,500*	90	Damp

*Lumens measured at LED source.

DALE **LED**

Brushed Nickel or Aged Bronze / Opal Frosted Glass

DIMMABLE



62-609



62-709

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-611	Flush	Brushed Nickel	LED	18	2x60W	•	13"	3 ½"	•	3000K	1,500*	90	Damp
62-711	Flush	Aged Bronze	LED	18	2x60W	•	13"	3 ½"	•	3000K	1,500*	90	Damp

*Lumens measured at LED source.

HALEY **LED**

Brushed Nickel or Aged Bronze / Frosted Glass

DIMMABLE



62-611



62-711

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1042	12" Flush	Brushed Nickel	LED	18	75W	•	11"	3 ⅞"	•	3000K	1,440*	90	Damp
62-1043	13" Flush	Brushed Nickel	LED	18	75W	•	13 ⅜"	4"	•	3000K	1,440*	90	Damp
62-1044	17" Flush	Brushed Nickel	LED	25	2x60W	•	17"	5"	•	3000K	2,000*	90	Damp
62-1442	12" Flush	Black	LED	18	75W	•	11"	3 ⅞"	•	3000K	1,440*	90	Damp
62-1443	13" Flush	Black	LED	18	75W	•	13 ⅜"	4"	•	3000K	1,440*	90	Damp
62-1444	17" Flush	Black	LED	25	2x60W	•	17"	5"	•	3000K	2,000*	90	Damp

*Lumens measured at LED source.

BUTTON **LED**

Brushed Nickel or Black / Satin White Glass

DIMMABLE



62-1042



62-1043



62-1044



62-1442



62-1443



62-1444

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-786	120-277V 12" Flush	Brushed Nickel	LED	18	75W	•	11 ¾"	4 ½"	•	3000K	1,080*	90	Damp
62-787	120-277V 12" Flush	Mahogany Bronze	LED	18	75W	•	11 ¾"	4 ½"	•	3000K	1,080*	90	Damp
62-788	120-277V 14" Flush	Brushed Nickel	LED	24	100W	•	14"	5 ½"	•	3000K	1,440*	90	Damp
62-789	120-277V 14" Flush	Mahogany Bronze	LED	24	100W	•	14"	5 ½"	•	3000K	1,440*	90	Damp

*Lumens measured at LED source. **Dimmable at 120V only.

120-277V FLUSH **LED**

Brushed Nickel or Mahogany Bronze / Frosted Twist and Lock Glass

DIMMABLE **



62-786



62-788



62-787



62-789

LED DRUM FIXTURES

Polished Nickel or Natural Brass / White Fabric Shade /
Beige Fabric Shade / Acrylic Diffuser



DIMMABLE



62-987R1



62-986R1



62-985R1

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-985R1	Flush – Beige Fabric	•	LED	20	75W	•	15"	4 ¼"	•	3000K	1,440*	90	Damp
62-986R1	Flush – White Fabric	Natural Brass	LED	20	75W	•	15"	4 ¼"	•	3000K	1,440*	90	Damp
62-987R1	Flush – White Fabric	Natural Brass	LED	20	75W	•	15"	4 ¼"	•	3000K	1,440*	90	Damp
62-988R1	Flush – White Fabric	Polished Nickel	LED	20	75W	•	15"	4 ¼"	•	3000K	1,440*	90	Damp
62-989R1	Flush – White Fabric	Polished Nickel	LED	20	75W	•	15"	4 ¼"	•	3000K	1,440*	90	Damp
62-990R1	Flush – White Fabric	•	LED	20	75W	•	15"	4 ¼"	•	3000K	1,440*	90	Damp

*Lumens measured at LED source.



62-989R1



62-988R1



62-990R1

EMR FLUSH **LED**

Emergency battery back-up ready flush mount fixtures
in Polished Nickel, Brushed Nickel or Aged Bronze



DIMMABLE **



62-971



62-972



62-975



62-976



62-977



62-978



62-981



62-982

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-971	EMR Flush – Battery back-up ready	Brushed Nickel	LED	20	100W	•	15"	4"	•	3000K	1,660*	90	Damp†
62-972	EMR Flush – Battery back-up ready	Aged Bronze	LED	20	100W	•	15"	4"	•	3000K	1,660*	90	Damp†
62-975	EMR Flush – Battery back-up ready	Polished Nickel	LED	20	100W	•	14"	4 5⁄8"	•	3000K	1,660*	90	Damp†
62-976	EMR Flush – Battery back-up ready	Aged Bronze	LED	20	100W	•	14"	4 5⁄8"	•	3000K	1,660*	90	Damp†
62-977	EMR Flush – Battery back-up ready	Brushed Nickel	LED	20	100W	•	14"	5 3⁄8"	•	3000K	1,660*	90	Damp†
62-978	EMR Flush – Battery back-up ready	Aged Bronze	LED	20	100W	•	14"	5 3⁄8"	•	3000K	1,660*	90	Damp†
62-981	EMR Flush – Battery back-up ready	Polished Nickel	LED	20	100W	•	15"	4 1⁄2"	•	3000K	1,660*	90	Damp†
62-982	EMR Flush – Battery back-up ready	Aged Bronze	LED	20	100W	•	15"	4 1⁄2"	•	3000K	1,660*	90	Damp†

*Lumens measured at LED source. **Dimmable at 120V only.
†Not suitable for damp location if used with optional battery backup disk.

The emergency battery back-up disk, Satco model S9299 (120V) or Satco model S9780 (277V) (not included), easily mounts inside the pan of these fixtures instantly making them emergency lighting compliant. Battery back-up disk includes both the test button and indicator light. Batteries are easily accessible and included.

- Rechargeable batteries
- 90 minute run time





Remove the logo plate to mount the battery back-up indicator light and test button (included with battery back-up disk, sold separately).

Battery back-up disk (sold separately)



S9299 - 120V Battery back-up disk
S9780 - 277V Battery back-up disk

Replacement battery -
26F18650 2600 mAh, 5.2A



Project and Functional Lighting.





"Glamour", page 434

CHANDELIERS



Dupont Nine Light Chandelier

(9) 60W A19 max. / Medium Base
Dimensions: Width 27½", Height 23½", Chain 72", Wire 12'
60-1823 Brushed Nickel / Satin White Glass
Accessories:
25-1069 3' Section of matching chain



Dupont Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 22", Height 15¾", Chain 48", Wire 12'
60-1822 Brushed Nickel / Satin White Glass
Convertible – Arms up or Down
Accessories:
25-1069 3' Section of matching chain



Dupont Three Light Chandelier

(3) 60W A19 max. / Medium Base
Dimensions: Width 17", Height 13½", Chain 48", Wire 12'
60-1821 Brushed Nickel / Satin White Glass
Convertible – Arms up or Down
Accessories:
25-1069 3' Section of matching chain



Dupont Nine Light Chandelier

(9) 60W A19 max. / Medium Base
Dimensions: Width 27½", Height 23½", Chain 72", Wire 12'
60-1843 Dark Chocolate Bronze / Satin White Glass
Accessories:
25-3024 3' Section of matching chain



Dupont Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 22", Height 15¾", Chain 48", Wire 12'
60-1842 Dark Chocolate Bronze / Satin White Glass
Convertible – Arms up or Down
Accessories:
25-3024 3' Section of matching chain



Dupont Three Light Chandelier

(3) 60W A19 max. / Medium Base
Dimensions: Width 17", Height 13½", Chain 48", Wire 12'
60-1841 Dark Chocolate Bronze / Satin White Glass
Convertible – Arms up or Down
Accessories:
25-3024 3' Section of matching chain

CHANDELIERS



Empire Nine Light Chandelier

(9) 60W A19 max. / Medium Base
Dimensions: Width 32", Height 18", Chain 72", Wire 12'
60-362 Old Bronze / Alabaster Glass
Accessories:
25-1067 3' Section of matching chain



Empire Nine Light Chandelier

(9) 60W A19 max. / Medium Base
Dimensions: Width 32", Height 18", Chain 72", Wire 12'
60-3171 Mahogany Bronze / Frosted Glass
Accessories:
25-2081 3' Section of matching chain



Empire Six Light Chandelier

(6) 60W A19 max. / Medium Base
Dimensions: Width 26", Height 14", Chain 48", Wire 12'
60-358 Old Bronze / Alabaster Glass
Accessories:
25-1067 3' Section of matching chain



Empire Six Light Chandelier

(6) 60W A19 max. / Medium Base
Dimensions: Width 26", Height 14", Chain 48", Wire 12'
60-3169 Mahogany Bronze / Frosted Glass
Accessories:
25-2081 3' Section of matching chain



Empire Six Light Chandelier

(6) 60W A19 max. / Medium Base
Dimensions: Width 26", Height 14", Chain 48", Wire 12'
60-1274 Mahogany Bronze / Champagne Glass
Accessories:
25-2081 3' Section of matching chain



Empire Nine Light Chandelier

(9) 60W A19 max. / Medium Base
Dimensions: Width 32", Height 18", Chain 72", Wire 12'
60-360 Brushed Nickel / Alabaster Glass
Accessories:
25-1069 3' Section of matching chain



Empire Nine Light Chandelier

(9) 60W A19 max. / Medium Base
Dimensions: Width 32", Height 18", Chain 72", Wire 12'
60-3256 Brushed Nickel / Frosted Glass
Accessories:
25-1069 3' Section of matching chain



Empire Six Light Chandelier

(6) 60W A19 max. / Medium Base
Dimensions: Width 26", Height 14", Chain 48", Wire 12'
60-356 Brushed Nickel / Alabaster Glass
Accessories:
25-1069 3' Section of matching chain



Empire Six Light Chandelier

(6) 60W A19 max. / Medium Base
Dimensions: Width 26", Height 14", Chain 48", Wire 12'
60-3255 Brushed Nickel / Frosted Glass
Accessories:
25-1069 3' Section of matching chain

CHANDELIERS



Empire Six Light Chandelier

(6) 60W A19 max. / Medium Base
Dimensions: Width 26", Height 14", Chain 48", Wire 12'
60-357 Polished Brass / Alabaster Glass
Accessories:
25-1066 3' Section of matching chain



Empire Six Light Chandelier

(6) 60W A19 max. / Medium Base
Dimensions: Width 26", Height 14", Chain 48", Wire 12'
60-359 Textured White / Alabaster Glass
Accessories:
25-1072 3' Section of matching chain



Gotham Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 24½", Height 17½", Chain 48", Wire 12'
60-189 Brushed Nickel / Alabaster Glass
Accessories:
25-1069 3' Section of matching chain



Gotham Three Light Chandelier

(3) 60W A19 max. / Medium Base
Dimensions: Width 22½", Height 17½", Chain 48", Wire 12'
60-190 Brushed Nickel / Alabaster Glass
Accessories:
25-1069 3' Section of matching chain



Gotham Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 24½", Height 17½", Chain 48", Wire 12'
60-3242 Brushed Nickel / Frosted Glass
Accessories:
25-1069 3' Section of matching chain



Gotham Three Light Chandelier

(3) 60W A19 max. / Medium Base
Dimensions: Width 22½", Height 17½", Chain 48", Wire 12'
60-3243 Brushed Nickel / Frosted Glass
Accessories:
25-1069 3' Section of matching chain



Gotham Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 24½", Height 17½", Chain 48", Wire 12'
60-191 Old Bronze / Alabaster Glass
Accessories:
25-1067 3' Section of matching chain



Gotham Three Light Chandelier

(3) 60W A19 max. / Medium Base
Dimensions: Width 22½", Height 17½", Chain 48", Wire 12'
60-192 Old Bronze / Alabaster Glass
Accessories:
25-1067 3' Section of matching chain



Gotham Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 24½", Height 17½", Chain 48", Wire 12'
60-3143 Mahogany Bronze / Frosted Glass
Accessories:
25-2081 3' Section of matching chain



Gotham Three Light Chandelier

(3) 60W A19 max. / Medium Base
Dimensions: Width 22½", Height 17½", Chain 48", Wire 12'
60-3144 Mahogany Bronze / Frosted Glass
Accessories:
25-2081 3' Section of matching chain



Ballerina Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 24", Height 18", Chain 48", Wire 12'
60-181 Brushed Nickel / Alabaster Glass
Accessories:
25-1069 3' Section of matching chain



Ballerina Three Light Chandelier

(3) 60W A19 max. / Medium Base
Dimensions: Width 20", Height 17", Chain 48", Wire 12'
60-182 Brushed Nickel / Alabaster Glass
Accessories:
25-1069 3' Section of matching chain

CHANDELIERS



Ballerina Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 24", Height 18", Chain 48", Wire 12'
60-3240 Brushed Nickel / Frosted Glass
Accessories:
25-1069 3' Section of matching chain



Ballerina Three Light Chandelier

(3) 60W A19 max. / Medium Base
Dimensions: Width 20", Height 17", Chain 48", Wire 12'
60-3241 Brushed Nickel / Frosted Glass
Accessories:
25-1069 3' Section of matching chain



Ballerina Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 24", Height 18", Chain 48", Wire 12'
60-183 Old Bronze / Alabaster Glass
Accessories:
25-1067 3' Section of matching chain



Ballerina Three Light Chandelier

(3) 60W A19 max. / Medium Base
Dimensions: Width 20", Height 17", Chain 48", Wire 12'
60-184 Old Bronze / Alabaster Glass
Accessories:
25-1067 3' Section of matching chain



Ballerina Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 24", Height 18", Chain 48", Wire 12'
60-3141 Mahogany Bronze / Frosted Glass
Accessories:
25-2081 3' Section of matching chain



Ballerina Three Light Chandelier

(3) 60W A19 max. / Medium Base
Dimensions: Width 20", Height 17", Chain 48", Wire 12'
60-3142 Mahogany Bronze / Frosted Glass
Accessories:
25-2081 3' Section of matching chain



Ballerina Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 24", Height 18", Chain 48", Wire 12'
60-1251 Mahogany Bronze / Champagne Glass
Accessories:
25-2081 3' Section of matching chain



Ballerina Three Light Chandelier

(3) 60W A19 max. / Medium Base
Dimensions: Width 20", Height 17", Chain 48", Wire 12'
60-1252 Mahogany Bronze / Champagne Glass
Accessories:
25-2081 3' Section of matching chain



Ballerina Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 24", Height 18", Chain 48", Wire 12'
60-185 Polished Brass / Alabaster Glass
Accessories:
25-1066 3' Section of matching chain



Ballerina Three Light Chandelier

(3) 60W A19 max. / Medium Base
Dimensions: Width 20", Height 17", Chain 48", Wire 12'
60-186 Polished Brass / Alabaster Glass
Accessories:
25-1066 3' Section of matching chain



Ballerina Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 24", Height 18", Chain 48", Wire 12'
60-187 Textured White / Alabaster Glass
Accessories:
25-1072 3' Section of matching chain



Ballerina Three Light Chandelier

(3) 60W A19 max. / Medium Base
Dimensions: Width 20", Height 17", Chain 48", Wire 12'
60-188 Textured White / Alabaster Glass
Accessories:
25-1072 3' Section of matching chain

CHANDELIERS



Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 22", Height 18", Chain 36", Wire 12'
76-695 Brushed Nickel / Frosted Ribbed Glass
Accessories:
25-1069 3' Section of Brushed Nickel chain



Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 22", Height 18", Chain 36", Wire 12'
76-444 Brushed Nickel / Clear Ribbed Glass
Accessories:
25-1069 3' Section of Brushed Nickel chain



Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 22", Height 18", Chain 36", Wire 12'
76-694 Old Bronze / Frosted Ribbed Glass
Accessories:
25-1067 3' Section of Old Bronze chain



Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 22", Height 18", Chain 36", Wire 12'
76-445 Old Bronze / Clear Ribbed Glass
Accessories:
25-1067 3' Section of Old Bronze chain



Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 22", Height 18", Chain 36", Wire 12'
76-693 Textured White / Frosted Ribbed Glass
Accessories:
25-1072 3' Section of Textured White chain



Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 23", Height 13⅛", Chain 36", Wire 12'
60-1290 Brushed Nickel / Alabaster Glass
Accessories:
25-1069 3' Section of Brushed Nickel chain



Five Light Chandelier

(5) 60W A19 max. / Medium Base
Dimensions: Width 23", Height 13⅛", Chain 36", Wire 12'
60-1291 Old Bronze / Alabaster Glass
Accessories:
25-1067 3' Section of Old Bronze chain



Five Light Chandelier

(5) 60W B Type max. / Candelabra Base
Dimensions: Width 18", Height 13", Chain 36", Wire 12'
60-1298 Brushed Nickel
Accessories:
25-1069 3' Section of Brushed Nickel chain



Five Light Chandelier

(5) 60W B Type max. / Candelabra Base
Dimensions: Width 18", Height 13", Chain 36", Wire 12'
76-280 Polished Brass
Accessories:
25-1066 3' Section of Polished Brass chain

CLOSE-TO-CEILING



15" Semi–Flush Convertible to Pendant
(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 15½", Wire 12'
60-202 Brushed Nickel / Alabaster Glass
Accessories:
25-1403 Pendant conversion kit
25-1069 3' Section of matching chain



15" Semi–Flush Convertible to Pendant
(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 15½", Wire 12'
60-3246 Brushed Nickel / Frosted Glass
Accessories:
25-1403 Pendant conversion kit
25-1069 3' Section of matching chain



13" Semi–Flush Convertible to Pendant
(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 14", Wire 12'
60-201 Brushed Nickel / Alabaster Glass
Accessories:
25-1403 Pendant conversion kit
25-1069 3' Section of matching chain



13" Semi–Flush Convertible to Pendant
(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 14", Wire 12'
60-3245 Brushed Nickel / Frosted Glass
Accessories:
25-1403 Pendant conversion kit
25-1069 3' Section of matching chain



11" Semi–Flush Convertible to Pendant
(2) 60W A19 max. / Medium Base
Dimensions: Width 11⅜", Height 12", Wire 12'
60-200 Brushed Nickel / Alabaster Glass
Accessories:
25-1403 Pendant conversion kit
25-1069 3' Section of matching chain



11" Semi–Flush Convertible to Pendant
(2) 60W A19 max. / Medium Base
Dimensions: Width 11⅜", Height 12", Wire 12'
60-3244 Brushed Nickel / Frosted Glass
Accessories:
25-1403 Pendant conversion kit
25-1069 3' Section of matching chain



15" Semi–Flush Convertible to Pendant
(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 15½", Wire 12'
60-210 Old Bronze / Alabaster Glass
Accessories:
25-1402 Pendant conversion kit
25-1067 3' Section of matching chain



15" Semi–Flush Convertible to Pendant
(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 15½", Wire 12'
60-3151 Mahogany Bronze / Frosted Glass
Accessories:
25-2082 Pendant conversion kit
25-2081 3' Section of matching chain



13" Semi–Flush Convertible to Pendant
(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 14", Wire 12'
60-209 Old Bronze / Alabaster Glass
Accessories:
25-1402 Pendant conversion kit
25-1067 3' Section of matching chain



13" Semi–Flush Convertible to Pendant
(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 14", Wire 12'
60-3149 Mahogany Bronze / Frosted Glass
Accessories:
25-2082 Pendant conversion kit
25-2081 3' Section of matching chain



11" Semi–Flush Convertible to Pendant
(2) 60W A19 max. / Medium Base
Dimensions: Width 11⅜", Height 12", Wire 12'
60-208 Old Bronze / Alabaster Glass
Accessories:
25-1402 Pendant conversion kit
25-1067 3' Section of matching chain



11" Semi–Flush Convertible to Pendant
(2) 60W A19 max. / Medium Base
Dimensions: Width 11⅜", Height 12", Wire 12'
60-3148 Mahogany Bronze / Frosted Glass
Accessories:
25-2082 Pendant conversion kit
25-2081 3' Section of matching chain

CLOSE-TO-CEILING



Dupont Semi–Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 16", Height 15½", Wire 12'
60-1827 Brushed Nickel / Satin White Glass
Convertible to pendant
Accessories:
25-1403 Pendant conversion kit
25-1069 3' Section of matching chain



Dupont Semi–Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 16", Height 15½", Wire 12'
60-1847 Dark Chocolate Bronze / Satin White Glass
Convertible to pendant
Accessories:
25-3073 Pendant conversion kit
25-3024 3' Section of matching chain



Neval Flush

(2) 60W A19 max. / Medium Base
Dimensions: Width 13", Height 5¼"
60-5486 Brushed Nickel / Satin White Glass



Neval Flush

(2) 60W A19 max. / Medium Base
Dimensions: Width 13", Height 5¼"
60-5586 Sudbury Bronze / Satin White Glass



Dupont Large Flush Dome

(2) 75W A19 max. / Medium Base
Dimensions: Width 15", Height 7 3/4"
60-1826 Brushed Nickel / Satin White Glass
CUL damp location



Dupont Large Flush Dome

(2) 75W A19 max. / Medium Base
Dimensions: Width 15", Height 7 3/4"
60-1846 Dark Chocolate Bronze / Satin White Glass
CUL damp location



Dupont Medium Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13", Height 7"
60-1825 Brushed Nickel / Satin White Glass
CUL damp location



Dupont Medium Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13", Height 7"
60-1845 Dark Chocolate Bronze / Satin White Glass
CUL damp location



Dupont Small Flush Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 11", Height 7"
60-1824 Brushed Nickel / Satin White Glass
CUL damp location



Dupont Small Flush Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 11", Height 7"
60-1844 Dark Chocolate Bronze / Satin White Glass
CUL damp location

CLOSE-TO-CEILING



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15 1/4", Height 6"
60-199 Brushed Nickel / Alabaster Glass
CUL damp location



17" Twist and Lock

(3) 60W A19 max. / Medium Base
Dimensions: Width 17", Height 6"
60-285 Brushed Nickel / Alabaster Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13 1/4", Height 5 3/8"
60-198 Brushed Nickel / Alabaster Glass
CUL damp location



14" Twist and Lock

(2) 60W A19 max. / Medium Base
Dimensions: Width 14", Height 5 1/2"
60-284 Brushed Nickel / Alabaster Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11 3/8", Height 4 7/8"
60-197 Brushed Nickel / Alabaster Glass
CUL damp location



12" Twist and Lock

(1) 60W A19 max. / Medium Base
Dimensions: Width 11 1/2", Height 4 1/2"
60-283 Brushed Nickel / Alabaster Glass
CUL damp location



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 6"
60-3263 Brushed Nickel / Frosted Glass
CUL damp location



17" Twist and Lock

(3) 60W A19 max. / Medium Base
Dimensions: Width 17", Height 6"
60-3273 Brushed Nickel / Frosted Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 5⅜"
60-3262 Brushed Nickel / Frosted Glass
CUL damp location



14" Twist and Lock

(2) 60W A19 max. / Medium Base
Dimensions: Width 14", Height 5½"
60-3272 Brushed Nickel / Frosted Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11⅜", Height 4⅞"
60-3261 Brushed Nickel / Frosted Glass
CUL damp location



12" Twist and Lock

(1) 60W A19 max. / Medium Base
Dimensions: Width 11½", Height 4½"
60-3271 Brushed Nickel / Frosted Glass
CUL damp location

CLOSE-TO-CEILING



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15 1/4", Height 6"
60-207 Old Bronze / Alabaster Glass
CUL damp location



17" Twist and Lock

(3) 60W A19 max. / Medium Base
Dimensions: Width 17", Height 6"
60-282 Old Bronze / Alabaster Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13 1/4", Height 5 3/8"
60-206 Old Bronze / Alabaster Glass
CUL damp location



14" Twist and Lock

(2) 60W A19 max. / Medium Base
Dimensions: Width 14", Height 5 1/2"
60-281 Old Bronze / Alabaster Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11 3/8", Height 4 7/8"
60-205 Old Bronze / Alabaster Glass
CUL damp location



12" Twist and Lock

(1) 60W A19 max. / Medium Base
Dimensions: Width 11 1/2", Height 4 1/2"
60-280 Old Bronze / Alabaster Glass
CUL damp location



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 6"
60-3147 Mahogany Bronze / Frosted Glass
CUL damp location



17" Twist and Lock

(3) 60W A19 max. / Medium Base
Dimensions: Width 17", Height 6"
60-3177 Mahogany Bronze / Frosted Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 5⅜"
60-3146 Mahogany Bronze / Frosted Glass
CUL damp location



14" Twist and Lock

(2) 60W A19 max. / Medium Base
Dimensions: Width 14", Height 5½"
60-3176 Mahogany Bronze / Frosted Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11⅜", Height 4⅞"
60-3145 Mahogany Bronze / Frosted Glass
CUL damp location



12" Twist and Lock

(1) 60W A19 max. / Medium Base
Dimensions: Width 11½", Height 4½"
60-3175 Mahogany Bronze / Frosted Glass
CUL damp location

CLOSE-TO-CEILING



15" Flush Dome

(3) 60W A19 max. / Medium Base

Dimensions: Width 15 1/4", Height 6"

60-1257 Mahogany Bronze / Champagne Glass

CUL damp location



15" Flush Dome

(3) 60W A19 max. / Medium Base

Dimensions: Width 15 1/4", Height 6"

60-215 Polished Brass / Alabaster Glass

CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base

Dimensions: Width 13 1/4", Height 5 3/8"

60-1256 Mahogany Bronze / Champagne Glass

CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base

Dimensions: Width 13 1/4", Height 5 3/8"

60-214 Polished Brass / Alabaster Glass

CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base

Dimensions: Width 11 3/8", Height 4 7/8"

60-1255 Mahogany Bronze / Champagne Glass

CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base

Dimensions: Width 11 3/8", Height 4 7/8"

60-213 Polished Brass / Alabaster Glass

CUL damp location



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15 1/4", Height 6"
60-223 Textured White / Alabaster Glass
CUL damp location



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15 1/4", Height 6"
76-026 Polished Brass / Clear Swirl Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13 1/4", Height 5 3/8"
60-222 Textured White / Alabaster Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13 1/4", Height 5 1/2"
76-025 Polished Brass / Clear Swirl Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11 3/8", Height 4 7/8"
60-221 Textured White / Alabaster Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11 1/4", Height 5"
76-024 Polished Brass / Clear Swirl Glass
CUL damp location

CLOSE-TO-CEILING



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 6"
76-245 Brushed Nickel / Frosted Melon Glass
CUL damp location



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 6"
76-248 Old Bronze / Frosted Melon Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 5½"
76-244 Brushed Nickel / Frosted Melon Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 5½"
76-247 Old Bronze / Frosted Melon Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11¼", Height 5"
76-243 Brushed Nickel / Frosted Melon Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11¼", Height 5"
76-246 Old Bronze / Frosted Melon Glass
CUL damp location



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 6"
76-128 Polished Brass / Frosted Melon Glass
CUL damp location



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 6"
76-129 Textured White / Frosted Melon Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 5½"
76-126 Polished Brass / Frosted Melon Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 5½"
76-127 Textured White / Frosted Melon Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11¼", Height 5"
76-124 Polished Brass / Frosted Melon Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11¼", Height 5"
76-125 Textured White / Frosted Melon Glass
CUL damp location

CLOSE-TO-CEILING



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 6"
76-611 Brushed Nickel / Clear Ribbed Glass
CUL damp location



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 6"
76-608 Old Bronze / Clear Ribbed Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 5½"
76-610 Brushed Nickel / Clear Ribbed Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 5½"
76-607 Old Bronze / Clear Ribbed Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11¼", Height 5"
76-609 Brushed Nickel / Clear Ribbed Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11¼", Height 5"
76-606 Old Bronze / Clear Ribbed Glass
CUL damp location



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 6"
76-093 Polished Brass / Clear Ribbed Glass
CUL damp location



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 6"
76-193 Textured White / Clear Ribbed Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 5½"
76-092 Polished Brass / Clear Ribbed Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 5½"
76-192 Textured White / Clear Ribbed Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11¼", Height 5"
76-091 Polished Brass / Clear Ribbed Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11¼", Height 5"
76-191 Textured White / Clear Ribbed Glass
CUL damp location

CLOSE-TO-CEILING



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 6"
76-135 Textured White / Frosted Ribbed Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 5½"
76-133 Textured White / Frosted Ribbed Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11¼", Height 5"
76-131 Textured White / Frosted Ribbed Glass
CUL damp location



15" Flush Dome

(3) 60W A19 max. / Medium Base
Dimensions: Width 15¼", Height 6"
76-134 Polished Brass / Frosted Ribbed Glass
CUL damp location



13" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 13¼", Height 5½"
76-132 Polished Brass / Frosted Ribbed Glass
CUL damp location



11" Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 11¼", Height 5"
76-130 Polished Brass / Frosted Ribbed Glass
CUL damp location

CLOSE-TO-CEILING



16" Tri-Clip Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 16⅛", Height 5"
60-271 Brushed Nickel / Alabaster Glass
CUL damp location



16" Tri-Clip Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 16⅛", Height 5"
60-273 Old Bronze / Alabaster Glass
CUL damp location



12" Tri-Clip Flush Dome

(1) 60W A19 max. / Medium Base
Dimensions: Width 12½", Height 4"
60-270 Brushed Nickel / Alabaster Glass
CUL damp location



12" Tri-Clip Flush Dome

(1) 60W A19 max. / Medium Base
Dimensions: Width 12½", Height 4"
60-272 Old Bronze / Alabaster Glass
CUL damp location



6" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7¼"
60-257 Brushed Nickel / Alabaster Glass
CUL damp location



6" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7¼"
60-259 Old Bronze / Alabaster Glass
CUL damp location



16" Tri-Clip Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 16⅛", Height 5"
60-275 Polished Brass / Alabaster Glass



16" Tri-Clip Flush Dome

(2) 60W A19 max. / Medium Base
Dimensions: Width 16⅛", Height 5"
60-277 Textured White / Alabaster Glass



12" Tri-Clip Flush Dome

(1) 60W A19 max. / Medium Base
Dimensions: Width 12½", Height 4"
60-274 Polished Brass / Alabaster Glass



12" Tri-Clip Flush Dome

(1) 60W A19 max. / Medium Base
Dimensions: Width 12½", Height 4"
60-276 Textured White / Alabaster Glass



6" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7¼"
60-255 Polished Brass / Alabaster Glass
CUL damp location



6" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7¼"
60-1279 Mahogany Bronze / Champagne Glass
CUL damp location

CLOSE-TO-CEILING



Large Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 6"
77-986 Polished Brass / White Glass
CUL damp location



Large Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 6"
77-987 White / White Glass
CUL damp location



Medium Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 9½", Height 6"
77-061 Polished Brass / White Glass
CUL damp location



Medium Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 9½", Height 6"
77-062 White / White Glass
CUL damp location



Small Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 7½", Height 5"
77-059 Polished Brass / White Glass
CUL damp location



Small Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 7½", Height 5"
77-060 White / White Glass
CUL damp location



Large Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 6"
77-347 Polished Chrome / White Glass
CUL damp location



Large Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 6"
76-604 Old Bronze / White Glass
CUL damp location



Medium Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 9½", Height 6"
77-346 Polished Chrome / White Glass
CUL damp location



Medium Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 9½", Height 6"
76-602 Old Bronze / White Glass
CUL damp location



Small Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 7½", Height 5"
77-345 Polished Chrome / White Glass
CUL damp location



Small Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 7½", Height 5"
76-600 Old Bronze / White Glass
CUL damp location

CLOSE-TO-CEILING



Large Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 6"
76-605 Brushed Nickel / White Glass
CUL damp location



Large Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 6"
77-988 Antique Brass / White Glass
CUL damp location



Medium Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 9½", Height 6"
76-603 Brushed Nickel / White Glass
CUL damp location



Medium Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 9½", Height 6"
77-924 Antique Brass / White Glass
CUL damp location



Small Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 7½", Height 5"
76-601 Brushed Nickel / White Glass
CUL damp location



Small Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 7½", Height 5"
77-921 Antique Brass / White Glass
CUL damp location



Large Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 6"
76-614 Textured White / Alabaster Glass
CUL damp location



Large Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 6"
76-678 Polished Brass / Alabaster Glass
CUL damp location



Medium Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 9½", Height 6"
76-613 Textured White / Alabaster Glass
CUL damp location



Medium Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 9½", Height 6"
76-675 Polished Brass / Alabaster Glass
CUL damp location



Small Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 7½", Height 5"
76-612 Textured White / Alabaster Glass
CUL damp location



Small Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 7½", Height 5"
76-672 Polished Brass / Alabaster Glass
CUL damp location

CLOSE-TO-CEILING



Large Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 6"
76-676 Old Bronze / Alabaster Glass
CUL damp location



Large Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 6"
76-677 Brushed Nickel / Alabaster Glass
CUL damp location



Medium Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 9½", Height 6"
76-673 Old Bronze / Alabaster Glass
CUL damp location



Medium Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 9½", Height 6"
76-674 Brushed Nickel / Alabaster Glass
CUL damp location



Small Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 7½", Height 5"
76-670 Old Bronze / Alabaster Glass
CUL damp location



Small Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 7½", Height 5"
76-671 Brushed Nickel / Alabaster Glass
CUL damp location



Large Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 6"
60-2645 Mahogany Bronze / Frosted Glass
CUL damp location



Large Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 6"
60-2646 Mahogany Bronze / Champagne Linen Glass
CUL damp location



Medium Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 9½", Height 6"
60-2643 Mahogany Bronze / Frosted Glass
CUL damp location



Medium Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 9½", Height 6"
60-2644 Mahogany Bronze / Champagne Linen Glass
CUL damp location



Small Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 7½", Height 5"
60-2641 Mahogany Bronze / Frosted Glass
CUL damp location



Small Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 7½", Height 5"
60-2642 Mahogany Bronze / Champagne Linen Glass
CUL damp location

CLOSE-TO-CEILING



Medium Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 9½", Height 6"
76-252 Polished Brass / Clear Ribbed Glass
CUL damp location



Medium Mushroom

(2) 60W A19 max. / Medium Base
Dimensions: Width 9½", Height 6"
76-253 White / Clear Ribbed Glass
CUL damp location



Small Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 7½", Height 5"
76-250 Polished Brass / Clear Ribbed Glass
CUL damp location



Small Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 7½", Height 5"
76-251 White / Clear Ribbed Glass
CUL damp location



6" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7¼"
76-256 Polished Brass / Clear Ribbed Glass
CUL damp location



6" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7¼"
76-257 White / Clear Ribbed Glass
CUL damp location



6" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7¼"
60-3249 Brushed Nickel / Frosted Glass
CUL damp location



6" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7¼"
77-108 Polished Brass / White Glass
CUL damp location



6" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7¼"
60-245 Brushed Nickel / White Glass
CUL damp location



6" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7¼"
77-110 Polished Chrome / White Glass
CUL damp location



6" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7¼"
60-247 Old Bronze / White Glass
CUL damp location



6" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7¼"
77-947 White / White Glass
CUL damp location

CLOSE-TO-CEILING



8" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 8", Height 9¼"
77-111 Polished Chrome / White Glass
CUL damp location



6" Flush Ball with Pull Chain Switch

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7¼"
60-295 Polished Brass / White Glass
CUL damp location



8" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 8", Height 9¼"
77-109 Polished Brass / White Glass
CUL damp location



6" Flush Ball with Pull Chain Switch

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7¼"
60-712 White / White Glass
CUL damp location



8" Flush Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 8", Height 9¼"
77-948 White / White Glass
CUL damp location



Clear Bottom Squat Ball

(1) 60W A19 max. / Medium Base
Dimensions: Width 5", Height 5½"
77-122 Polished Brass / Frosted, Clear Bottom Glass
CUL damp location



Style Socket (ceiling or wall)

(1) 60W max. / Medium Base – LAMP NOT INCLUDED
Dimensions: Diameter 5", Extension 2 3/8" (less lamp)
60-4801 Brushed Nickel
CUL damp location



Style Socket (ceiling or wall)

(1) 60W max. / Medium Base – LAMP NOT INCLUDED
Dimensions: Diameter 5", Extension 2 3/8" (less lamp)
60-4802 Polished Nickel
CUL damp location



Style Socket (ceiling or wall)

(1) 60W max. / Medium Base – LAMP NOT INCLUDED
Dimensions: Diameter 5", Extension 2 3/8" (less lamp)
60-4803 White
CUL damp location



Style Socket (ceiling or wall)

(1) 60W max. / Medium Base – LAMP NOT INCLUDED
Dimensions: Diameter 5", Extension 2 3/8" (less lamp)
60-4804 Dark Bronze
CUL damp location



Clear Pinapple

(1) 60W A19 max. / Medium Base
Dimensions: Width 5", Height 5 1/2"
77-125 Polished Brass / Clear Pineapple Glass
CUL damp location



Small Frosted Grape Mushroom

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 5"
77-123 Polished Brass / Frosted Grape Glass
CUL damp location

CLOSE-TO-CEILING



Large Flush Drum

(2) 60W A19 max. / Medium Base
Dimensions: Width 10", Height 7"
77-102 Polished Chrome / Crystal & White Glass
CUL damp location



Large Flush Drum

(2) 60W A19 max. / Medium Base
Dimensions: Width 10", Height 7"
77-099 White / Crystal & White Glass
CUL damp location



Medium Flush Drum

(2) 60W A19 max. / Medium Base
Dimensions: Width 8", Height 6"
77-101 Polished Chrome / Crystal & White Glass
CUL damp location



Medium Flush Drum

(2) 60W A19 max. / Medium Base
Dimensions: Width 8", Height 6"
77-098 White / Crystal & White Glass
CUL damp location



Small Flush Drum

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 5"
77-100 Polished Chrome / Crystal & White Glass
CUL damp location



Small Flush Drum

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 5"
77-097 White / Crystal & White Glass
CUL damp location



Large Flush Drum

(2) 60W A19 max. / Medium Base
Dimensions: Width 10", Height 7"
77-344 Polished Chrome / White Glass
CUL damp location



Round Grape Design

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 4 3/4"
76-268 White HolderCUL damp location



Medium Flush Drum

(2) 60W A19 max. / Medium Base
Dimensions: Width 8", Height 6"
77-343 Polished Chrome / White Glass
CUL damp location



Round Sunburst Design

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 4 3/4"
76-269 White HolderCUL damp location



Small Flush Drum

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 5"
77-342 Polished Chrome / White Glass
CUL damp location



Round White

(2) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 4 3/4"
77-823 White HolderCUL damp location

CLOSE-TO-CEILING



Square Wheat Design / Ruffled Edge

(2) 60W A19 max. / Medium Base
Dimensions: Width 11 3/4", Height 4 3/4"
76-270 White Holder
CUL damp location



Square Floral Design

with Pull Chain Switch
(2) 60W A19 max. / Medium Base
Dimensions: Width 11 3/4", Height 4 3/4"
77-392 White Holder
CUL damp location



Square White

(2) 60W A19 max. / Medium Base
Dimensions: Width 11 3/4", Height 4 3/4"
77-824 White Holder
CUL damp location



Square Floral Design

(2) 60W A19 max. / Medium Base
Dimensions: Width 11 3/4", Height 4 3/4"
77-126 White Holder
CUL damp location



R20 / PAR20 1 Light Straight Cylinder

(1) 50W R20 / PAR20 Halogen max. / Medium Base
Dimensions: Height 8½", Canopy 5"
76-412 White / Black Baffle
CUL damp location



R20 / PAR20 3 Light Straight Cylinder

(3) 50W R20 / PAR20 Halogen max. / Medium Base
Dimensions: Height 8½", Width 14", Canopy 10"
76-416 White / Black Baffle
CUL damp location



R30 / PAR30 1 Light Straight Cylinder

(1) 75W R30 / 50W PAR30 Halogen max. / Medium Base
Dimensions: Height 10", Canopy 5"
76-418 White / Black Baffle
CUL damp location



R30 / PAR30 3 Light Straight Cylinder

(3) 75W R30 / 50W PAR30 Halogen max. / Medium Base
Dimensions: Height 10", Width 18", Canopy 10"
76-422 White / Black Baffle
CUL damp location

PENDANTS



Dupont Three Light Pendant

(3) 60W A19 max. / Medium Base
Dimensions: Width 16", Height 20", Chain 48", Wire 12'
60-1828 Brushed Nickel / Satin White Glass
Accessories:
25-1069 3' Section of matching chain



Dupont Hanging Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 10½", Chain 48", Wire 12'
60-1829 Brushed Nickel / Satin White Glass
Accessories:
25-1069 3' Section of matching chain



Dupont Three Light Pendant

(3) 60W A19 max. / Medium Base
Dimensions: Width 16", Height 20", Chain 48", Wire 12'
60-1848 Dark Chocolate Bronze / Satin White Glass
Accessories:
25-3024 3' Section of matching chain



Dupont Hanging Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 10½", Chain 48", Wire 12'
60-1849 Dark Chocolate Bronze / Satin White Glass
Accessories:
25-3024 3' Section of matching chain



20" Pendant

(3) 60W A19 max. / Medium Base
Dimensions: Width 20", Height 27¾", Chain 48", Wire 12'
60-204 Brushed Nickel / Alabaster Glass
Accessories:
25-1069 3' Section of matching chain



15" Pendant

(3) 60W A19 max. / Medium Base
Dimensions: Width 15", Height 23", Chain 48", Wire 12'
60-203 Brushed Nickel / Alabaster Glass
Accessories:
25-1069 3' Section of matching chain



20" Pendant

(3) 60W A19 max. / Medium Base
Dimensions: Width 20", Height 27 ¾", Chain 48", Wire 12'
60-3248 Brushed Nickel / Frosted Glass
Accessories:
25-1069 3' Section of matching chain



15" Pendant

(3) 60W A19 max. / Medium Base
Dimensions: Width 15", Height 23", Chain 48", Wire 12'
60-3247 Brushed Nickel / Frosted Glass
Accessories:
25-1069 3' Section of matching chain



20" Pendant

(3) 60W A19 max. / Medium Base
Dimensions: Width 20", Height 27 ¾", Chain 48", Wire 12'
60-212 Old Bronze / Alabaster Glass
Accessories:
25-1067 3' Section of matching chain



15" Pendant

(3) 60W A19 max. / Medium Base
Dimensions: Width 15", Height 23", Chain 48", Wire 12'
60-211 Old Bronze / Alabaster Glass
Accessories:
25-1067 3' Section of matching chain



20" Pendant

(3) 60W A19 max. / Medium Base
Dimensions: Width 20", Height 27 ¾", Chain 48", Wire 12'
60-3153 Mahogany Bronze / Frosted Glass
Accessories:
25-2081 3' Section of matching chain



15" Pendant

(3) 60W A19 max. / Medium Base
Dimensions: Width 15", Height 23", Chain 48", Wire 12'
60-3152 Mahogany Bronze / Frosted Glass
Accessories:
25-2081 3' Section of matching chain

PENDANTS



Hanging Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 11½", Chain 48", Wire 12'
60-390 Brushed Nickel / Alabaster Glass
Accessories:
25-1069 3' Section of matching chain



Pendant Bell

(1) 100W A19 max. / Medium Base
Dimensions: Width 9¾", Height 20½", Chain 48", Wire 12'
60-394 Brushed Nickel / Alabaster Glass
Accessories:
25-1069 3' Section of matching chain



Hanging Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 11½", Chain 48", Wire 12'
60-3258 Brushed Nickel / Frosted Glass
Accessories:
25-1069 3' Section of matching chain



Pendant Bell

(1) 100W A19 max. / Medium Base
Dimensions: Width 9¾", Height 20½", Chain 48", Wire 12'
60-3259 Brushed Nickel / Frosted Glass
Accessories:
25-1069 3' Section of matching chain



Hanging Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 11½", Chain 48", Wire 12'
60-391 Old Bronze / Alabaster Glass
Accessories:
25-1067 3' Section of matching chain



Pendant Bell

(1) 100W A19 max. / Medium Base
Dimensions: Width 9¾", Height 20½", Chain 48", Wire 12'
60-395 Old Bronze / Alabaster Glass
Accessories:
25-1067 3' Section of matching chain



Hanging Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 11½", Chain 48", Wire 12'
60-3173 Mahogany Bronze / Frosted Glass
Accessories:
25-2081 3' Section of matching chain



Pendant Bell

(1) 100W A19 max. / Medium Base
Dimensions: Width 9¾", Height 20½", Chain 48", Wire 12'
60-3174 Mahogany Bronze / Frosted Glass
Accessories:
25-2081 3' Section of matching chain



Hanging Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 11½", Chain 48", Wire 12'
60-1276 Mahogany Bronze / Champagne Glass
Accessories:
25-2081 3' Section of matching chain



Hanging Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 11½", Chain 48", Wire 12'
60-393 Textured White / Alabaster Glass
Accessories:
25-1072 3' Section of matching chain



Hanging Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 11½", Chain 48", Wire 12'
60-392 Polished Brass / Alabaster Glass
Accessories:
25-1066 3' Section of matching chain

PENDANTS



Three Light Pendant

(3) 60W A19 max. / Medium Base
Dimensions: Width 22½", Height 20½", Chain 48", Wire 12'
60-370 Brushed Nickel / Alabaster Glass
Accessories:
25-1069 3' Section of Brushed Nickel chain



Three Light Pendant

(3) 60W A19 max. / Medium Base
Dimensions: Width 22½", Height 20½", Chain 48", Wire 12'
60-371 Old Bronze / Alabaster Glass
Accessories:
25-1067 3' Section of Old Bronze chain



Prismatic Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 15", Height 10½", Chain 36", Wire 12'
76-446 Brushed Nickel / Clear Ribbed Glass
Accessories:
25-1069 3' Section of Brushed Nickel chain



Prismatic Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 15", Height 10½", Chain 36", Wire 12'
76-447 Old Bronze / Clear Ribbed Glass
Accessories:
25-1067 3' Section of Old Bronze chain



Prismatic Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 15", Height 10½", Chain 36", Wire 12'
76-691 Brushed Nickel / Frosted Ribbed Glass
Accessories:
25-1069 3' Section of Brushed Nickel chain



Prismatic Dome

(1) 100W A19 max. / Medium Base
Dimensions: Width 15", Height 10½", Chain 36", Wire 12'
76-690 Old Bronze / Frosted Ribbed Glass
Accessories:
25-1067 3' Section of Old Bronze chain



Warehouse Shade

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 8⅛", Cord 12'
76-661 Brushed Nickel



Warehouse Shade

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 8⅛", Cord 12'
76-662 Old Bronze



Warehouse Shade

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 8⅛", Cord 12'
76-663 Red



Warehouse Shade

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 8⅛", Cord 12'
76-660 Green



Warehouse Shade

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 8⅛", Cord 12'
76-284 Black



Warehouse Shade

(1) 100W A19 max. / Medium Base
Dimensions: Width 16", Height 8⅛", Cord 12'
76-283 White

MINI PENDANTS



Dupont Mini Pendant

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7½", Wire 12'
60-1831 Brushed Nickel / Satin White Glass
Accessories:
Additional Stem Lengths
25-2047 (6"), **25-2021** (12")



Dupont Mini Pendant

(1) 60W A19 max. / Medium Base
Dimensions: Width 6", Height 7½", Wire 12'
60-1851 Dark Chocolate Bronze / Satin White Glass
Accessories:
Additional Stem Lengths
25-4007 (6"), **25-4008** (12")



Empire Mini Pendant

with hang-straight canopy
(1) 100W A19 max. / Medium Base
Dimensions: Width 7", Height 6½", Wire 12'
60-365 Brushed Nickel / Alabaster Glass
Accessories:
Additional Stem Lengths
25-2047 (6"), **25-2021** (12")



Empire Mini Pendant

with hang-straight canopy
(1) 100W A19 max. / Medium Base
Dimensions: Width 7", Height 6½", Wire 12'
60-3257 Brushed Nickel / Frosted Glass
Accessories:
Additional Stem Lengths
25-2047 (6"), **25-2021** (12")



Empire Mini Pendant

with hang-straight canopy
(1) 100W A19 max. / Medium Base
Dimensions: Width 7", Height 6½", Wire 12'
60-366 Old Bronze / Alabaster Glass
Accessories:
Additional Stem Lengths
25-2028 (6"), **25-2002** (12")



Empire Mini Pendant

with hang-straight canopy
(1) 100W A19 max. / Medium Base
Dimensions: Width 7", Height 6½", Wire 12'
60-3172 Mahogany Bronze / Frosted Glass
Accessories:
Additional Stem Lengths
25-2078 (6"), **25-2079** (12")



Empire Mini Pendant

with hang-straight canopy

(1) 100W A19 max. / Medium Base

Dimensions: Width 7", Height 6½", Wire 12'

60-1277 Mahogany Bronze / Champagne Glass

Accessories:

Additional Stem Lengths

25-2078 (6"), **25-2079** (12")



Empire Mini Pendant

with hang-straight canopy

(1) 100W A19 max. / Medium Base

Dimensions: Width 7", Height 6½", Wire 12'

60-368 Textured White / Alabaster Glass

Accessories:

Additional Stem Lengths

25-2053 (6"), **25-2026** (12")



Empire Mini Pendant

with hang-straight canopy

(1) 100W A19 max. / Medium Base

Dimensions: Width 7", Height 6½", Wire 12'

60-367 Polished Brass / Alabaster Glass

Accessories:

Additional Stem Lengths

25-2046 (6"), **25-2019** (12")

VANITY



Dupont One Light Vanity

(1) 100W A19 max. / Medium Base
Dimensions: Width 6", Height 8", Extension 8½"
60-1832 Brushed Nickel / Satin White Glass



Dupont Two Light Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 13", Height 8", Extension 7¾"
60-1833 Brushed Nickel / Satin White Glass



Dupont Three Light Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 24", Height 8", Extension 7¾"
60-1834 Brushed Nickel / Satin White Glass



Dupont Four Light Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 30", Height 8", Extension 7¾"
60-1835 Brushed Nickel / Satin White Glass

Vanity fixtures CUL listed for damp location and glass up or down installation.



Dupont One Light Vanity

(1) 100W A19 max. / Medium Base
Dimensions: Width 6", Height 8", Extension 8½"
60-1852 Dark Chocolate Bronze / Satin White Glass



Dupont Two Light Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 13", Height 8", Extension 7¾"
60-1853 Dark Chocolate Bronze / Satin White Glass



Dupont Three Light Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 24", Height 8", Extension 7¾"
60-1854 Dark Chocolate Bronze / Satin White Glass



Dupont Four Light Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 30", Height 8", Extension 7¾"
60-1855 Dark Chocolate Bronze / Satin White Glass

VANITY



Ballerina Two Light 18" Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 18", Height 7⅝", Extension 8½"
60-320 Brushed Nickel / Alabaster Glass



Ballerina Three Light 24" Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 24", Height 7⅝", Extension 8½"
60-321 Brushed Nickel / Alabaster Glass



Ballerina Four Light 30" Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 30", Height 7⅝", Extension 8½"
60-322 Brushed Nickel / Alabaster Glass



Ballerina Five Light 36" Vanity

(5) 100W A19 max. / Medium Base
Dimensions: Width 36", Height 7⅝", Extension 8½"
60-323 Brushed Nickel / Alabaster Glass



Ballerina Seven Light 48" Vanity

(7) 100W A19 max. / Medium Base
Dimensions: Width 48", Height 7⅝", Extension 8½"
60-291 Brushed Nickel / Alabaster Glass

Vanity fixtures CUL listed for damp location and glass up or down installation.



Ballerina Two Light 18" Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 18", Height 7⅝", Extension 8½"
60-3278 Brushed Nickel / Frosted Glass



Ballerina Three Light 24" Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 24", Height 7⅝", Extension 8½"
60-3279 Brushed Nickel / Frosted Glass



Ballerina Four Light 30" Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 30", Height 7⅝", Extension 8½"
60-3281 Brushed Nickel / Frosted Glass



Ballerina Five Light 36" Vanity

(5) 100W A19 max. / Medium Base
Dimensions: Width 36", Height 7⅝", Extension 8½"
60-3282 Brushed Nickel / Frosted Glass



Ballerina Seven Light 48" Vanity

(7) 100W A19 max. / Medium Base
Dimensions: Width 48", Height 7⅝", Extension 8½"
60-3283 Brushed Nickel / Frosted Glass

VANITY



Ballerina Two Light 18" Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 18", Height 7⅝", Extension 8½"
60-324 Old Bronze / Alabaster Glass



Ballerina Three Light 24" Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 24", Height 7⅝", Extension 8½"
60-325 Old Bronze / Alabaster Glass



Ballerina Four Light 30" Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 30", Height 7⅝", Extension 8½"
60-326 Old Bronze / Alabaster Glass



Ballerina Five Light 36" Vanity

(5) 100W A19 max. / Medium Base
Dimensions: Width 36", Height 7⅝", Extension 8½"
60-327 Old Bronze / Alabaster Glass



Ballerina Seven Light 48" Vanity

(7) 100W A19 max. / Medium Base
Dimensions: Width 48", Height 7⅝", Extension 8½"
60-292 Old Bronze / Alabaster Glass

Vanity fixtures CUL listed for damp location and glass up or down installation.



Ballerina Two Light 18" Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 18", Height 7⅝", Extension 8½"
60-3161 Mahogany Bronze / Frosted Glass



Ballerina Three Light 24" Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 24", Height 7⅝", Extension 8½"
60-3162 Mahogany Bronze / Frosted Glass



Ballerina Four Light 30" Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 30", Height 7⅝", Extension 8½"
60-3163 Mahogany Bronze / Frosted Glass



Ballerina Five Light 36" Vanity

(5) 100W A19 max. / Medium Base
Dimensions: Width 36", Height 7⅝", Extension 8½"
60-3164 Mahogany Bronze / Frosted Glass



Ballerina Seven Light 48" Vanity

(7) 100W A19 max. / Medium Base
Dimensions: Width 48", Height 7⅝", Extension 8½"
60-3155 Mahogany Bronze / Frosted Glass

VANITY



Ballerina Two Light 18" Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 18", Height 7⅝", Extension 8½"
60-1264 Mahogany Bronze / Champagne Glass



Ballerina Three Light 24" Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 24", Height 7⅝", Extension 8½"
60-1265 Mahogany Bronze / Champagne Glass



Ballerina Four Light 30" Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 30", Height 7⅝", Extension 8½"
60-1266 Mahogany Bronze / Champagne Glass



Ballerina Five Light 36" Vanity

(5) 100W A19 max. / Medium Base
Dimensions: Width 36", Height 7⅝", Extension 8½"
60-1267 Mahogany Bronze / Champagne Glass



Ballerina Seven Light 48" Vanity

(7) 100W A19 max. / Medium Base
Dimensions: Width 48", Height 7⅝", Extension 8½"
60-1268 Mahogany Bronze / Champagne Glass

Vanity fixtures CUL listed for damp location and glass up or down installation.



Ballerina Two Light 18" Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 18", Height 7⅝", Extension 8½"
60-328 Polished Brass / Alabaster Glass



Ballerina Three Light 24" Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 24", Height 7⅝", Extension 8½"
60-329 Polished Brass / Alabaster Glass



Ballerina Four Light 30" Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 30", Height 7⅝", Extension 8½"
60-330 Polished Brass / Alabaster Glass



Ballerina Five Light 36" Vanity

(5) 100W A19 max. / Medium Base
Dimensions: Width 36", Height 7⅝", Extension 8½"
60-331 Polished Brass / Alabaster Glass



Ballerina Seven Light 48" Vanity

(7) 100W A19 max. / Medium Base
Dimensions: Width 48", Height 7⅝", Extension 8½"
60-293 Polished Brass / Alabaster Glass

VANITY



Ballerina Two Light 18" Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 18", Height 7⅝", Extension 8½"
60-332 Textured White / Alabaster Glass



Ballerina Three Light 24" Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 24", Height 7⅝", Extension 8½"
60-333 Textured White / Alabaster Glass



Ballerina Four Light 30" Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 30", Height 7⅝", Extension 8½"
60-334 Textured White / Alabaster Glass



Ballerina Five Light 36" Vanity

(5) 100W A19 max. / Medium Base
Dimensions: Width 36", Height 7⅝", Extension 8½"
60-335 Textured White / Alabaster Glass



Ballerina Seven Light 48" Vanity

(7) 100W A19 max. / Medium Base
Dimensions: Width 48", Height 7⅝", Extension 8½"
60-294 Textured White / Alabaster Glass

Vanity fixtures CUL listed for damp location and glass up or down installation.



Ballerina Two Light 18" Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 18", Height 7⅝", Extension 8½"
60-316 Polished Chrome / Alabaster Glass



Ballerina Three Light 24" Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 24", Height 7⅝", Extension 8½"
60-317 Polished Chrome / Alabaster Glass



Ballerina Four Light 30" Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 30", Height 7⅝", Extension 8½"
60-318 Polished Chrome / Alabaster Glass



Ballerina Five Light 36" Vanity

(5) 100W A19 max. / Medium Base
Dimensions: Width 36", Height 7⅝", Extension 8½"
60-319 Polished Chrome / Alabaster Glass



Ballerina Seven Light 48" Vanity

(7) 100W A19 max. / Medium Base
Dimensions: Width 48", Height 7⅝", Extension 8½"
60-290 Polished Chrome / Alabaster Glass

VANITY



Empire One Light Vanity

(1) 100W A19 max. / Medium Base
Dimensions: Width 6¼", Height 6⅛", Extension 9"
60-340 Brushed Nickel / Alabaster Glass



Empire Two Light Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 14⅞", Height 6⅛", Extension 8"
60-341 Brushed Nickel / Alabaster Glass



Empire Three Light Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 20½", Height 6⅛", Extension 8"
60-342 Brushed Nickel / Alabaster Glass



Empire Four Light Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 28¾", Height 6⅛", Extension 8"
60-343 Brushed Nickel / Alabaster Glass

Vanity fixtures CUL listed for damp location and glass up or down installation.



Empire One Light Vanity

(1) 100W A19 max. / Medium Base
Dimensions: Width 6¼", Height 6⅛", Extension 9"
60-3264 Brushed Nickel / Frosted Glass



Empire Two Light Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 14⅞", Height 6⅛", Extension 8"
60-3265 Brushed Nickel / Frosted Glass



Empire Three Light Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 20½", Height 6⅛", Extension 8"
60-3266 Brushed Nickel / Frosted Glass



Empire Four Light Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 28¾", Height 6⅛", Extension 8"
60-3277 Brushed Nickel / Frosted Glass

VANITY



Empire One Light Vanity

(1) 100W A19 max. / Medium Base
Dimensions: Width 6¼", Height 6⅛", Extension 9"
60-344 Old Bronze / Alabaster Glass



Empire Two Light Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 14⅞", Height 6⅛", Extension 8"
60-345 Old Bronze / Alabaster Glass



Empire Three Light Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 20½", Height 6⅛", Extension 8"
60-346 Old Bronze / Alabaster Glass



Empire Four Light Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 28¾", Height 6⅛", Extension 8"
60-347 Old Bronze / Alabaster Glass

Vanity fixtures CUL listed for damp location and glass up or down installation.



Empire One Light Vanity

(1) 100W A19 max. / Medium Base
Dimensions: Width 6¼", Height 6⅛", Extension 9"
60-3165 Mahogany Bronze / Frosted Glass



Empire Two Light Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 14⅞", Height 6⅛", Extension 8"
60-3166 Mahogany Bronze / Frosted Glass



Empire Three Light Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 20½", Height 6⅛", Extension 8"
60-3167 Mahogany Bronze / Frosted Glass



Empire Four Light Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 28¾", Height 6⅛", Extension 8"
60-3168 Mahogany Bronze / Frosted Glass

VANITY



Empire One Light Vanity

(1) 100W A19 max. / Medium Base
Dimensions: Width 6¼", Height 6⅛", Extension 9"
60-1269 Mahogany Bronze / Champagne Glass



Empire Two Light Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 14⅞", Height 6⅛", Extension 8"
60-1271 Mahogany Bronze / Champagne Glass



Empire Three Light Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 20½", Height 6⅛", Extension 8"
60-1272 Mahogany Bronze / Champagne Glass



Empire Four Light Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 28¾", Height 6⅛", Extension 8"
60-1273 Mahogany Bronze / Champagne Glass

Vanity fixtures CUL listed for damp location and glass up or down installation.



Empire One Light Vanity

(1) 100W A19 max. / Medium Base
Dimensions: Width 6¼", Height 6⅛", Extension 9"
60-348 Polished Brass / Alabaster Glass



Empire Two Light Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 14⅞", Height 6⅛", Extension 8"
60-349 Polished Brass / Alabaster Glass



Empire Three Light Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 20½", Height 6⅛", Extension 8"
60-350 Polished Brass / Alabaster Glass



Empire Four Light Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 28¾", Height 6⅛", Extension 8"
60-351 Polished Brass / Alabaster Glass

VANITY



Empire One Light Vanity

(1) 100W A19 max. / Medium Base
Dimensions: Width 6¼", Height 6⅛", Extension 9"
60-352 Textured White / Alabaster Glass



Empire Two Light Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 14⅞", Height 6⅛", Extension 8"
60-353 Textured White / Alabaster Glass



Empire Three Light Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 20½", Height 6⅛", Extension 8"
60-354 Textured White / Alabaster Glass



Empire Four Light Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 28¾", Height 6⅛", Extension 8"
60-355 Textured White / Alabaster Glass

Vanity fixtures CUL listed for damp location and glass up or down installation.



Empire One Light Vanity

(1) 100W A19 max. / Medium Base
Dimensions: Width 6¼", Height 6⅛", Extension 9"
60-336 Polished Chrome / Alabaster Glass



Empire Two Light Vanity

(2) 100W A19 max. / Medium Base
Dimensions: Width 14⅞", Height 6⅛", Extension 8"
60-337 Polished Chrome / Alabaster Glass



Empire Three Light Vanity

(3) 100W A19 max. / Medium Base
Dimensions: Width 20½", Height 6⅛", Extension 8"
60-338 Polished Chrome / Alabaster Glass



Empire Four Light Vanity

(4) 100W A19 max. / Medium Base
Dimensions: Width 28¾", Height 6⅛", Extension 8"
60-339 Polished Chrome / Alabaster Glass

VANITY



18" Three Light Vanity Strip

(3) 100W Type G max. / Medium Base

Dimensions: Width 18", Height 4 3/4", Extension 2" (less lamp)

60-300 Brushed Nickel



24" Four Light Vanity Strip

(4) 100W Type G max. / Medium Base

Dimensions: Width 24", Height 4 3/4", Extension 2" (less lamp)

60-301 Brushed Nickel



36" Six Light Vanity Strip

(6) 100W Type G max. / Medium Base

Dimensions: Width 36", Height 4 3/4", Extension 2" (less lamp)

60-302 Brushed Nickel



48" Eight Light Vanity Strip

(8) 100W Type G max. / Medium Base

Dimensions: Width 48", Height 4 3/4", Extension 2" (less lamp)

60-303 Brushed Nickel



18" Three Light Vanity Strip

(3) 100W Type G max. / Medium Base

Dimensions: Width 18", Height 4 3/4",
Extension 2" (less lamp)

60-304 Old Bronze



24" Four Light Vanity Strip

(4) 100W Type G max. / Medium Base

Dimensions: Width 24", Height 4 3/4",
Extension 2" (less lamp)

60-305 Old Bronze



36" Six Light Vanity Strip

(6) 100W Type G max. / Medium Base

Dimensions: Width 36", Height 4 3/4",
Extension 2" (less lamp)

60-306 Old Bronze



48" Eight Light Vanity Strip

(8) 100W Type G max. / Medium Base

Dimensions: Width 48", Height 4 3/4",
Extension 2" (less lamp)

60-307 Old Bronze

VANITY



18" Three Light Vanity Strip

(3) 100W Type G max. / Medium Base

Dimensions: Width 18", Height 4 3/4", Extension 2" (less lamp)

60-1284 Mahogany Bronze



24" Four Light Vanity Strip

(4) 100W Type G max. / Medium Base

Dimensions: Width 24", Height 4 3/4", Extension 2" (less lamp)

60-1285 Mahogany Bronze



36" Six Light Vanity Strip

(6) 100W Type G max. / Medium Base

Dimensions: Width 36", Height 4 3/4", Extension 2" (less lamp)

60-1286 Mahogany Bronze



48" Eight Light Vanity Strip

(8) 100W Type G max. / Medium Base

Dimensions: Width 48", Height 4 3/4", Extension 2" (less lamp)

60-1287 Mahogany Bronze



18" Three Light Vanity Strip

(3) 100W Type G max. / Medium Base

Dimensions: Width 18", Height 4 3/4", Extension 2" (less lamp)

60-308 Polished Brass



24" Four Light Vanity Strip

(4) 100W Type G max. / Medium Base

Dimensions: Width 24", Height 4 3/4", Extension 2" (less lamp)

60-309 Polished Brass



36" Six Light Vanity Strip

(6) 100W Type G max. / Medium Base

Dimensions: Width 36", Height 4 3/4", Extension 2" (less lamp)

60-310 Polished Brass



48" Eight Light Vanity Strip

(8) 100W Type G max. / Medium Base

Dimensions: Width 48", Height 4 3/4", Extension 2" (less lamp)

60-311 Polished Brass

VANITY



18" Three Light Vanity Strip

(3) 100W Type G max. / Medium Base

Dimensions: Width 18", Height 4 3/4", Extension 2" (less lamp)

60-312 Textured White



24" Four Light Vanity Strip

(4) 100W Type G max. / Medium Base

Dimensions: Width 24", Height 4 3/4", Extension 2" (less lamp)

60-313 Textured White



36" Six Light Vanity Strip

(6) 100W Type G max. / Medium Base

Dimensions: Width 36", Height 4 3/4", Extension 2" (less lamp)

60-314 Textured White



48" Eight Light Vanity Strip

(8) 100W Type G max. / Medium Base

Dimensions: Width 48", Height 4 3/4", Extension 2" (less lamp)

60-315 Textured White



18" Three Light Vanity Strip

(3) 100W Type G max. / Medium Base

Dimensions: Width 18", Height 4 3/4",
Extension 2" (less lamp)

60-296 Polished Chrome



24" Four Light Vanity Strip

(4) 100W Type G max. / Medium Base

Dimensions: Width 24", Height 4 3/4",
Extension 2" (less lamp)

60-297 Polished Chrome



36" Six Light Vanity Strip

(6) 100W Type G max. / Medium Base

Dimensions: Width 36", Height 4 3/4",
Extension 2" (less lamp)

60-298 Polished Chrome



48" Eight Light Vanity Strip

(8) 100W Type G max. / Medium Base

Dimensions: Width 48", Height 4 3/4",
Extension 2" (less lamp)

60-299 Polished Chrome

VANITY



18" Three Light Vanity Strip

(3) 100W Type G max. / Medium Base

Dimensions: Width 18", Height 4 3/4", Extension 2" (less lamp)

77-188 Polished Brass



24" Four Light Vanity Strip

(4) 100W Type G max. / Medium Base

Dimensions: Width 24", Height 4 3/4", Extension 2" (less lamp)

77-189 Polished Brass



36" Six Light Vanity Strip

(6) 100W Type G max. / Medium Base

Dimensions: Width 36", Height 4 3/4", Extension 2" (less lamp)

77-190 Polished Brass



48" Eight Light Vanity Strip

(8) 100W Type G max. / Medium Base

Dimensions: Width 48", Height 4 3/4", Extension 2" (less lamp)

77-191 Polished Brass




18" Three Light Vanity Strip

(3) 100W Type G max. / Medium Base
Dimensions: Width 18", Height 4¾", Extension 2" (less lamp)
77-192 Polished Chrome



24" Four Light Vanity Strip

(4) 100W Type G max. / Medium Base
Dimensions: Width 24", Height 4¾", Extension 2" (less lamp)
77-193 Polished Chrome



30" Five Light Vanity Strip

(6) 100W Type G max. / Medium Base
Dimensions: Width 30", Height 4¾", Extension 2" (less lamp)
77-196 Polished Chrome



36" Six Light Vanity Strip

(6) 100W Type G max. / Medium Base
Dimensions: Width 36", Height 4¾", Extension 2" (less lamp)
77-194 Polished Chrome



48" Eight Light Vanity Strip

(8) 100W Type G max. / Medium Base
Dimensions: Width 48", Height 4¾", Extension 2" (less lamp)
77-195 Polished Chrome

VANITY / WALL



7" "U" Channel Glass

(1) 60W A19 max. / Medium Base

Dimensions: Width 4½", Height 7½", Extension 4¼"

76-273 White / White Diamond Glass



7" "U" Channel Glass

(1) 60W A19 max. / Medium Base

Dimensions: Width 4½", Height 7½", Extension 4¼"

77-989 White / White Glass w/ Bottom Turn Switch



7" "U" Channel Glass

(1) 60W A19 max. / Medium Base

Dimensions: Width 4½", Height 7½", Extension 4¼"

77-086 White / White Glass



14" "U" Channel Glass

(2) 60W A19 max. / Medium Base

Dimensions: Width 14", Height 4¾", Extension 4¼"

76-276 White / White Diamond Glass



14" "U" Channel Glass

(2) 60W A19 max. / Medium Base

Dimensions: Width 14", Height 4¾", Extension 4¼"

77-087 White / White Glass



14" "U" Channel Glass

(2) 60W A19 max. / Medium Base

Dimensions: Width 14", Height 4¾", Extension 4¼"

77-990 White / White Glass w/ Convenience Outlet



24" "U" Channel Glass

(4) 60W A19 max. / Medium Base

Dimensions: Width 24", Height 4 3/4", Extension 4 1/4"

76-277 White / White Diamond Glass



24" "U" Channel Glass

(4) 60W A19 max. / Medium Base

Dimensions: Width 24", Height 4 3/4", Extension 4 1/4"

77-088 White / White Glass



24" "U" Channel Glass

(4) 60W A19 max. / Medium Base

Dimensions: Width 24", Height 4 3/4", Extension 4 1/4"

77-991 White / White Glass w/ Convenience Outlet



Crystal Bottom Bath Shade

(1) 60W A19 max. / Medium Base

Dimensions: Width 4 3/4", Height 4 3/4", Extension 6 3/4"

77-121 Chrome / White Glass, Crystal Bottom, with Convenience Outlet



Frosted Grape Shade

(1) 60W A19 max. / Medium Base

Dimensions: Width 4 1/2", Height 7 3/4", Extension 4 7/8"

77-120 Polished Brass / Frosted Glass, with On-Off Switch

SCONCE

Ballerina One Light Sconce

(1) 60W A19 max. / Medium Base
Dimensions: Width 15 7/8", Height 7", Extension 7 7/8"
60-5381 Brushed Nickel / Alabaster Glass
(glass up installation only)



Ballerina One Light Sconce

(1) 60W A19 max. / Medium Base
Dimensions: Width 15 7/8", Height 7", Extension 7 7/8"
60-5382 Brushed Nickel / Frosted Glass
(glass up installation only)



Ballerina One Light Sconce

(1) 60W A19 max. / Medium Base
Dimensions: Width 15 7/8", Height 7", Extension 7 7/8"
60-5378 Old Bronze / Alabaster Glass
(glass up installation only)



Ballerina One Light Sconce

(1) 60W A19 max. / Medium Base
Dimensions: Width 15 7/8", Height 7", Extension 7 7/8"
60-5379 Mahogany Bronze / Frosted Glass
(glass up installation only)



Ballerina One Light Sconce

(1) 60W A19 max. / Medium Base
Dimensions: Width 15 7/8", Height 7", Extension 7 7/8"
60-5384 Mahogany Bronze / Champagne Glass
(glass up installation only)



Tapas One Light Sconce

(1) 60W A19 max. / Medium Base
Dimensions: Width 12", Height 7", Extension 6"
60-044 Old Bronze / Tuscan Suede Glass
(glass up installation only)



Empire One Light Sconce

(1) 60W A19 max. / Medium Base
Dimensions: Width 10", Height 9⅝", Extension 5"
60-5376 Brushed Nickel / Alabaster Glass
(glass up installation only)



Empire One Light Sconce

(1) 60W A19 max. / Medium Base
Dimensions: Width 10", Height 9⅝", Extension 5"
60-5377 Brushed Nickel / Frosted Glass
(glass up installation only)



Empire One Light Sconce

(1) 60W A19 max. / Medium Base
Dimensions: Width 10", Height 9⅝", Extension 5"
60-5374 Old Bronze / Alabaster Glass
(glass up installation only)



Empire One Light Sconce

(1) 60W A19 max. / Medium Base
Dimensions: Width 10", Height 9⅝", Extension 5"
60-5375 Mahogany Bronze / Frosted Glass
(glass up installation only)



Empire One Light Sconce

(1) 60W A19 max. / Medium Base
Dimensions: Width 10", Height 9⅝", Extension 5"
60-5383 Mahogany Bronze / Champagne Glass
(glass up installation only)



Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1035	Glamour 10" Round	Brushed Nickel	LED	18	120	•	10"	3 ¾"	•	3000K	1,500*	90	Damp
62-1036	Glamour 13" Round	Brushed Nickel	LED	25	120	•	13"	3 ¾"	•	3000K	2,125*	90	Damp
62-1037	Glamour 17" Round	Brushed Nickel	LED	25	120	•	17"	3 ¾"	•	3000K	2,125*	90	Damp
62-1038	Glamour 24" Round	Brushed Nickel	LED	39	120	•	24"	3 ¾"	•	3000K	3,315*	90	Damp
62-1041	Glamour 10" Oval	Brushed Nickel	LED	52	120	32 ½"	18"	4"	•	3000K	4,420*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE **

Glamour LED flush fixtures

Even, consistent light. Low maintenance. High efficiency.

Applications

- Kitchen
- Bathroom
- Hallway
- Office
- Utility

Features

- Dimmable **
- 3000K
- Long Life – 30,000 hours
- Durable white polymer cover
- cETLus damp location
- 3 Year warranty



62-1041 (Oval)



62-1035



62-1036



62-1037



62-1038

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1039	Glamour 25" Linear	Brushed Nickel	LED	26	120	25"	12"	4 ½"	•	3000K	2,210*	90	Damp
62-1040	Glamour 52" Linear	Brushed Nickel	LED	52	120	50"	12"	4 ½"	•	3000K	4,420*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE **

Glamour linear LED ceiling fixtures

Even, consistent light. Low maintenance. High efficiency.

Applications

- Kitchen
- Bathroom
- Hallway
- Office
- Utility

Features

- Dimmable **
- 3000K
- Long Life – 30,000 hours
- Durable white polymer lens
- cETLus damp location
- 3 Year warranty



62-1039



62-1040

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1045	Glamour Wall Sconce	Brushed Nickel	LED	10	120	•	9"	10 ½"	4"	3000K	850*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE **

Glamour LED wall sconces

Even, consistent light. Low maintenance. High efficiency.

Applications

- Kitchen
- Bathroom
- Hallway
- Office

Features

- Dimmable **
- 10 Watts – 75 Watt equivalent
- 3000K
- Long Life—30,000 hours
- Durable white polymer cover
- Damp location
- ADA Compliant
- cETLus damp location
- 3 Year warranty



62-1045

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1031	Glamour 25" Vanity	Brushed Nickel	LED	26	120	•	25"	5 ½"	3"	3000K	2,210*	90	Damp
62-1032	Glamour 49" Vanity	Brushed Nickel	LED	52	120	•	49"	5 ½"	3"	3000K	4,420*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE **

Glamour LED vanity fixtures

Even, consistent light. Low maintenance. High efficiency.



62-1031



62-1032

Applications

- Kitchen
- Bathroom
- Hallway
- Office

Features

- Dimmable **
- 3000K
- Long Life—30,000 hours
- Durable white polymer lens
- Damp location
- ADA compliant
- cETLus damp location
- 3 Year warranty

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1435	Glamour 10" Round	Black	LED	18	120	•	10"	3 ¾"	•	3000K	1,500*	90	Damp
62-1436	Glamour 13" Round	Black	LED	25	120	•	13"	3 ¾"	•	3000K	2,125*	90	Damp
62-1437	Glamour 17" Round	Black	LED	25	120	•	17"	3 ¾"	•	3000K	2,125*	90	Damp
62-1438	Glamour 24" Round	Black	LED	39	120	•	24"	3 ¾"	•	3000K	3,315*	90	Damp
62-1441	Glamour 10" Oval	Black	LED	52	120	32 ½"	18"	4"	•	3000K	4,420*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE **

Glamour LED flush fixtures

Even, consistent light. Low maintenance. High efficiency.

Applications

- Kitchen
- Bathroom
- Hallway
- Office
- Utility

Features

- Dimmable **
- 3000K
- Long Life – 30,000 hours
- Durable white polymer cover
- cETLus damp location
- 3 Year warranty



62-1441 (Oval)



62-1435



62-1436



62-1437



62-1438

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1439	Glamour 25" Linear	Black	LED	26	120	25"	12"	4 ½"	•	3000K	2,210*	90	Damp
62-1440	Glamour 52" Linear	Black	LED	52	120	50"	12"	4 ½"	•	3000K	4,420*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE **

Glamour linear LED ceiling fixtures

Even, consistent light. Low maintenance. High efficiency.

Applications

- Kitchen
- Bathroom
- Hallway
- Office
- Utility

Features

- Dimmable **
- 3000K
- Long Life – 30,000 hours
- Durable white polymer lens
- cETLus damp location
- 3 Year warranty



62-1439



62-1440

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1445	Glamour Wall Sconce	Black	LED	10	120	•	9"	10 ½"	4"	3000K	850*	90	Damp
62-1046	Crispo Wall Sconce	Wihite	LED	10	120	•	9"	10 ½"	4"	3000K	850*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE **

Glamour & Crispo LED wall sconces

Even, consistent light. Low maintenance. High efficiency.

Applications

- Kitchen
- Bathroom
- Hallway
- Office

Features

- Dimmable **
- 10 Watts – 75 Watt equivalent
- 3000K
- Long Life—30,000 hours
- Durable white polymer cover
- Damp location
- ADA Compliant
- cETLus damp location
- 3 Year warranty

Glamour



62-1445

Crispo

62-1046

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1431	Glamour 25" Vanity	Black	LED	26	120	•	25"	5 ½"	3"	3000K	2,210*	90	Damp
62-1432	Glamour 49" Vanity	Black	LED	52	120	•	49"	5 ½"	3"	3000K	4,420*	90	Damp
62-1033	Crispo 25" Vanity	White	LED	26	120	•	25"	5 ½"	3"	3000K	2,210*	90	Damp
62-1034	Crispo 49" Vanity	White	LED	52	120	•	49"	5 ½"	3"	3000K	4,420*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE **

Glamour & Crispo LED vanity fixtures

Even, consistent light. Low maintenance. High efficiency.

Applications

- Kitchen
- Bathroom
- Hallway
- Office

Features

- Dimmable **
- 3000K
- Long Life—30,000 hours
- Durable white polymer lens
- Damp location
- ADA compliant
- cETLus damp location
- 3 Year warranty

Glamour



62-1431



62-1432

Crispo



62-1033



62-1034

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-745	11" Round	White	LED	16	120	•	11"	3 ½"	•	3000K	990*	90	Damp
62-746	14" Round	White	LED	20	120	•	14"	3 ½"	•	3000K	1,230*	90	Damp
62-765	19" Round	White	LED	32	120	•	19"	4 ¾"	•	3000K	1,950*	90	Damp
62-747	11" Round w/Occupancy Sensor	White	LED	16.5	120	•	11"	3 ½"	•	3000K	990*	90	Damp
62-748	14" Round w/Occupancy Sensor	White	LED	20.5	120	•	14"	3 ½"	•	3000K	1,230*	90	Damp
62-766	19" Round w/Occupancy Sensor	White	LED	32.5	120	•	19"	4 ¾"	•	3000K	1,950*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR

11", 14" and 19" LED flush mount round fixtures with or without occupancy sensor



62-746

Applications

- Kitchen
- Bathroom
- Hallway
- Closets
- Office

Features

- Dimmable (without sensor only)**
- 11" – 75 Watt equivalent
- 14" – 100 Watt equivalent
- 19" – 150 Watt equivalent
- CCT: 3000K
- 90 CRI
- Long life – 50,000 hours
- Durable white cover (PMMA)
- cETLus damp location
- ENERGY STAR certified
- 5 Year warranty



LED module delivers even light distribution



LED module and internal occupancy sensor (Functions through the outer lens)

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1095	11" Square	White	LED	16	120	11"	11"	3 ¼"	•	3000K	990*	90	Damp
62-1096	14" Square	White	LED	20	120	14"	14"	3 ¼"	•	3000K	1,230*	90	Damp
62-1097	11" Square w/Occupancy Sensor	White	LED	16.5	120	11"	11"	3 ¼"	•	3000K	990*	90	Damp
62-1098	14" Square w/Occupancy Sensor	White	LED	20.5	120	14"	14"	3 ¼"	•	3000K	1,230*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR

11" and 14" LED flush mount square fixtures with or without occupancy sensor

Applications


- Kitchen
- Bathroom
- Hallway
- Closets
- Office

Features

- Dimmable (without sensor only)**
- 11" – 75 Watt equivalent
- 14" – 100 Watt equivalent
- CCT: 3000K
- 90 CRI
- Long life – 50,000 hours
- Durable white cover (PMMA)
- cETLus damp location
- ENERGY STAR certified
- 5 Year warranty



62-1095, 62-1097



62-1096, 62-1098



LED module delivers even light distribution



LED module and internal occupancy sensor (Functions through the outer lens)

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-791†	11" Round 0-10V dimming	White	LED	12.5	120-277	•	11 ⅝"	3 ⅛"	•	3000K	875*	90	Damp
62-792†	14" Round 0-10V dimming	White	LED	16.5	120-277	•	14"	3 ½"	•	3000K	1,170*	90	Damp
62-795R1††	11" Round	White	LED	12.5	120-277	•	11 ⅝"	3 ⅛"	•	3000K	890*	90	Damp
62-796R1††	14" Round	White	LED	16.5	120-277	•	14"	3 ½"	•	3000K	1,120*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE **

ENERGY STAR

11" and 14" Range voltage operation (120-277V) LED flush fixtures

Applications

- Kitchen
- Bathroom
- Hallway
- Closets
- Office



62-791, 62-795R1

62-71, 62-792 0-10V Dimming Features

- Dimmable (0-10V)†
- Over 80% energy savings
- CCT: 3000K
- 90 CRI
- Long life – 50,000 hours
- Durable white cover (PMMA)
- ENERGY STAR certified†
- 5 Year warranty



62-792, 62-796R1

62-795R1, 62-796R1 Features

- Dimmable (120V only)††
- Over 80% energy savings
- CCT: 3000K
- 90 CRI
- Long life – 40,000 hours
- Durable white cover (PMMA)
- ENERGY STAR certified
- 5 Year warranty

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-797	14" Round w/Occupancy Sensor	White	LED	16.5	120-277	•	14"	3 ½"	•	3000K	960*	90	Damp
62-798	14" Round w/Step Down Sensor	White	LED	16.5	120-277	•	14"	3 ½"	•	3000K	960*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

ENERGY STAR

14" Range voltage operation (120-277V) LED flush fixtures with sensors



Applications

- Kitchen
- Bathroom
- Hallway
- Closets
- Office

62-797 Occupancy Sensor Features

- Occupancy Sensor–provides automatic ON/OFF switching
- Over 80% energy savings
- Damp location
- Durable polymer cover
- ENERGY STAR certified†
- 5 Year warranty

62-798 Vacancy Sensor Features

- 24/7 Sensor step-down operation:
  Unoccupied, 50% light / occupied,100% light (Always on)
- Over 80% energy savings
- Damp location
- Durable white cover (PMMA)
- ENERGY STAR certified
- 5 Year warranty

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-991	14" Round EMR Flush	White	LED	20	120-277	•	14"	4 ¾"	•	3000K	1,300*	90	Damp†

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.
†Not suitable for damp locations if used with optional battery back-up module.

DIMMABLE **

ENERGY STAR

14" LED flush mount

Emergency battery back-up ready (EMR).

Applications

- Kitchens
- Bedrooms
- Baths
- Hallways
- Stairwells
- Office

Features

- 100W equivalent
- 20 Watts—over 80% energy savings
- 120–277V, 50/60Hz
- High color rendition (CRI 90+)
- Dimmable – 120V
- Dimming range: 20% -100%
- Damp location†
- Operating temperature: -17ºC to 45ºC
- White finish with durable white cover (PMMA)
- 5 Year warranty

Battery back-up ready (EMR).
Indicator light and test button
Included with battery back-up disk (sold separately).





Integrated circular LED module for consistency and dependability.

Emergency battery back-up disk (not included)



The emergency battery back-up disk, Satco model S9299 (120V) or Satco model S9780 (277V) (not included), easily mounts inside the pan of this fixture (below).
S9299
S9780



Replacement battery -
26F18650
2600 mAh, 5.2A

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
65-1101	4' Non Linkable Strip Fixture	White	LED	24	120-277	46 ½"	46 ½"	1 ½"	•	4000K	1,800*	90	Damp
65-1102	1' Linkable Strip Fixture	White	LED	12	120	12 ⅛"	12 ⅛"	1 ⅝"	•	4000K	840*	90	Damp
65-1103	2' Linkable Strip Fixture	White	LED	24	120	22 ¾"	22 ¾"	1 ⅝"	•	4000K	1,680*	90	Damp
65-1104	4' Linkable Strip Fixture	White	LED	36	120	46 ½"	46 ½"	1 ⅝"	•	4000K	2,600*	90	Damp

*Lumens measured at LED source.

ENERGY STAR

LED strip fixtures


Even, consistent light.
Low maintenance.
High efficiency.

Applications


- Bathrooms
- Closets
- Kitchen
- Work areas
- Hallways
- Retail

Features

- 4' Stand-alone model
- 1', 2', and 4' Connectable models
- Ceiling or wall mount
- Maintenance free—no bulb to change
- Consistent, even light distribution
- 90 CRI
- Ultra-slim design
- Damp location rated
- 4000K
- 50,000 hour life
- ENERGY STAR certified
- 5 Year warranty



Stand-alone strips
65-1101



Connectable strips
65-1102, 65/1103, 65-1104

Accessories



65-1107
5' Power cord

65-1108
8" Connector

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
65-1081	2' Ceiling Wrap	White	LED	20	100-277	24 ½"	5 ½"	2 ⅝"	•	4000K	1,600*	90	Damp
65-1082	4' Ceiling Wrap	White	LED	40	100-277	47 ½"	5 ½"	2 ⅝"	•	4000K	3,200*	90	Damp
65-1083	2' Ceiling Wrap	White	LED	20	100-277	24 ½"	5 ½"	2 ⅝"	•	3000K	1,600*	90	Damp
65-1084	4' Ceiling Wrap	White	LED	40	100-277	47 ½"	5 ½"	2 ⅝"	•	3000K	3,200*	90	Damp

*Lumens measured at LED source.

ENERGY STAR

LED ceiling wraps

Applications


- Kitchens
- Work areas
- Hallways
- Laundry
- Closets


Features

- 2' and 4' Lengths
- Mounts directly to junction box or can be internally wired using built-in junction box
- Maintenance free – no bulb to change
- Perfect, even light distribution
- 90 CRI
- Slim design
- 50,000 hour life
- Universal input voltage, 100-277V
- 3000K & 4000K options
- Certified for damp locations
- ENERGY STAR certified
- 5 Year warranty



65-1081, 65-1083





65-1082, 65-1084

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
65-1091	2' Ceiling Wrap with Pull Chain	White	LED	20	120	24 ½"	5 ½"	1 ⅝"	•	3000K	1,600*	90	Damp
65-1092	4' Ceiling Wrap with Pull Chain	White	LED	20	120	47 ½"	5 ½"	1 ⅝"	•	3000K	3,200*	90	Damp
65-1095	2' Ceiling Wrap with Motion Sensor	White	LED	20	100-277	24 ½"	5 ½"	1 ⅝"	•	4000K	1,600*	90	Damp
65-1096	4' Ceiling Wrap with Motion Sensor	White	LED	20	100-277	47 ½"	5 ½"	1 ⅝"	•	4000K	3,200*	90	Damp
65-1097	2' Ceiling Wrap with Motion Sensor	White	LED	20	100-277	24 ½"	5 ½"	1 ⅝"	•	3000K	1,600*	90	Damp
65-1098	4' Ceiling Wrap with Motion Sensor	White	LED	20	100-277	47 ½"	5 ½"	1 ⅝"	•	3000K	3,200*	90	Damp

*Lumens measured at LED source.

ENERGY STAR


LED ceiling wraps with pull chain or motion sensor

Applications

- Kitchens
- Work areas
- Hallways
- Laundry
- Closets

Features

- 2' and 4' Lengths
- With on-off pull chain or sensor
- Mounts directly to junction box or can be internally wired using built-in junction box
- Maintenance free – no bulb to change
- Perfect, even light distribution
- 90 CRI
- Slim design
- 50,000 hour life
- Universal input voltage, 100-277V (Pull chain 120V only)
- 3000K & 4000K options
- Certified for damp locations
- ENERGY STAR certified
- 5 Year warranty



PIR Sensor specifications:

Ceiling mounted installation - ceiling height 2.2-4m / 7'-13'

- Detection Distance: 4-6m / 13'-20'
- No Detection Shut Off Time: 50 Seconds

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1151†	1' x 1' Flush	White	LED	18	100-277	12"	12"	¾"	•	5000K	1,600*	80	Damp
62-1153†	2' x 2' Flush	White	LED	45	100-277	24"	24"	¾"	•	5000K	4,050*	80	Damp
62-1051†	1' x 1' Flush	White	LED	18	100-277	12"	12"	¾"	•	3000K	1,300*	90	Damp
62-1251†	1' x 1' Flush	White	LED	18	100-277	12"	12"	¾"	•	4000K	1,365*	90	Damp
62-1053†	2' x 2' Flush	White	LED	45	100-277	24"	24"	¾"	•	3000K	3,500*	90	Damp
62-1253†	2' x 2' Flush	White	LED	45	100-277	24"	24"	¾"	•	4000K	3,675*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR†

1' x 1' and 2' x 2' Blink™ Plus LED surface mount fixtures

Applications

- Kitchens
- Bathrooms
- Hallways
- Meeting rooms
- Hospitality
- Health care
- Offices
- Retail

Features

- Dimmable,120V only**
- White finish
- Damp location
- Ultra-low profile made for j-box installs
- Unique quick-lock mounting bracket
- Mounts directly to 3" and 4" junction boxes
- 100-277V
- ENERGY STAR certified†
- 5 Year limited warranty



62-1151



Installation for 2'x2' fixtures is easy using the unique quick-lock mounting bracket.



Quick-lock mounting bracket for all 1'x1' fixtures.

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1152	1' x 2' Flush	White	LED	22	100-277	24"	12"	¾"	•	5000K	1,900*	80	Damp
62-1052†	1' x 2' Flush	White	LED	22	100-277	24"	12"	¾"	•	3000K	1,650*	90	Damp
62-1252†	1' x 2' Flush	White	LED	22	100-277	24"	12"	¾"	•	4000K	1,735*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR†

1' x 2' Blink™ Plus LED surface mount fixtures



Applications

- Kitchens
- Bathrooms
- Hallways
- Meeting rooms
- Hospitality
- Health care
- Offices
- Retail

Features

- Dimmable,120V only**
- White finish
- Damp location
- Ultra-low profile made for j-box installs
- Unique quick-lock mounting bracket
- Mounts directly to 3" and 4" junction boxes
- 100-277V
- ENERGY STAR certified†
- 5 Year limited warranty



Unique quick-lock mounting bracket.

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1154	1' x 4' Flush	White	LED	45	100-277	48"	12"	¾"	•	5000K	4,050*	80	Damp
62-1054†	1' x 4' Flush	White	LED	45	100-277	48"	12"	¾"	•	3000K	3,600*	90	Damp
62-1254†	1' x 4' Flush	White	LED	45	100-277	48"	12"	¾"	•	4000K	3,780*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR†

1' x 4' Blink™ Plus LED surface mount fixtures



Applications

- Kitchens
- Bathrooms
- Hallways
- Meeting rooms
- Hospitality
- Health care
- Offices
- Retail

Features

- Dimmable,120V only**
- White finish
- Damp location
- Ultra-low profile made for j-box installs
- Unique quick-lock mounting bracket
- Mounts directly to 3" and 4" junction boxes
- 100-277V
- ENERGY STAR certified†
- 5 Year limited warranty



Unique quick-lock mounting bracket.

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1155	5 ½" x 24" Flush	White	LED	22	100-277	24"	5 ½"	¾"	•	5000K	1,870*	80	Damp
62-1156	5 ½" x 36" Flush	White	LED	30	100-277	36"	5 ½"	¾"	•	5000K	2,600*	80	Damp
62-1157	5 ½" x 48" Flush	White	LED	40	100-277	48"	5 ½""	¾"	•	5000K	3,300*	80	Damp
62-1055†	5 ½" x 24" Flush	White	LED	22	100-277	24"	5 ½"	¾"	•	3000K	1,600*	90	Damp
62-1056†	5 ½" x 36" Flush	White	LED	30	100-277	36"	5 ½"	¾"	•	3000K	2,100*	90	Damp
62-1057†	5 ½" x 48" Flush	White	LED	40	100-277	48"	5 ½""	¾"	•	3000K	2,800*	90	Damp
62-1255†	5 ½" x 24" Flush	White	LED	22	100-277	24"	5 ½"	¾"	•	4000K	1,680*	90	Damp
62-1256†	5 ½" x 36" Flush	White	LED	30	100-277	36"	5 ½"	¾"	•	4000K	2,205*	90	Damp
62-1257†	5 ½" x 48" Flush	White	LED	40	100-277	48"	5 ½""	¾"	•	4000K	2,940*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR†

Blink™ Plus LED linear surface mount fixtures

Applications

- Kitchens
- Bathrooms
- Hallways
- Meeting rooms
- Hospitality
- Health care
- Offices
- Retail



Lengths:
- 24"
- 36"
- 48"

Features

- Dimmable,120V only**
- White finish
- Damp location
- Ultra-low profile made for j-box installs
- Unique quick-lock mounting bracket
- Mounts directly to 3" and 4" junction boxes
- 100-277V
- ENERGY STAR certified†
- 5 Year limited warranty



Unique quick-lock mounting bracket.

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1171†	1' x 1' Flush	Gunmetal	LED	18	100-277	12"	12"	1"	•	3000K	1,300*	90	Damp
62-1173†	2' x 2' Flush	Gunmetal	LED	45	100-277	24"	24"	1"	•	3000K	3,500*	90	Damp
62-1181†	1' x 1' Flush	Bronze	LED	18	100-277	12"	12"	1"	•	3000K	1,300*	90	Damp
62-1183†	2' x 2' Flush	Bronze	LED	45	100-277	24"	24"	1"	•	3000K	3,500*	90	Damp
62-1371†	1' x 1' Flush	White	LED	18	100-277	12"	12"	1"	•	3000K	1,300*	90	Damp
62-1373†	2' x 2' Flush	White	LED	45	100-277	24"	24"	1"	•	3000K	3,500*	90	Damp
62-1381†	1' x 1' Flush	White	LED	18	100-277	12"	12"	1"	•	4000K	1,365*	90	Damp
62-1383†	2' x 2' Flush	White	LED	45	100-277	24"	24"	1"	•	4000K	3,780*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR†

1' x 1' and 2' x 2' Blink™ Plus Profile LED surface mount fixtures

Applications

• Kitchens • Bathrooms • Hallways
• Meeting rooms • Hospitality • Health care
• Offices • Retail • Closets

Features

• Dimmable,120V only**
• White, Gunmetal or Bronze finish
• Damp location listed
• Ultra-low profile only 1" deep
• Unique quick-lock mounting bracket
• Mounts directly to 3" and 4" junction boxes
• 100-277V
• 90 CRI
• ENERGY STAR certified†
• 5 Year limited warranty



Bronze Finish
62-1181 1'x1'



Gunmetal Finish
62-1171 1'x1'



Installation is easy using the unique quick-lock mounting brackets for (2' x 2').



Quick-lock mounting bracket for (1' x 1').

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1172†	1' x 1' Flush	Gunmetal	LED	22	100-277	12"	24"	1"	•	3000K	1,650*	90	Damp
62-1174†	2' x 2' Flush	Gunmetal	LED	45	100-277	12"	48"	1"	•	3000K	3,600*	90	Damp
62-1182†	1' x 1' Flush	Bronze	LED	22	100-277	12"	24"	1"	•	3000K	1,650*	90	Damp
62-1184†	2' x 2' Flush	Bronze	LED	45	100-277	12"	48"	1"	•	3000K	3,600*	90	Damp
62-1372†	1' x 1' Flush	White	LED	22	100-277	12"	24"	1"	•	3000K	1,650*	90	Damp
62-1374†	2' x 2' Flush	White	LED	45	100-277	12"	48"	1"	•	3000K	3,600*	90	Damp
62-1382†	1' x 1' Flush	White	LED	22	100-277	12"	24"	1"	•	4000K	1,735*	90	Damp
62-1384†	2' x 2' Flush	White	LED	45	100-277	12"	48"	1"	•	4000K	3,780*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR†

1' x 2' and 1' x 4' Blink™ Plus Profile LED surface mount fixtures



Bronze Finish
62-1172 1'x2'



Gunmetal Finish
62-1184 1'x4'

Applications

• Kitchens • Bathrooms • Hallways
• Meeting rooms • Hospitality • Health care
• Offices • Retail • Closets

Features

• Dimmable,120V only**
• White, Gunmetal or Bronze finish
• Damp location listed
• Ultra-low profile only 1" deep
• Unique quick-lock mounting bracket
• Mounts directly to 3" and 4" junction boxes
• 100-277V
• 90 CRI
• ENERGY STAR certified†
• 5 Year limited warranty



Installation is easy using the unique quick-lock mounting brackets.

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1175†	7" x 25" Flush	Gunmetal	LED	22	100-277	25"	7"	1"	•	3000K	1,600*	90	Damp
62-1176†	7" x 38" Flush	Gunmetal	LED	30	100-277	38"	7"	1"	•	3000K	2,100*	90	Damp
62-1177†	7" x 49" Flush	Gunmetal	LED	40	100-277	49"	7"	1"	•	3000K	2,800*	90	Damp
62-1185†	7" x 25" Flush	Bronze	LED	22	100-277	25"	7"	1"	•	3000K	1,600*	90	Damp
62-1186†	7" x 38" Flush	Bronze	LED	30	100-277	38"	7"	1"	•	3000K	2,100*	90	Damp
62-1187†	7" x 49" Flush	Bronze	LED	40	100-277	49"	7"	1"	•	3000K	2,800*	90	Damp
62-1375†	7" x 25" Flush	White	LED	22	100-277	25"	7"	1"	•	3000K	1,600*	90	Damp
62-1376†	7" x 38" Flush	White	LED	30	100-277	38"	7"	1"	•	3000K	2,100*	90	Damp
62-1377†	7" x 49" Flush	White	LED	40	100-277	49"	7"	1"	•	3000K	2,800*	90	Damp
62-1385†	7" x 25" Flush	White	LED	22	100-277	25"	7"	1"	•	4000K	1,680*	90	Damp
62-1386†	7" x 38" Flush	White	LED	30	100-277	38"	7"	1"	•	4000K	2,205*	90	Damp
62-1387†	7" x 49" Flush	White	LED	40	100-277	49"	7"	1"	•	4000K	2,940*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE **

ENERGY STAR †

Blink™ Plus Profile LED linear surface mount fixtures

Applications

• Kitchens • Bathrooms • Hallways
• Meeting rooms • Hospitality • Health care
• Offices • Retail • Closets



Bronze Finish
62-1187 49"x7"

Features

• Dimmable,120V only**
• White, Gunmetal or Bronze finish
• Damp location listed
• Ultra-low profile only 1" deep
• Unique quick-lock mounting bracket
• Mounts directly to 3" and 4" junction boxes
• 100-277V
• 90 CRI
• ENERGY STAR certified†
• 5 Year limited warranty



Installation is easy using the unique quick-lock mounting brackets.

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1191†	15" Round Flush	White	LED	26	100-277	•	15"	1"	•	3000K	2,000*	80	Damp
62-1192†	15" Round Flush	White	LED	26	100-277	•	15"	1"	•	3000K	2,100*	80	Damp
62-1291†	19" Round Flush	White	LED	30	100-277	•	19"	1"	•	3000K	2,400*	90	Damp
62-1292†	19" Round Flush	White	LED	30	100-277	•	19"	1"	•	3000K	2,520*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

Item#	Description	Finish	Cable	Wire
62-1294	15" Blink Plus Round Fixture Suspension Kit	White	(3) 12 Foot suspension cables	12' Wire
62-1295	19" Blink Plus Round Fixture Suspension Kit	White	(3) 12 Foot suspension cables	12' Wire

DIMMABLE **

ENERGY STAR †

Blink™ Plus 15" and 19" LED surface mount fixtures

Applications

- Kitchens • Bathrooms • Hallways
- Meeting rooms • Hospitality • Health care
- Offices • Retail • Closets

Features

- Dimmable,120V only**
- White finish
- Damp location listed
- Ultra-low profile only 1" deep
- Unique quick-lock mounting bracket
- Mounts directly to 3" and 4" junction boxes
- 100-277V
- 90 CRI
- ENERGY STAR certified†
- 5 Year limited warranty



62-1191



62-1192



Quick-lock mounting bracket
for Blink Plus 15" & 19" fixtures

Blink™ Plus 15" and 19" fixture suspension kits

Features

- For use with Blink Plus 15" and 19" round LED fixtures
- White finish
- Includes 12' of wire
- Includes (3) 12' suspension cables
- Fixtures not included



62-1295
19" Suspension Kit
(Fixture sold separately)



62-1294
15" Suspension Kit
(Fixture sold separately)

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
S29320	5 ½" Round	White	LED	10.5	120	•	5 ½"	1"	•	2700K	580*	90	Wet
S29321	5 ½" Round	Brushed Nickel	LED	10.5	120	•	5 ½"	1"	•	2700K	580*	90	Wet
S29322	5 ½" Round	Bronze	LED	10.5	120	•	5 ½"	1"	•	2700K	580*	90	Wet
S29323	5 ½" Round	White	LED	10.5	120	•	5 ½"	1"	•	3000K	600*	90	Wet
S29359	5 ½" Round	Brushed Nickel	LED	10.5	120	•	5 ½"	1"	•	3000K	600*	90	Wet
S21500	5 ½" Round	Bronze	LED	10.5	120	•	5 ½"	1"	•	3000K	600*	90	Wet
S21501	5 ½" Round	White	LED	10.5	120	•	5 ½"	1"	•	4000K	600*	90	Wet
S21502	5 ½" Round	White	LED	10.5	120	•	5 ½"	1"	•	5000K	600*	80	Wet

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR

5.5" Round Blink™ LED fixtures

Applications

- Kitchens
- Bathrooms
- Hallways
- Family rooms
- Offices

Features

- Dimmable**
- Wet location listed
- 108° Beam angle
- Available in White, Brushed Nickel, and Bronze
- Mounts directly to 3" and 4" junction boxes
- ENERGY STAR certified
- 5 Year limited warranty

White



Brushed Nickel



Bronze

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
S29324	5 ½" Square	White	LED	10.5	120	5 ½"	5 ½"	1"	•	2700K	580*	90	Wet
S29325	5 ½" Square	Brushed Nickel	LED	10.5	120	5 ½"	5 ½"	1"	•	2700K	580*	90	Wet
S29326	5 ½" Square	Bronze	LED	10.5	120	5 ½"	5 ½"	1"	•	2700K	580*	90	Wet
S29327	5 ½" Square	White	LED	10.5	120	5 ½"	5 ½"	1"	•	3000K	600*	90	Wet
S21503	5 ½" Square	Brushed Nickel	LED	10.5	120	5 ½"	5 ½"	1"	•	3000K	600*	90	Wet
S21504	5 ½" Square	Bronze	LED	10.5	120	5 ½"	5 ½"	1"	•	3000K	600*	90	Wet
S21505	5 ½" Square	White	LED	10.5	120	5 ½"	5 ½"	1"	•	4000K	600*	90	Wet
S21506	5 ½" Square	White	LED	10.5	120	5 ½"	5 ½"	1"	•	5000K	600*	80	Wet

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR

5.5" Square Blink™ LED fixtures

Applications

- Kitchens
- Bathrooms
- Hallways
- Family rooms
- Offices

Features

- Dimmable**
- Wet location listed
- 108° Beam angle
- Available in White, Brushed Nickel, and Bronze
- Mounts directly to 3" and 4" junction boxes
- ENERGY STAR certified
- 5 Year limited warranty

White



Brushed Nickel



Bronze

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
S29328	7" Round	White	LED	13.5	120	•	7"	1"	•	2700K	800*	90	Wet
S29329	7" Round	Brushed Nickel	LED	13.5	120	•	7"	1"	•	2700K	800*	90	Wet
S29330	7" Round	Bronze	LED	13.5	120	•	7"	1"	•	2700K	800*	90	Wet
S29331	7" Round	White	LED	13.5	120	•	7"	1"	•	3000K	820*	90	Wet
S29349	7" Round	Brushed Nickel	LED	13.5	120	•	7"	1"	•	3000K	820*	90	Wet
S21507	7" Round	Bronze	LED	13.5	120	•	7"	1"	•	3000K	820*	90	Wet
S29655	7" Round	White	LED	13.5	120	•	7"	1"	•	4000K	820*	90	Wet
S29360	7" Round	White	LED	13.5	120	•	7"	1"	•	5000K	900*	90	Wet
S29367	7" Round 0-10V	White	LED	13.5	120	•	7"	1"	•	3000K	820*	90	Wet
S21508	7" Round 0-10V	White	LED	13.5	120	•	7"	1"	•	4000K	820*	80	Wet
S29357	7" Round 0-10V 277V	White	LED	13.5	277	•	7"	1"	•	3000K	820*	90	Wet

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR

7" Round Blink™ LED fixtures

Applications

- Kitchens
- Bathrooms
- Hallways
- Family rooms
- Offices

Features

- Dimmable**
- Wet location listed
- 108° Beam angle
- Available in White, Brushed Nickel, and Bronze
- Mounts directly to 3" and 4" junction boxes
- ENERGY STAR certified
- 5 Year limited warranty



White



Brushed Nickel



Bronze

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
S29332	7" Square	White	LED	13.5	120	7"	7"	1"	•	2700K	780*	90	Wet
S29333	7" Square	Brushed Nickel	LED	13.5	120	7"	7"	1"	•	2700K	780*	90	Wet
S29334	7" Square	Bronze	LED	13.5	120	7"	7"	1"	•	2700K	780*	90	Wet
S29335	7" Square	White	LED	13.5	120	7"	7"	1"	•	3000K	800*	90	Wet
S21509	7" Square	Brushed Nickel	LED	13.5	120	7"	7"	1"	•	3000K	800*	90	Wet
S21510	7" Square	Bronze	LED	13.5	120	7"	7"	1"	•	3000K	800*	90	Wet
S21511	7" Square	White	LED	13.5	120	7"	7"	1"	•	4000K	800*	90	Wet
S29361†	7" Square	White	LED	13.5	120	7"	7"	1"	•	5000K	880*	80	Wet

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR

7" Square Blink™ LED fixtures

Applications

- Kitchens
- Bathrooms
- Hallways
- Family rooms
- Offices

Features

- Dimmable**
- Wet location listed
- 108° Beam angle
- Available in White, Brushed Nickel, and Bronze
- Mounts directly to 3" and 4" junction boxes
- ENERGY STAR certified
- 5 Year limited warranty

White



Brushed Nickel



Bronze

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
S29336	9" Round	White	LED	18.5	120	•	9"	1"	•	2700K	1,150*	90	Wet
S29337	9" Round	Brushed Nickel	LED	18.5	120	•	9"	1"	•	2700K	1,150*	90	Wet
S29338	9" Round	Bronze	LED	18.5	120	•	9"	1"	•	2700K	1,150*	90	Wet
S29339	9" Round	White	LED	18.5	120	•	9"	1"	•	3000K	1,200*	90	Wet
S29379	9" Round	Brushed Nickel	LED	18.5	120	•	9"	1"	•	3000K	1,200*	90	Wet
S21512	9" Round	Bronze	LED	18.5	120	•	9"	1"	•	3000K	1,200*	90	Wet
S29690	9" Round	White	LED	18.5	120	•	9"	1"	•	4000K	1,200*	90	Wet
S29362	9" Round	White	LED	18.5	120	•	9"	1"	•	5000K	1,300*	80	Wet
S21513	9" Round 0-10V	White	LED	18.5	120	•	9"	1"	•	3000K	1,200*	90	Wet
S21514	9" Round 0-10V	White	LED	18.5	120	•	9"	1"	•	4000K	1,300*	90	Wet
S29358	9" Round 0-10V 277V	White	LED	18.5	277	•	9"	1"	•	3000K	1,200*	90	Wet

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR

9" Round Blink™ LED fixtures

Applications

- Kitchens
- Bathrooms
- Hallways
- Family rooms
- Offices

Features

- Dimmable**
- Wet location listed
- 108° Beam angle
- Available in White, Brushed Nickel, and Bronze
- Mounts directly to 3" and 4" junction boxes
- ENERGY STAR certified
- 5 Year limited warranty

White



Brushed Nickel



Bronze

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
S29340	9" Square	White	LED	18.5	120	9"	9"	1"	•	2700K	1,100*	90	Wet
S29341	9" Square	Brushed Nickel	LED	18.5	120	9"	9"	1"	•	2700K	1,100*	90	Wet
S29342	9" Square	Bronze	LED	18.5	120	9"	9"	1"	•	2700K	1,100*	90	Wet
S29343	9" Square	White	LED	18.5	120	9"	9"	1"	•	3000K	1,150*	90	Wet
S21515	9" Square	Brushed Nickel	LED	18.5	120	9"	9"	1"	•	3000K	1,150*	90	Wet
S21516	9" Square	Bronze	LED	18.5	120	9"	9"	1"	•	3000K	1,150*	90	Wet
S21517	9" Square	White	LED	18.5	120	9"	9"	1"	•	4000K	1,200*	90	Wet
S29363	9" Square	White	LED	18.5	120	9"	9"	1"	•	5000K	1,350*	80	Wet

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR

9" Square Blink™ LED fixtures

Applications

- Kitchens
- Bathrooms
- Hallways
- Family rooms
- Offices

Features

- Dimmable**
- Wet location listed
- 108° Beam angle
- Available in White, Brushed Nickel, and Bronze
- Mounts directly to 3" and 4" junction boxes
- ENERGY STAR certified
- 5 Year limited warranty

White



Brushed Nickel



Bronze

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
S29650	13" Round	White	LED	24	120	•	13"	1"	•	3000K	1,500*	90	Wet
S29651	13" Round	Brushed Nickel	LED	24	120	•	13"	1"	•	3000K	1,500*	90	Wet
S29652	13" Round	Bronze	LED	24	120	•	13"	1"	•	3000K	1,500*	90	Wet
S29691	13" Round	White	LED	25	120	•	13"	1"	•	4000K	1,800*	80	Wet

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR

13" Round Blink™ LED fixtures

Applications

- Kitchens
- Bathrooms
- Hallways
- Family rooms
- Offices

Features

- Dimmable**
- Wet location listed
- 108° Beam angle
- Available in White, Brushed Nickel, and Bronze
- Mounts directly to 3" and 4" junction boxes
- ENERGY STAR certified
- 5 Year limited warranty

White



Brushed Nickel



Bronze



Installation is easy using the twist & lock mounting bracket.

Item#	Description	Color
S29344	7" Round Battery Back Up	White
S29346	7" Round Battery Back Up – Empty Casing*	White
S29653	7" Round Battery Back Up	Brushed Nickel
S29654	7" Round Battery Back Up – Empty Casing*	Brushed Nickel
S29345	7" Square Battery Back Up	White
S29347	7" Square Battery Back Up – Empty Casing*	White

* Used to maintain consistent appearance with Blinks utilizing the battery back up.

Blink™ 7" Round or Square battery backup modules

Battery backup module and Blink fixture sold separately.

Features

- 24 hour recharge time
- 90 minute operation from battery
- Switching time: < 1 second
- Over-charge / discharge protection
- Self-checking function
- Test button

Replacement battery – 26F18650
2600 mAh, 5.2A



Item#	Description	Color
S29656	9" Round Battery Back Up	White
S29657	9" Round Battery Back Up – Empty Casing*	White
S29658	9" Square Battery Back Up	White
S29659	9" Square Battery Back Up – Empty Casing*	White

* Used to maintain consistent appearance with Blinks utilizing the battery back up.

Blink™ 9" Round or Square battery backup modules

Battery backup module and Blink fixture sold separately.

Features

- 24 hour recharge time
- 90 minute operation from battery
- Switching time: < 1 second
- Over-charge / discharge protection
- Self-checking function
- Test button

Replacement battery – 26F18650
2600 mAh, 5.2A



S9656, S9657



S9658, S9659

Item#	Description	Color
S8672	13" Round Battery Back Up	White
S8673	13" Round Battery Back Up	Brushed Nickel
S8674	13" Round Battery Back Up – Empty Casing*	White
S8675	13" Round Battery Back Up – Empty Casing*	Brushed Nickel

* Used to maintain consistent appearance with Blinks utilizing the battery back up.


Blink™ 13" Round battery backup modules

Battery backup module and Blink fixture sold separately.

Features

- 24 hour recharge time
- 90 minute operation from battery
- Switching time: < 1 second
- Over-charge / discharge protection
- Self-checking function
- Test button

Replacement battery – 26F18650
2600 mAh, 5.2A



S8672



S8672 with Blink S29650



S8673 with Blink S29651

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
S9880	6" Round	White	LED	12.5	120	•	6"	1"	•	3000K	690*	90	Damp
S9881	8 " Round	White	LED	16.5	120	•	8"	1"	•	3000K	940*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR

6" and 8" Blink™ LED "Eco" fixtures

Applications

- Kitchens
- Bathrooms
- Hallways
- Family rooms
- Offices

Features

- Lightweight polycarbonate housing
- Dimmable**
- Damp location
- Available in White, 3000K
- 6" and 8" options
- Mounts directly to 3" and 4" junction boxes
- 90 CRI
- ENERGY STAR certified
- 5 Year limited warranty



S9980

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
S9368	5" x 18" Rectangular	White	LED	16	120	18"	5"	1"	•	3000K	950*	90	Wet
S9369	7" x 18" Rectangular	White	LED	24	120	18"	7"	1"	•	3000K	1,300*	90	Wet

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR

5" x 18" and 7" x 18" Blink™ LED rectangular fixtures



S9368



S9369

Applications

- Kitchens
- Bathrooms
- Hallways
- Meeting rooms
- Hospitality
- Health care
- Offices
- Retail

Features

- Dimmable**
- Damp location
- ENERGY STAR certified
- 5 Year limited warranty

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
S9882	7" Round Slim	White	LED	12	120-277	•	7"	⅝"	•	3000K	960*	90	Damp
S9883	7" Round Slim	Brushed Nickel	LED	12	120-277	•	7"	⅝"	•	3000K	960*	90	Damp
S9884	7" Round Slim	Polished Nickel	LED	12	120-277	•	7"	⅝"	•	3000K	960*	90	Damp
S9885	7" Round Slim	Bronze	LED	12	120-277	•	7"	⅝"	•	3000K	960*	90	Damp
S9886	9" Round Slim	White	LED	16	120-277	•	9"	⅝"	•	3000K	1,300*	90	Damp
S9887	9" Round Slim	Brushed Nickel	LED	16	120-277	•	9"	⅝"	•	3000K	1,300*	90	Damp
S9888	9" Round Slim	Polished Nickel	LED	16	120-277	•	9"	⅝"	•	3000K	1,300*	90	Damp
S9889	9" Round Slim	Bronze	LED	16	120-277	•	9"	⅝"	•	3000K	1,300*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR

7" and 9" Blink™ LED "Slim" fixtures

New ultra-thin 5/8" edge lit flush mount fixture

Applications

- Kitchens
- Bathrooms
- Hallways
- Family rooms
- Offices

Features

- Dimmable,120V only**
- Damp location
- Available in White, Brushed Nickel, Polished Nickel and Bronze
- Mounts directly to 3" and 4" junction boxes
- 90 CRI
- ENERGY STAR certified
- 5 Year limited warranty



S9883
Brushed Nickel 7"



S9889
Bronze 9"

Item#	Description	Finish	For Use with	Cord Length
62-1301	7" Blink Slim Pendant Kit	White	S9882 7" Round Slim	12 Foot Cord
62-1302	9" Blink Slim Pendant Kit	White	S9886 9" Round Slim	12 Foot Cord
62-1303	7" Blink Slim Pendant Kit	Bronze	S9885 7" Round Slim	12 Foot Cord
62-1304	9" Blink Slim Pendant Kit	Bronze	S9889 9" Round Slim	12 Foot Cord
62-1305	7" Blink Slim Pendant Kit	Brushed Nickel	S9883 7" Round Slim	12 Foot Cord
62-1306	9" Blink Slim Pendant Kit	Brushed Nickel	S9887 9" Round Slim	12 Foot Cord
62-1307	7" Blink Slim Pendant Kit	Polished Nickel	S9884 7" Round Slim	12 Foot Cord
62-1308	9" Blink Slim Pendant Kit	Polished Nickel	S9888 9" Round Slim	12 Foot Cord

Blink™ accessory Slim 7", 9" pendant kits

Blink LED Slim fixtures sold separately

Applications / Features

- For use with Blink Slim 7" & 9" round LED fixtures
- White, Bronze, Brushed Nickel or Polished Nickel finishes
- Fixtures not included
- Kit includes pendant, ceiling canopy, 12' cord and all necessary mounting hardware.



9" Polished Nickel

9" Brushed Nickel

7" White

7" Bronze

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1161	7" Disk Light	White	LED	10.5	120	•	7 1⁄16"	1 1⁄16"	•	3000K	578*	90	Damp
62-1162	7" Disk Light	Brushed Nickel	LED	10.5	120	•	7 1⁄16"	1 1⁄16"	•	3000K	578*	90	Damp
62-1163	7" Disk Light	Mahogany Bronze	LED	10.5	120	•	7 1⁄16"	1 1⁄16"	•	3000K	578*	90	Damp
62-1164	7" Disk Light	White	LED	10.5	120	•	7 1⁄16"	1 1⁄16"	•	4000K	578*	90	Damp
62-1165	10" Disk Light	White	LED	12	120	•	10 13⁄16"	1 7⁄16"	•	3000K	700*	90	Damp
62-1166	10" Disk Light	Brushed Nickel	LED	12	120	•	10 13⁄16"	1 7⁄16"	•	3000K	700*	90	Damp
62-1167	10" Disk Light	Mahogany Bronze	LED	12	120	•	10 13⁄16"	1 7⁄16"	•	3000K	700*	90	Damp
62-1168	10" Disk Light	White	LED	12	120	•	10 13⁄16"	1 7⁄16"	•	4000K	700*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR

7" and 10" LED disk light

Applications

- Kitchen
- Bathroom
- Hallway
- Closets
- Office

Features

- 10.5 Watts = 60 Watt equivalent
- 12 Watts = 75 Watt equivalent
- 90 CRI
- Dimmable**
- Long life–50,000 hours
- Durable white polymer lens
- cETLus damp location
- ENERGY STAR certified
- 5 Year warranty



62-1161



62-1162



62-1163



LED Module – 7"



LED Module – 10"

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1261	7" Disk Light	White	LED	16.5	120	•	7 1⁄16"	1 1⁄16"	•	3000K	1,000*	90	Wet
62-1262	7" Disk Light	Brushed Nickel	LED	16.5	120	•	7 1⁄16"	1 1⁄16"	•	3000K	1,000*	90	Wet
62-1263	7" Disk Light	Mahogany Bronze	LED	16.5	120	•	7 1⁄16"	1 1⁄16"	•	3000K	1,000*	90	Wet
62-1264	7" Disk Light	White	LED	16.5	120	•	7 1⁄16"	1 1⁄16"	•	4000K	1,050*	90	Wet
62-1265	10" Disk Light	White	LED	21.5	120	•	10 13⁄16"	1 7⁄16"	•	3000K	1,200*	90	Damp
62-1266	10" Disk Light	Brushed Nickel	LED	21.5	120	•	10 13⁄16"	1 7⁄16"	•	3000K	1,200*	90	Damp
62-1267	10" Disk Light	Mahogany Bronze	LED	21.5	120	•	10 13⁄16"	1 7⁄16"	•	3000K	1,200*	90	Damp
62-1268	10" Disk Light	White	LED	21.5	120	•	10 13⁄16"	1 7⁄16"	•	4000K	1,260*	90	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE** ENERGY STAR

7" and 10" High lumen LED disk light

Applications

- Kitchen
- Bathroom
- Hallway
- Closets
- Office

Features

- 16.5 Watts = 75 Watt equivalent
- 21.5 Watts = 100 Watt equivalent
- 90 CRI
- Dimmable**
- Long life–50,000 hours
- Durable white polymer lens
- cETLus damp location
- ENERGY STAR certified
- 5 Year warranty



62-1261



62-1262



62-1267



LED Module – 7"



LED Module – 10"

Exterior Expressions.

Lasting first impressions begin here.





"Canyon", page 500

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1221	Up / Down Sconce	Anthracite	LED	8.6	60W	•	10 ½"	4 ¾"	6"	3000K	628*	90	Wet
62-1223	Up / Down Sconce	Anthracite	LED	12	75W	•	12 ¼"	6"	7 ½"	3000K	950*	90	Wet

*Lumens measured at LED source.

GENOVA **LED**

Cast Aluminum Indoor/Outdoor Sconces in Anthracite with White Glass Panels

DIMMABLE



62-1223



62-1221

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1241	Sconce	Anthracite	LED	8.6	60W	•	8 ¼"	4 ¾"	5"	3000K	628*	90	Wet

*Lumens measured at LED source.

URBINO **LED**

Cast Aluminum Indoor/Outdoor Sconces in Anthracite with White Glass Panels

DIMMABLE



62-1241



STYLE, EFFICIENCY AND SECURITY MOVE OUTDOORS

Outdoor lighting is surely a necessity, but this requirement shouldn't mean settling for boring design. Verona fixtures achieve design goals – but behind the design, high-tech LED modules deliver clean, consistent light where it's needed most, and do it with extreme efficiency.





VERONA **LED**

Cast Aluminum Indoor/Outdoor Sconces in Anthracite
with White Glass Panels

DIMMABLE



62-1231

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1231	Up/Down Sconce	Anthracite	LED	17.2	2x60W	•	4 ⅛"	10 ⅞"	7 ¼"	3000K	1,256*	90	Wet
62-1233	Up/Down Sconce	Anthracite	LED	17.2	2x60W	•	4 ⅛"	7 ¼"	7 ¼"	3000K	1,256*	90	Wet
62-1235	Sconce	Anthracite	LED	8.6	60W	•	4 ¾"	4 ¾"	5"	3000K	628*	90	Wet
62-1237	Up/Down Sconce	Anthracite	LED	17.2	2x60W	•	8 ¼"	4 ¾"	5"	3000K	1,256*	90	Wet

*Lumens measured at LED source. Combined up/down lumens.



62-1237



62-1235



62-1233

LANSING

Textured Black / Etched Opal Glass





60-6403



60-6401



60-6402

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6401	Small Wall Lantern	Textured Black	1	A19	Med.	100W	•	7"	9 7⁄8"	7 3⁄4"	Wet
60-6402	Med. Wall Lantern	Textured Black	1	A19	Med.	100W	•	9"	11 3⁄8"	9 3⁄4"	Wet
60-6403	Large Wall Lantern	Textured Black	1	A19	Med.	100W	•	11"	13 3⁄8"	11 3⁄4"	Wet
60-6405	Post Lantern	Textured Black	1	A19	Med.	100W	•	11"	16 7⁄8"	•	Wet
60-6406	Hanging Lantern	Textured Black	1	A19	Med.	100W	•	11"	13 7⁄8"	•	Damp

Additional chain: (3') **25-6407,** Pier Mount Base for post lantern: **25-6406.**
Hanging Lantern includes 12' of wire.



60-6405



60-6406

HURON

Aged Bronze / Clear Glass






60-6501



60-6502



*T9 Vintage
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6501	Large Wall Lantern	Aged Bronze	1	T9*	Med.	60W	•	8 ¼"	18"	9 ¼"	Wet
60-6502	Med. Wall Lantern	Aged Bronze	1	T9*	Med.	60W	•	7"	15 ½"	8"	Wet
60-6503	Post Lantern	Aged Bronze	1	T9*	Med.	60W	•	8 ¼"	20 ⅞"	•	Wet
60-6504	Hanging Lantern	Aged Bronze	1	T9*	Med.	60W	•	8 ¼"	18"	•	Damp

*60W T9 **S2422** Vintage lamps included.

Additional chain: (3') **25-5004,** Pier Mount Base for post lantern: **25-5008.**
Hanging fixture includes 12' of wire and 4' of chain.



60-6504



60-6503

LAKEVIEW

Aged Bronze / Clear Seed Glass





60-6511



60-6512



*T9 Vintage
lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-6511	Large Wall Lantern	Aged Bronze	1	T9*	Med.	60W	•	9"	16 ¼"	10 ¼"	Wet
60-6512	Med. Wall Lantern	Aged Bronze	1	T9*	Med.	60W	•	7"	12 ¼"	8 ¼"	Wet
60-6513	Post Lantern	Aged Bronze	1	T9*	Med.	60W	•	9"	8 ¼"	•	Wet
60-6514	Hanging Lantern	Aged Bronze	1	T9*	Med.	60W	•	9"	16 ¼"	•	Damp

*60W T9 **S2422** Vintage lamps included.


Additional chain: (3') **25-5004,** Pier Mount Base for post lantern: **25-5008.**
Hanging fixture includes 12' of wire and 4' of chain.



60-6514



60-6513





IT'S THE COPPER DETAILS.

Here's the beautiful Howell outdoor family adding just the right amount of elegance to this farmhouse entry. The subtle copper bars on clear seeded glass are the perfect accents of this architectural style.

HOWELL

Bronze with Copper Accents / Clear Seed Glass





60-5833



60-5831



60-5832

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5831	Small Wall Lantern	Bronze with Copper	1	A19*	Med.	60W	•	5 ¼"	11 ⅛"	5 ⅜"	Wet
60-5832	Med. Wall Lantern	Bronze with Copper	1	A19*	Med.	60W	•	7"	14 ⅛"	7 ⅛"	Wet
60-5833	Large Wall Lantern	Bronze with Copper	1	A19*	Med.	60W	•	8 ¾"	17 ⅛"	8 ¾"	Wet
60-5834	Flush Lantern	Bronze with Copper	2	A19*	Med.	60W	•	12"	4 ⅛"	•	Wet
60-5835	Post Lantern	Bronze with Copper	1	A19*	Med.	60W	•	8 ¾"	19 ⅜"	•	Wet
60-5836	Hanging Lantern	Bronze with Copper	1	A19*	Med.	60W	•	8 ¾"	17 ⅛"	•	Damp

*60W ST19 **S2423** Vintage lamps included.

Additional chain: (3') **25-4225,** Pier Mount Base for post: **25-5615.**
Hanging fixture includes 12' of wire.



60-5834



60-5836



60-5835



*ST19 Vintage lamps included

TANNER

Claret Bronze / Honey Stained Glass





60-5673



60-5671



60-5672

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5671	Small Wall Lantern	Claret Bronze	1	A19	Med.	60W	•	6 ¼"	11 ½"	8 ¾"	Wet
60-5672	Med. Wall Lantern	Claret Bronze	1	A19	Med.	100W	•	8 ⅜"	13 ⅝"	10 ⅞"	Wet
60-5673	Large Wall Lantern	Claret Bronze	1	A19	Med.	100W	•	10"	17 ⅝"	13 ⅛"	Wet
60-5674	Hanging Lantern	Claret Bronze	1	A19	Med.	100W	•	8 ⅜"	13"	•	Damp
60-5675	Post Lantern	Claret Bronze	1	A19	Med.	100W	•	8 ⅜"	14"	•	Wet
60-5676	Flush Lantern	Claret Bronze	2	A19	Med.	60W	•	9 ¼"	5 ⅛"	•	Damp

Additional chain: (3') **25-4644,** Pier Mount Base for post: **25-5645.**
Hanging fixture includes 12' of wire.



60-5676



60-5674



60-5675

BETHANY **LED**

Mahogany Bronze / Satin White Glass





62-632



62-633



62-631



†LED Omni[x] "A" lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-631	Small Wall	Mahogany Bronze	(1)	LED/A19/ Med.	10†	60W	•	8 ½"	14 ½"	9 ⅜"	3000K	810*	90	Wet
62-632	Medium Wall	Mahogany Bronze	(1)	LED/A19/ Med.	10†	60W	•	10"	16 ¾"	10 ⅞"	3000K	810*	90	Wet
62-633	Flush	Mahogany Bronze	(1)	LED/A19/ Med.	10†	60W	•	10"	8"	•	3000K	810*	90	Wet
62-634	Post	Mahogany Bronze	(1)	LED/A19/ Med.	10†	60W	•	10"	18 ⅜"	•	3000K	810*	90	Wet
62-635	Hanging	Mahogany Bronze	(1)	LED/A19/ Med.	10†	60W	•	10"	15 ⅞"	•	3000K	810*	90	Damp

*Lumens measured at LED source.
†10 W Omni^{x} "A" lamp(s) / Med. base included.

Additional chain: (3') **25-4225.**
Hanging fixture includes 12' of wire and 4' of chain.



62-635



62-634

DIEGO **LED**

Mahogany Bronze / Satin Amber Glass





62-642



62-643



62-641



†LED Omni^{x} "A" lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-641	Small Wall	Mahogany Bronze	(1)	LED/A19/ Med.	10†	60W	•	5 ½"	10 ⅜"	6 ¼"	3000K	810*	90	Wet
62-642	Medium Wall	Mahogany Bronze	(1)	LED/A19/ Med.	10†	60W	•	9"	14"	9 ¾"	3000K	810*	90	Wet
62-643	Flush	Mahogany Bronze	(2)	LED/A19/ Med.	20†	2x60W	•	13"	5 ¼"	•	3000K	1,620*	90	Wet
62-644	Post	Mahogany Bronze	(1)	LED/A19/ Med.	10†	60W	•	9"	16 ⅛"	•	3000K	810*	90	Wet
62-645	Hanging	Mahogany Bronze	(1)	LED/A19/ Med.	10†	60W	•	9"	14 ¾"	•	3000K	810*	90	Damp

*Lumens measured at LED source.
†10 W Omni[x] "A" lamp(s) / Med. base included.

Additional chain: (3') **25-4225.**
Hanging fixture includes 12' of wire and 4' of chain.



62-645



62-644




INSPIRED DESIGN BY DAY.
IMPRESSIVE EFFICIENCY BY NIGHT.

Willis LED making a statement in this classic American dwelling; the perfect scale and style.



WILLIS **LED**

Textured Black / Antique White Glass





62-652



62-653



62-651



†LED Omni[x] "A" lamps included

Item#	Description	Finish	No. of Lights	Lamp Type	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-651	Small Wall	Textured Black	(1)	LED/A19/ Med.	10†	60W	•	7 ¼"	15 ⅛"	8 ⅛"	3000K	810*	90	Wet
62-652	Medium Wall	Textured Black	(1)	LED/A19/ Med.	10†	60W	•	9"	17 ⅝"	9 ¾"	3000K	810*	90	Wet
62-653	Flush	Textured Black	(2)	LED/A19/ Med.	20†	2x60W	•	13 ¾"	5 ⅞"	•	3000K	1,620*	90	Wet
62-654	Post	Textured Black	(1)	LED/A19/ Med.	10†	60W	•	9"	19 ⅞"	•	3000K	810*	90	Wet
62-655	Hanging	Textured Black	(1)	LED/A19/ Med.	10†	60W	•	9"	19 ⅞"	•	3000K	810*	90	Damp

*Lumens measured at LED source.
†10 W Omni[x] "A" lamp(s) / Med. base included.

Additional chain: (3') **25-1071.**
Hanging fixture includes 12' of wire and 4' of chain.



62-655



62-654

ESSEX **LED**

Sterling Black / Etched Glass





62-822



62-823



62-821

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-821	Small Wall	Sterling Black	LED	12	75W	•	6 ½"	14"	7 ¾"	3000K	1,020*	80	Wet
62-822	Medium Wall	Sterling Black	LED	12	75W		8 ¼"	16 ⅞"	9 ⅝"	3000K	1,020*	80	Wet
62-823	Flush	Sterling Black	LED	15	100W		11"	5 ¼"		3000K	1,275*	80	Wet
62-824	Hanging	Sterling Black	LED	12	75W		8 ¼"	18 ⅛"		3000K	1,020*	80	Wet
62-825	Post	Sterling Black	LED	12	75W		8 ¼"	15 ⅜"		3000K	1,020*	80	Damp

*Lumens measured at LED source.

Additional chain: (3') **25-5826.**
Hanging fixture includes 12' of wire and 4' of chain.



62-824



62-825



CANYON

Umber Bronze / Honey Stained Glass



60-5653



60-5651



60-5652

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5651	Small Wall Lantern	Umber Bronze	1	A19	Med.	60W	•	7 ¾"	10 ⅛"	8 ½"	Wet
60-5652	Med. Wall Lantern	Umber Bronze	1	A19	Med.	100W	•	9"	11 ½"	9 ⅞"	Wet
60-5653	Large Wall Lantern	Umber Bronze	1	A19	Med.	100W	•	11"	14"	11 ⅞"	Wet
60-5654	Hanging Lantern	Umber Bronze	1	A19	Med.	100W	•	8 ⅜"	13"	•	Damp
60-5655	Post Lantern	Umber Bronze	1	A19	Med.	100W	•	9"	12 ¾"	•	Wet
60-5656	Flush Lantern	Umber Bronze	2	A19	Med.	600W	•	11 ¼"	5 ½"	•	Damp

Additional chain: (3') **25-4654,** Pier Mount Base for post: **25-5655.**
Hanging fixture includes 12' of wire.



60-5656



60-5654



60-5655

STANTON

Claret Bronze / Clear Seed Glass





60-5643



60-5641



60-5642

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5641	Small Wall Lantern	Claret Bronze	1	A19	Med.	60W	•	6 ¼"	11 ⅝"	7 ¾"	Wet
60-5642	Med. Wall Lantern	Claret Bronze	1	A19	Med.	100W	•	8"	14 ½"	9 ⅝"	Wet
60-5643	Large Wall Lantern	Claret Bronze	1	A19	Med.	100W	•	10"	17 ⅝"	11 ⅞"	Wet
60-5644	Hanging Lantern	Claret Bronze	1	A19	Med.	100W	•	10"	16 ⅝"	•	Damp
60-5645	Post Lantern	Claret Bronze	1	A19	Med.	100W	•	10"	17 ¾"	•	Wet
60-5646	Flush Lantern	Claret Bronze	2	A19	Med.	60W	•	11 ¼"	5"	•	Damp

Additional chain: (3') **25-4644,** Pier Mount Base for post: **25-5645.**
Hanging fixture includes 12' of wire.



60-5646



60-5644



60-5645

WINGATE

Textured Black / Clear Seed Glass





60-5623



60-5621



60-5622

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5621	Small Wall Lantern	Textured Black	1	A19	Med.	60W	•	6 ⅞"	17 ⅞"	9 ¼"	Wet
60-5622	Med. Wall Lantern	Textured Black	1	A19	Med.	100W	•	9 ⅞"	25 ¼"	13 ⅛"	Wet
60-5623	Large Wall Lantern	Textured Black	1	A19	Med.	100W	•	11 ⅝"	30 ⅞"	15 ½"	Wet
60-5624	Hanging Lantern	Textured Black	1	A19	Med.	100W	•	9 ⅞"	18 ½"	•	Damp
60-5625	Post Lantern	Textured Black	1	A19	Med.	100W	•	9 ⅞"	23"	•	Wet
60-5626	Flush Lantern	Textured Black	2	A19	Med.	60W	•	11 ¼"	5 ⅛"	•	Damp

Additional chain: (3') **25-1071,** Pier Mount Base for post: **25-1200.**
Hanging fixture includes 12' of wire.



60-5626



60-5624



60-5625

VEGA

Classic Bronze / Clear Seed Glass





60-5613



60-5611



60-5612

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5611	Small Wall Lantern	Classic Bronze	1	A19	Med.	60W	•	6 ½"	9 ¾"	8 ¼"	Wet
60-5612	Med. Wall Lantern	Classic Bronze	1	A19	Med.	100W	•	9"	13 ½"	11 ¼"	Wet
60-5613	Large Wall Lantern	Classic Bronze	1	A19	Med.	100W	•	11"	16 ½"	13 ½"	Wet
60-5614	Hanging Lantern	Classic Bronze	1	A19	Med.	100W	•	9"	12"	•	Damp
60-5615	Post Lantern	Classic Bronze	1	A19	Med.	100W	•	9"	13 ¼"	•	Wet
60-5616	Flush Lantern	Classic Bronze	2	A19	Med.	600W	•	11 ¼"	5 ⅛"	•	Damp

Additional chain: (3') **25-5614,** Pier Mount Base for post: **25-5615.**
Hanging fixture includes 12' of wire.



60-5616



60-5614



60-5615

DREXEL

Stone Black / Frosted Seed Glass





60-5603



60-5601



60-5602

Item#	Description	Finish	No. of Lights	Lamp Type	Base	Max Watts	Length	Width	Height	Ext.	Cert. Type
60-5601	Small Wall Lantern	Stone Black	1	A19	Med.	60W	•	7"	10 ½"	8 ½"	Wet
60-5602	Med. Wall Lantern	Stone Black	1	A19	Med.	100W	•	9"	14"	10 ½""	Wet
60-5603	Large Wall Lantern	Stone Black	1	A19	Med.	100W	•	10"	15 ½"	11 ½"	Wet
60-5604	Hanging Lantern	Stone Black	1	A19	Med.	100W	•	10"	16"	•	Damp
60-5605	Post Lantern	Stone Black	1	A19	Med.	100W	•	10"	18"	•	Wet
60-5606	Flush Lantern	Stone Black	2	A19	Med.	60W	•	11"	5 ½"	•	Damp

Additional chain: (3') **25-5604,** Pier Mount Base for post: **25-5605.**
Hanging fixture includes 12' of wire.



60-5606



60-5604



60-5605

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
65-113	Bulkhead	White	LED	20	100W	•	7"	11 ¼"	5 ½"	3000K	1,440*	90	Wet
65-114	Bulkhead	Black	LED	20	100W	•	7"	11 ¼"	5 ½"	3000K	1,440*	90	Wet

*Lumens measured at LED source.

LED 100-277V BULKHEAD

Cast Aluminum. White or Black with Frosted Glass



65-113



65-114

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1141	Small Up / Down	White	LED	10	60W	•	5"	6 ¾"	3 ⅛"	3000K	700*	90	Wet
62-1142	Small Up / Down	Black	LED	10	60W	•	5"	6 ¾"	3 ⅛"	3000K	700*	90	Wet
62-1143	Large Up / Down	White	LED	20	2x60W	•	5"	11 ¾"	3 ⅞"	3000K	1,400*	90	Wet
62-1144	Large Up / Down	Black	LED	20	2x60W	•	5"	11 ¾"	3 ⅞"	3000K	1,400*	90	Wet
62-1145	Small Up / Down	Bronze	LED	10	60W	•	5"	6 ¾"	3 ⅛"	3000K	700*	90	Wet
62-1146	Large Up / Down	Bronze	LED	20	2x60W	•	5"	11 ¾"	3 ⅞"	3000K	1,400*	90	Wet

*Lumens measured at LED source. Combined up/down lumens.

LED 120-277V UP/DOWN

Cast Aluminum. White, Black or Bronze



62-1141



62-1142



62-1145



62-1143



62-1144



62-1146

Item#	Description	Finish	Light Source	Watts	Volts	Depth	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
65-403**	Horizontal Step Light	Bronze	LED	5	120	1 ⅝"	5"	3"	•	3000K	407*	80	Wet
65-404	Horizontal Step Light	Bronze	LED	5	277	1 ⅝"	5"	3"	•	3000K	407*	80	Wet
65-407**	Horizontal Step Light	White	LED	5	120	1 ⅝"	5"	3"	•	3000K	407*	80	Wet
65-408	Horizontal Step Light	White	LED	5	277	1 ⅝"	5"	3"	•	3000K	407*	80	Wet
65-411**	Horizontal Step Light	Gray	LED	5	120	1 ⅝"	5"	3"	•	3000K	407*	80	Wet
65-412	Horizontal Step Light	Gray	LED	5	277	1 ⅝"	5"	3"	•	3000K	407*	80	Wet

*Lumens measured at LED source.
†Minimum interior box volume of 13 cubic inches

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE **


c UL us LISTED

LED horizontal step light

Features

- 5W
- Bronze, White or Gray finish
- Rugged construction
- No transformer required
- Easy installation†
- UV stabilized powder coated finish
- Dimmable (120V only)**
- 120V or 277V versions
- 3000K
- Suitable for wet locations
- cULus listed
- Long life—50,000 hours
- 5 Year warranty





Item#	Description	Finish	Light Source	Watts	Volts	Depth	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
65-401**	Vertical Step Light	Bronze	LED	3	120	1 ⅝"	3"	5"	•	3000K	200*	80	Wet
65-402	Vertical Step Light	Bronze	LED	3	277	1 ⅝"	3"	5"	•	3000K	220*	80	Wet
65-405**	Vertical Step Light	White	LED	3	120	1 ⅝"	3"	5"	•	3000K	200*	80	Wet
65-406	Vertical Step Light	White	LED	3	277	1 ⅝"	3"	5"	•	3000K	220*	80	Wet
65-409**	Vertical Step Light	Gray	LED	3	120	1 ⅝"	3"	5"	•	3000K	200*	80	Wet
65-410	Vertical Step Light	Gray	LED	3	277	1 ⅝"	3"	5"	•	3000K	220*	80	Wet

*Lumens measured at LED source.
†Minimum interior box volume of 13 cubic inches
** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

DIMMABLE **


c UL us LISTED

LED vertical step light



Features

- 3W
- Bronze, White or Gray finish
- Rugged construction
- No transformer required
- Easy installation†
- UV stabilized powder coated finish
- Dimmable (120V only)**
- 120V or 277V versions
- 3000K
- Suitable for wet locations
- cULus listed
- Long life—50,000 hours
- 5 Year warranty



OUTDOOR

Adams Wall Lantern / Arm Up

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 18 1/4", Extension 6 7/8", Top to Outlet 13 3/4"

60-4901 White / Frosted Glass



Adams Wall Lantern / Arm Down

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 13 3/4", Extension 6 7/8", Top to Outlet 9 5/8"

60-4904 White / Frosted Glass



Adams Wall Lantern / Arm Up

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 18 1/4", Extension 6 7/8", Top to Outlet 13 3/4"

60-4902 Rustic Bronze / Frosted Glass



Adams Wall Lantern / Arm Down

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 13 3/4", Extension 6 7/8", Top to Outlet 9 5/8"

60-4905 Rustic Bronze / Frosted Glass



Adams Wall Lantern / Arm Up

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 18 1/4", Extension 6 7/8", Top to Outlet 13 3/4"

60-4903 Textured Black / Frosted Glass



Adams Wall Lantern / Arm Down

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 13 3/4", Extension 6 7/8", Top to Outlet 9 5/8"

60-4906 Textured Black / Frosted Glass



Adams Hanging Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 15 3/4", Chain 48", Wire 12'

60-4911 White / Frosted Glass

Accessories:

25-1166 3' Section of White chain



Adams Post Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 18 1/4" Fitter 3"

60-4907 White / Frosted Glass

Accessories:

25-1205 White pier mount base



Adams Hanging Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 15 3/4", Chain 48", Wire 12'

60-4912 Rustic Bronze / Frosted Glass

Accessories:

25-4998 3' Section of Rustic Bronze chain



Adams Post Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 18 1/4" Fitter 3"

60-4908 Rustic Bronze / Frosted Glass

Accessories:

25-4908 Rustic Bronze pier mount base



Adams Hanging Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 15 3/4", Chain 48", Wire 12'

60-4913 Textured Black / Frosted Glass

Accessories:

25-1071 3' Section of Textured Black chain



Adams Post Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 18 1/4" Fitter 3"

60-4909 Textured Black / Frosted Glass

Accessories:

25-1200 Textured Black pier mount base



OUTDOOR

Banyon Wall Lantern Arm Up

(1) 100W A19 max. / Medium base

Dimensions: Width 6⅛", Height 17", Extension 8",Top to Outlet 11¾"

60-4924 White / Clear Water Glass



Banyon Wall Lantern Arm Down

(1) 100W A19 max. / Medium base

Dimensions: Width 6⅛", Height 12¼", Extension 8", Top to Outlet 9¼"

60-4921 White / Clear Water Glass



Banyon Wall Lantern Arm Up

(1) 100W A19 max. / Medium base

Dimensions: Width 6⅛", Height 17", Extension 8",Top to Outlet 11¾"

60-4925 Rustic Bronze / Clear Water Glass



Banyon Wall Lantern Arm Down

(1) 100W A19 max. / Medium base

Dimensions: Width 6⅛", Height 12¼", Extension 8", Top to Outlet 9¼"

60-4922 Rustic Bronze / Clear Water Glass



Banyon Wall Lantern Arm Up

(1) 100W A19 max. / Medium base

Dimensions: Width 6⅛", Height 17", Extension 8",Top to Outlet 11¾"

60-4926 Textured Black / Clear Water Glass



Banyon Wall Lantern Arm Down

(1) 100W A19 max. / Medium base

Dimensions: Width 6⅛", Height 12¼", Extension 8", Top to Outlet 9¼"

60-4923 Textured Black / Clear Water Glass



Banyon Hanging Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 10 3/4", Chain 48", Wire 12'

60-4931 White / Clear Water Glass

Accessories:

25-1166 3' Section of White chain



Banyon Post Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 17 1/4" Fitter 3"

60-4927 White / Clear Water Glass

Accessories:

25-1205 White pier mount base



Banyon Hanging Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 10 3/4", Chain 48", Wire 12'

60-4932 Rustic Bronze / Clear Water Glass

Accessories:

25-4998 3' Section of Rustic Bronze chain



Banyon Post Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 17 1/4" Fitter 3"

60-4928 Rustic Bronze / Clear Water Glass

Accessories:

25-4908 Rustic Bronze pier mount base



Banyon Hanging Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 10 3/4", Chain 48", Wire 12'

60-4933 Textured Black / Clear Water Glass

Accessories:

25-1071 3' Section of Textured Black chain



Banyon Post Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 17 1/4" Fitter 3"

60-4929 Textured Black / Clear Water Glass

Accessories:

25-1200 Textured Black pier mount base



OUTDOOR

Boxwood Large
Wall Lantern / Arm Down

(3) 60W Type B max. / Candelabra base

Dimensions: Width 13", Height 26¼",
Extension 12½", Top to Outlet 11"

60-4967 White / Clear Beveled Glass



Boxwood Large
Wall Lantern / Arm Down

(3) 60W Type B max. / Candelabra base

Dimensions: Width 13", Height 26¼",
Extension 12½", Top to Outlet 11"

60-4968 Rustic Bronze / Clear Beveled Glass



Boxwood Large
Wall Lantern / Arm Down

(3) 60W Type B max. / Candelabra base

Dimensions: Width 13", Height 26¼",
Extension 12½", Top to Outlet 11"

60-4969 Textured Black / Clear Beveled Glass



Boxwood Mid-Size Wall Lantern / Arm Up

(1) 100W A19 max. / Med. base

Dimensions: Width 8", Height 22", Extension 7 7/8", Top to Outlet 16"

60-4971 White / Clear Beveled Glass



Boxwood Mid-Size Wall Lantern / Arm Up

(1) 100W A19 max. / Med. base

Dimensions: Width 8", Height 22", Extension 7 7/8", Top to Outlet 16"

60-4972 Rustic Bronze / Clear Beveled Glass



Boxwood Mid-Size Wall Lantern / Arm Up

(1) 100W A19 max. / Med. base

Dimensions: Width 8", Height 22", Extension 7 7/8", Top to Outlet 16"

60-4973 Textured Black / Clear Beveled Glass



OUTDOOR

Boxwood Mid-Size Wall Lantern / Arm Down

1) 100W A19 max. / Medium base

Dimensions: Width 9⅞", Height19", Extension 9", Top to Outlet 7¼"

60-4964 White / Clear Beveled Glass



Boxwood Small Wall Lantern / Arm Down

(1) 100W A19 max. / Med. base

Dimensions: Width 8", Height 15¾", Extension 7⅞", Top to Outlet 5¾"

60-4961 White / Clear Beveled Glass



Boxwood Mid-Size Wall Lantern / Arm Down

1) 100W A19 max. / Medium base

Dimensions: Width 9⅞", Height19", Extension 9", Top to Outlet 7¼"

60-4965 Rustic Bronze / Clear Beveled Glass



Boxwood Small Wall Lantern / Arm Down

(1) 100W A19 max. / Med. base

Dimensions: Width 8", Height 15¾", Extension 7⅞", Top to Outlet 5¾"

60-4962 Rustic Bronze / Clear Beveled Glass



Boxwood Mid-Size Wall Lantern / Arm Down

1) 100W A19 max. / Medium base

Dimensions: Width 9⅞", Height19", Extension 9", Top to Outlet 7¼"

60-4966 Textured Black / Clear Beveled Glass



Boxwood Small Wall Lantern / Arm Down

(1) 100W A19 max. / Med. base

Dimensions: Width 8", Height 15¾", Extension 7⅞", Top to Outlet 5¾"

60-4963 Textured Black / Clear Beveled Glass



Boxwood Hanging Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 8", Height 13¾",
Chain 48", Wire 12'

60-4977 White / Clear Beveled Glass

Accessories:

25-1166 3' Section of White chain



Boxwood Post Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 8", Height 19¼"
Fitter 3"

60-4974 White / Clear Beveled Glass

Accessories:

25-1205 White pier mount base



Boxwood Hanging Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 8", Height 13¾",
Chain 48", Wire 12'

60-4978 Rustic Bronze / Clear Beveled Glass

Accessories:

25-4998 3' Section of Rustic Bronze chain



Boxwood Post Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 8", Height 19¼"
Fitter 3"

60-4975 Rustic Bronze / Clear Beveled Glass

Accessories:

25-4908 Rustic Bronze pier mount base



Boxwood Hanging Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 8", Height 13¾",
Chain 48", Wire 12'

60-4979 Textured Black / Clear Beveled Glass

Accessories:

25-1071 3' Section of Textured Black chain



Boxwood Post Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 8", Height 19¼"
Fitter 3"

60-4976 Textured Black / Clear Beveled Glass

Accessories:

25-1200 Textured Black pier mount base



OUTDOOR

Cove Neck Large Wall Lantern / Arm Down

(1) 100W A19 max. / Medium base

Dimensions: Width 9", Height 14", Extension 11 1/2", Top to Outlet 6 1/4"

60-4957 White / Clear Seeded Glass



Cove Neck Large Wall Lantern / Arm Down

(1) 100W A19 max. / Medium base

Dimensions: Width 9", Height 14", Extension 11 1/2", Top to Outlet 6 1/4"

60-4958 Rustic Bronze / Clear Seeded Glass



Cove Neck Large Wall Lantern / Arm Down

(1) 100W A19 max. / Medium base

Dimensions: Width 9", Height 14", Extension 11 1/2", Top to Outlet 6 1/4"

60-4959 Textured Black / Clear Seeded Glass



Cove Neck Small Wall Lantern / Arm Down

(1) 100W A19 max. / Medium base

Dimensions: Width 7", Height 11 3/4", Extension 9 1/2", Top to Outlet 5 1/4"

60-4951 White / Clear Seeded Glass



Cove Neck Hanging Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 7", Height 12"

60-4954 White / Clear Seeded Glass

Accessories:

25-1166 3' Section of White chain



Cove Neck Small Wall Lantern / Arm Down

(1) 100W A19 max. / Medium base

Dimensions: Width 7", Height 11 3/4", Extension 9 1/2", Top to Outlet 5 1/4"

60-4952 Rustic Bronze / Clear Seeded Glass



Cove Neck Hanging Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 7", Height 12"

60-4955 Rustic Bronze / Clear Seeded Glass

Accessories:

25-4998 3' Section of Rustic Bronze chain



Cove Neck Small Wall Lantern / Arm Down

(1) 100W A19 max. / Medium base

Dimensions: Width 7", Height 11 3/4", Extension 9 1/2", Top to Outlet 5 1/4"

60-4953 Textured Black / Clear Seeded Glass



Cove Neck Hanging Lantern

(1) 100W A19 max. / Medium base

Dimensions: Width 7", Height 12"

60-4956 Textured Black / Clear Seeded Glass

Accessories:

25-1071 3' Section of Textured Black chain



OUTDOOR

Central Park
Large Wall Lantern / Arm Up

(3) 60W Type B max. / Candelabra base

Dimensions: Width 7 3/8", Height 22 3/4", Extension 11 1/2", Top to Outlet 15"

60-888 White / Clear Beveled Panels



Central Park
Large Wall Lantern / Arm Up

(3) 60W Type B max. / Candelabra base

Dimensions: Width 7 3/8", Height 22 3/4", Extension 11 1/2", Top to Outlet 15"

60-889 Old Bronze / Clear Beveled Panels



Central Park
Large Wall Lantern / Arm Up

(3) 60W Type B max. / Candelabra base

Dimensions: Width 7 3/8", Height 22 3/4", Extension 11 1/2", Top to Outlet 15"

60-890 Textured Black / Clear Beveled Panels



Central Park
Large Wall Lantern / Arm Down

(3) 60W Type B max. / Candelabra base

Dimensions: Width 7 3/8", Height 22 3/4",
Extension 11 1/2", Top to Outlet 9"

60-891 White / Clear Beveled Panels



Central Park
Large Wall Lantern / Arm Down

(3) 60W Type B max. / Candelabra base

Dimensions: Width 7 3/8", Height 22 3/4",
Extension 11 1/2", Top to Outlet 9"

60-892 Old Bronze / Clear Beveled Panels



Central Park
Large Wall Lantern / Arm Down

(3) 60W Type B max. / Candelabra base

Dimensions: Width 7 3/8", Height 22 3/4",
Extension 11 1/2", Top to Outlet 9"

60-893 Textured Black / Clear Beveled Panels



OUTDOOR

Central Park
Small Wall Lantern / Arm Up

(1) 100W A19 max. / Med. base

Dimensions: Width 6", Height 20",
Extension 9¾", Top to Outlet 13"

60-885 White / Clear Beveled Panels



Central Park
Small Wall Lantern / Arm Up

(1) 100W A19 max. / Med. base

Dimensions: Width 6", Height 20",
Extension 9¾", Top to Outlet 13"

60-886 Old Bronze / Clear Beveled Panels



Central Park
Small Wall Lantern / Arm Up

(1) 100W A19 max. / Med. base

Dimensions: Width 6", Height 20",
Extension 9¾", Top to Outlet 13"

60-887 Textured Black / Clear Beveled Panels



Central Park
Hanging Lantern

(3) 60W Type B max. / Candelabra base

Dimensions: Width 7 3/8",
Height 20", Chain 48", Wire 12'

60-894 White / Clear Beveled Panels

Accessories:

25-1166 3' Section of White chain



Central Park
Post Lantern

(3) 60W Type B max. / Candelabra base

Dimensions: Width 7 3/8", Height 21"
Fitter 3"

60-897 White / Clear Beveled Panels

Accessories:

25-1205 White pier mount base



Central Park
Hanging Lantern

(3) 60W Type B max. / Candelabra base

Dimensions: Width 7 3/8",
Height 20", Chain 48", Wire 12'

60-895 Old Bronze / Clear Beveled Panels

Accessories:

25-1067 3' Section of Old Bronze chain



Central Park
Post Lantern

(3) 60W Type B max. / Candelabra base

Dimensions: Width 7 3/8", Height 21"
Fitter 3"

60-898 Old Bronze / Clear Beveled Panels

Accessories:

25-1203 Old Bronze pier mount base



Central Park
Hanging Lantern

(3) 60W Type B max. / Candelabra base

Dimensions: Width 7 3/8",
Height 20", Chain 48", Wire 12'

60-896 Textured Black / Clear Beveled Panels

Accessories:

25-1071 3' Section of Textured Black chain



Central Park
Post Lantern

(3) 60W Type B max. / Candelabra base

Dimensions: Width 7 3/8", Height 21"
Fitter 3"

60-899 Textured Black / Clear Beveled Panels

Accessories:

25-1200 Textured Black pier mount base



OUTDOOR

Cornerstone
Wall Lantern / Arm Up

Long & Short Tail Provided

(1) 60W A19 max. / Medium base

Dimensions: Width 7",
Height w/short tail 12", w/long tail 18",
Extension 9¼", Top to Outlet 11"

60-985 White / Clear Seeded Glass



Cornerstone
Wall Lantern / Arm Down

(1) 60W A19 max. / Medium base

Dimensions: Width 7", Height 13",
Extension 9¼", Top to Outlet 4"

60-988 White / Clear Seeded Glass



Cornerstone
Wall Lantern / Arm Up

Long & Short Tail Provided

(1) 60W A19 max. / Medium base

Dimensions: Width 7",
Height w/short tail 12", w/long tail 18",
Extension 9¼", Top to Outlet 11"

60-986 Old Bronze / Clear Seeded Glass



Cornerstone
Wall Lantern / Arm Down

(1) 60W A19 max. / Medium base

Dimensions: Width 7", Height 13",
Extension 9¼", Top to Outlet 4"

60-989 Old Bronze / Clear Seeded Glass



Cornerstone
Wall Lantern / Arm Up

Long & Short Tail Provided

(1) 60W A19 max. / Medium base

Dimensions: Width 7",
Height w/short tail 12", w/long tail 18",
Extension 9¼", Top to Outlet 11"

60-987 Textured Black / Clear Seeded Glass



Cornerstone
Wall Lantern / Arm Down

(1) 60W A19 max. / Medium base

Dimensions: Width 7", Height 13",
Extension 9¼", Top to Outlet 4"

60-990 Textured Black / Clear Seeded Glass



Cornerstone Hanging Lantern



(1) 60W A19 max. / Medium base

Dimensions: Width 7",
Height 12⅝", Chain 48", Wire 12'

60-991 White / Clear Seeded Glass

Accessories:

25-1166 3' Section of White chain

Cornerstone Post Lantern



(1) 60W A19 max. / Medium base

Dimensions: Width 7", Height 14¼"
Fitter 3"

60-994 White / Clear Seeded Glass

Accessories:

25-1205 White pier mount base

Cornerstone Hanging Lantern



(1) 60W A19 max. / Medium base

Dimensions: Width 7",
Height 12⅝", Chain 48", Wire 12'

60-992 Old Bronze / Clear Seeded Glass

Accessories:

25-1067 3' Section of Old Bronze chain

Cornerstone Post Lantern



(1) 60W A19 max. / Medium base

Dimensions: Width 7", Height 14¼"
Fitter 3"

60-995 Old Bronze / Clear Seeded Glass

Accessories:

25-1203 Old Bronze pier mount base

Cornerstone Hanging Lantern



(1) 60W A19 max. / Medium base

Dimensions: Width 7",
Height 12⅝", Chain 48", Wire 12'

60-993 Textured Black / Clear Seeded Glass

Accessories:

25-1071 3' Section of Textured Black chain

Cornerstone Post Lantern



(1) 60W A19 max. / Medium base

Dimensions: Width 7", Height 14¼"
Fitter 3"

60-996 Textured Black / Clear Seeded Glass

Accessories:

25-1200 Textured Black pier mount base

OUTDOOR

Briton
Wall Lantern / Arm Up

Long & Short Tail Provided

(1) 60W A19 max. / Medium base

Dimensions: Width 6",
Height w/short tail 15", w/long tail 18",
Extension 6⅛", Top to Outlet 12"

60-540 White / Clear Glass



Briton
Wall Lantern / Arm Up

Long & Short Tail Provided

(1) 60W A19 max. / Medium base

Dimensions: Width 6",
Height w/short tail 15", w/long tail 18",
Extension 6⅛", Top to Outlet 12"

60-541 Old Bronze / Clear Glass



Briton
Wall Lantern / Arm Up

Long & Short Tail Provided

(1) 60W A19 max. / Medium base

Dimensions: Width 6",
Height w/short tail 15", w/long tail 18",
Extension 6⅛", Top to Outlet 12"

60-542 Textured Black / Clear Glass



Briton
Hanging Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 6", Height 9½", Chain 48", Wire 12'

60-487 White / Clear Glass

Accessories:

25-1166 3' Section of White chain



Briton
Post Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 6", Height 14" Fitter 3"

60-546 White / Clear Glass

Accessories:

25-1205 White pier mount base



Briton
Hanging Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 6", Height 9½", Chain 48", Wire 12'

60-488 Old Bronze / Clear Glass

Accessories:

25-1067 3' Section of Old Bronze chain



Briton
Post Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 6", Height 14" Fitter 3"

60-547 Old Bronze / Clear Glass

Accessories:

25-1203 Old Bronze pier mount base



Briton
Hanging Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 6", Height 9½", Chain 48", Wire 12'

60-489 Textured Black / Clear Glass

Accessories:

25-1071 3' Section of Textured Black chain



Briton
Post Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 6", Height 14" Fitter 3"

60-548 Textured Black / Clear Glass

Accessories:

25-1200 Textured Black pier mount base



OUTDOOR

Onion Small Wall Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 6", Height 10⅝", Extension 8", Top to Outlet 4½"

60-630 White / Clear Seed Glass



Piper Small Wall Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 5", Height 10⅝", Extension 7", Top to Outlet 6"

60-633 White / Clear Seed Glass



Onion Small Wall Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 6", Height 10⅝", Extension 8", Top to Outlet 4½"

60-631 Old Bronze / Clear Seed Glass



Piper Small Wall Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 5", Height 10⅝", Extension 7", Top to Outlet 6"

60-634 Old Bronze / Clear Seed Glass



Onion Small Wall Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 6", Height 10⅝", Extension 8", Top to Outlet 4½"

60-632 Textured Black / Clear Seed Glass



Piper Small Wall Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 5", Height 10⅝", Extension 7", Top to Outlet 6"

60-635 Textured Black / Clear Seed Glass



Cube Small Wall Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 4 3/8", Height 8 5/8", Extension 6 1/8", Top to Outlet 3"

60-636 White / Clear Beveled Glass



Hood Small Wall Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 6", Height 8 7/8", Extension 6 7/8", Top to Outlet 3 1/2"

60-639 White / Satin Frosted Glass



Cube Small Wall Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 4 3/8", Height 8 5/8", Extension 6 1/8", Top to Outlet 3"

60-637 Old Bronze / Clear Beveled Glass



Hood Small Wall Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 6", Height 8 7/8", Extension 6 7/8", Top to Outlet 3 1/2"

60-640 Old Bronze / Satin Frosted Glass



Cube Small Wall Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 4 3/8", Height 8 5/8", Extension 6 1/8", Top to Outlet 3"

60-638 Textured Black / Clear Beveled Glass



Hood Small Wall Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 6", Height 8 7/8", Extension 6 7/8", Top to Outlet 3 1/2"

60-641 Textured Black / Satin Frosted Glass



OUTDOOR

Die Cast Cage Lantern

Linen Acrylic Lens

(1) 60W A19 max. / Medium base

Dimensions: Width 7 3/4",
Height 9 3/4", Extension 4 1/4"

60-537 White



Die Cast Ceiling "Spider" Cage

Glass Lens

(1) 60W A19 max. / Medium base

Dimensions: Width 11 3/8", Height 5"

60-534 White



Die Cast Cage Lantern

Linen Acrylic Lens

(1) 60W A19 max. / Medium base

Dimensions: Width 7 3/4",
Height 9 3/4", Extension 4 1/4"

60-538 Old Bronze



Die Cast Ceiling "Spider" Cage

Glass Lens

(1) 60W A19 max. / Medium base

Dimensions: Width 11 3/8", Height 5"

60-535 Old Bronze



Die Cast Cage Lantern

Linen Acrylic Lens

(1) 60W A19 max. / Medium base

Dimensions: Width 7 3/4",
Height 9 3/4", Extension 4 1/4"

60-539 Textured Black



Die Cast Ceiling "Spider" Cage

Glass Lens

(1) 60W A19 max. / Medium base

Dimensions: Width 11 3/8", Height 5"

60-536 Textured Black



Die Cast Round Hood Bulkhead

(1) 60W A19 max. / Medium base

Dimensions: Diameter 10", Extension 5"

60-520 Semi Gloss White



Die Cast Round Hood Bulkhead

(1) 60W A19 max. / Medium base

Dimensions: Diameter 10", Extension 5"

60-521 Architectural Bronze



Die Cast Oval Cage Bulkhead

(1) 60W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 10", Extension 5 1/2"

60-524 Semi Gloss White



Die Cast Oval Cage Bulkhead

(1) 60W A19 max. / Medium base

Dimensions: Width 6 1/8", Height 10", Extension 5 1/2"

60-525 Architectural Bronze



Die Cast Oval Hood Bulkhead

(1) 60W A19 max. / Medium base

Dimensions: Width 10", Height 6 1/8", Extension 5 1/2"

60-522 Semi Gloss White



Die Cast Oval Hood Bulkhead

(1) 60W A19 max. / Medium base

Dimensions: Width 10", Height 6 1/8", Extension 5 1/2"

60-523 Architectural Bronze



OUTDOOR

Die Cast Rectangle Bulkhead

(1) 60W A19 max. / Medium base

Dimensions: Width 6½",
Height 10", Extension 4⅞"

60-530 Semi Gloss White



Die Cast Rectangle Bulkhead

(1) 60W A19 max. / Medium base

Dimensions: Width 6½",
Height 10", Extension 4⅞"

60-531 Architectural Bronze



Die Cast Large Oval Bulkhead

(1) 60W A19 max. / Medium base

Dimensions: Width 9",
Height 11", Extension 4⅜"

60-526 Semi Gloss White



Die Cast Large Oval Bulkhead

(1) 60W A19 max. / Medium base

Dimensions: Width 9",
Height 11", Extension 4⅜"

60-527 Architectural Bronze



Die Cast Oblong Round Bulkhead

(1) 60W A19 max. / Medium base

Dimensions: Width 9⅛",
Height 10½", Extension 4½"

60-516 Semi Gloss White



Die Cast Oblong Round Bulkhead

(1) 60W A19 max. / Medium base

Dimensions: Width 9⅛",
Height 10½", Extension 4½"

60-517 Architectural Bronze



Die Cast Rectangle Cage

1) 60W A19 max. / Medium base

Dimensions: Width 6½",
Height 10", Extension 4⅞"

60-532 Semi Gloss White



Die Cast Rectangle Cage

1) 60W A19 max. / Medium base

Dimensions: Width 6½",
Height 10", Extension 4⅞"

60-533 Architectural Bronze



Die Cast Large Oval Cage

(1) 60W A19 max. / Medium base

Dimensions: Width 8½",
Height 12½", Extension 5"

60-528 Semi Gloss White



Die Cast Large Oval Cage

(1) 60W A19 max. / Medium base

Dimensions: Width 8½",
Height 12½", Extension 5"

60-529 Architectural Bronze



Die Cast Round Cage

(1) 60W A19 max. / Medium base

Dimensions: Diameter 10", Extension 5"

60-518 Semi Gloss White



Die Cast Round Cage

(1) 60W A19 max. / Medium base

Dimensions: Diameter 10", Extension 5"

60-519 Architectural Bronze



OUTDOOR



Round Cage

Polysynthetic Body and Lens

(1) 60W A19 max. / Medium base

Dimensions: Diameter 10",
Extension 4"

77-861 White



Oval Cage

Polysynthetic Body and Lens

(1) 60W A19 max. / Medium base

Dimensions: Width 10",
Height 5", Extension 4"

77-858 White



Round Cage

Polysynthetic Body and Lens

(1) 60W A19 max. / Medium base

Dimensions: Diameter 10",
Extension 4"

77-859 Black



Oval Cage

Polysynthetic Body and Lens

(1) 60W A19 max. / Medium base

Dimensions: Width 10",
Height 5", Extension 4"

77-857 Black

OUTDOOR

Large Die-Cast Industrial Style Ceiling Mount

(1) 200W A19 max. / Med. base
Dimensions: Height 11", Width 5 1/2"
76-618 White / Frosted Glass



Small Die-Cast Industrial Style Ceiling Mount

(1) 100W A19 max. / Med. base
Dimensions: Height 9 3/8", Width 4 1/4"
76-616 White / Frosted Glass



Large Die-Cast Industrial Style Ceiling Mount

(1) 200W A19 max. / Med. base
Dimensions: Height 11", Width 5 1/2"
76-626 Metallic Silver / Frosted Glass



Small Die-Cast Industrial Style Ceiling Mount

(1) 100W A19 max. / Med. base
Dimensions: Height 9 3/8", Width 4 1/4"
76-624 Metallic Silver / Frosted Glass



Large Die-Cast Industrial Style Ceiling Mount

(1) 200W A19 max. / Med. base
Dimensions: Height 11", Width 5 1/2"
76-627 Old Bronze / Frosted Glass



Small Die-Cast Industrial Style Ceiling Mount

(1) 100W A19 max. / Med. base
Dimensions: Height 9 3/8", Width 4 1/4"
76-625 Old Bronze / Frosted Glass



Large Die-Cast Industrial Style Wall Mount

(1) 300W A19 max. / Med. base

Dimensions: Height 11",
Width 5½", Extension 6⅜"

76-617 White / Frosted Glass

Accessories:

76-650 White Die-cast junction box



Small Die-Cast Industrial Style Wall Mount

(1) 150W A19 max. / Med. base

Dimensions: Height 9⅜",
Width 4¼", Extension 5⅜"

76-615 White / Frosted Glass

Accessories:

76-650 White Die-cast junction box



Large Die-Cast Industrial Style Wall Mount

(1) 300W A19 max. / Med. base

Dimensions: Height 11",
Width 5½", Extension 6⅜"

76-622 Metallic Silver / Frosted Glass

Accessories:

76-651 Metallic Silver Die-cast junction box



Small Die-Cast Industrial Style Wall Mount

(1) 150W A19 max. / Med. base

Dimensions: Height 9⅜",
Width 4¼", Extension 5⅜"

76-620 Metallic Silver / Frosted Glass

Accessories:

76-651 Metallic Silver Die-cast junction box



Large Die-Cast Industrial Style Wall Mount

(1) 300W A19 max. / Med. base

Dimensions: Height 11",
Width 5½", Extension 6⅜"

76-623 Old Bronze / Frosted Glass

Accessories:

76-652 Old Bronze Die-cast junction box



Small Die-Cast Industrial Style Wall Mount

(1) 150W A19 max. / Med. base

Dimensions: Height 9⅜",
Width 4¼", Extension 5⅜"

76-621 Old Bronze / Frosted Glass

Accessories:

76-652 Old Bronze Die-cast junction box



OUTDOOR

Carport Flush Mounts Metal Frame

(2) 60W A19 max. / Medium base

Dimensions: Width 9¼", Height 5"

60-470 White / Textured Frosted Glass

60-471 Polished Brass / Textured Frosted Glass

60-472 Old Bronze / Textured Frosted Glass

60-473 Black / Textured Frosted Glass




Carport Flush Mounts Small Poly Frame

(1) 60W A19 max. / Medium base

Dimensions: Width 8¼", Height 4¾"

77-835 White / Frosted Glass

77-863 Black / Frosted Glass



Carport Flush Mounts Large Poly Frame

(2) 60W A19 max. / Medium base

Dimensions: Width 10¼", Height 5½"

77-879 White / Frosted Glass

77-891 Black / Frosted Glass



Utility Wall Mount–Globe

(1) 100W A19 max. / Medium base

Dimensions: Width 6",
Height 7¼", Extension 7"

77-531 White / White Glass

77-139 Satin Aluminum / White Glass

77-141 Bronzotic / White Glass

77-140 Black / White Glass



Utility Ceiling Mount–Globe

(1) 60W A19 max. / Medium base
Dimensions: Width 6", Height 7¼"
77-532 White / White Glass
77-152 Satin Aluminum / White Glass
77-153 Bronzotic / White Glass
77-157 Black / White Glass



Utility Ceiling Mount–Cylinder

(1) 60W A19 max. / Medium base
Dimensions: Width 4¼ ", Height 8"
77-533 White / White Glass
77-155 Satin Aluminum / White Glass
77-156 Bronzotic / White Glass
77-154 Black / White Glass



Utility Wall Mount–Cylinder

(1) 100W A19 max. / Medium base
Dimensions: Width 4¾", Height 8", Extension 6"
77-530 White / White Glass
77-136 Satin Aluminum / White Glass
77-138 Bronzotic / White Glass
77-137 Black / White Glass



OUTDOOR

Porch Wall
Clear Mason Jar

(1) 60W A19 max. / Medium base
Dimensions: Width 4", Height 8½", Extension 5½"
77-119 Black / Clear Ribbed Glass
77-996 Polished Brass / Clear Ribbed Glass
77-995 Antique Brass / Clear Ribbed Glass



Porch Wall
Frosted Mason Jar

(1) 60W A19 max. / Medium base
Dimensions: Width 4", Height 8½", Extension 5½"
76-701 Brushed Nickel / Frosted Ribbed Glass
76-700 Old Bronze / Frosted Ribbed Glass
76-702 Gloss White / Frosted Ribbed Glass



Porch Wall
White Glass Globe

(1) 60W A19 max. / Medium base
Dimensions: Width 5½", Height 8½", Extension 6"
76-704 Gloss White / White Glass
76-705 Brushed Nickel / White Glass
77-992 Black / White Glass
76-703 Old Bronze / White Glass



Poly Coach Wall Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 7¾", Height 17", Extension 8" Top to Outlet 12"

77-897 White / Acrylic Panels

77-896 Black / Acrylic Panels



Poly Coach Post Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 7¾", Height 12½",

77-899 White / Acrylic Panels

77-898 Black / Acrylic Panels



Poly Mansard Wall Lantern

(1) 60W A19 max. / Medium base

Dimensions: Width 8", Height 17½", Extension 8", Top to Outlet 12"

77-853 White / Textured Acrylic Panels

77-852 Black / Textured Acrylic Panels



OUTDOOR

Cast Aluminum One Light PAR38 Floodlights

(1) 150W PAR38 max. / Medium base
Dimensions: Width 4½", Extension 8"

77-487 White
77-702 Gray
77-494 Bronze
77-700 Black



Cast Aluminum Two Light PAR38 Floodlights

(2) 150W PAR38 max. / Medium base
Dimensions: Width 15", Extension 8"

77-488 White
77-703 Gray
77-495 Bronze
77-701 Black



Add On Motion Sensor

Fits 1/2" Threaded Knockouts

76-500 White
76-501 Bronze



2 Light "Quick Mount" Adjustable PAR Holders

(2) 150W PAR38 max.

Dimensions: Width 8¾", Extension 3¼"

76-684 White

76-685 Bronze



1 Light "Quick Mount" Adjustable PAR Holders

(1) 150W PAR38 max.

Dimensions: Width 5", Extension 3¼"

76-682 White

76-683 Bronze



2 Light PAR Floodlight Holders

(2) 150W PAR38 max.

Dimensions: Width 10", Extension 5"

76-522 White

76-523 Bronze



1 Light PAR Floodlight Holders

(1) 150W PAR38 max.

Dimensions: Width 4½", Extension 5"

76-520 White

76-521 Bronze



2 Light PAR Floodlight Holders

with Motion Sensor

(2) 150W PAR38 max.

Dimensions: Width 10", Extension 9½"

76-502 White

76-503 Bronze



2 Light PAR38 Floodlights

with Motion Sensor

(2) 150W PAR38 max.

Dimensions: Width 14", Extension 9½"

76-530 White

76-531 Bronze



OUTDOOR

PAR38 Landscape Floodlight

(1) 150W PAR38 max.

Dimensions: Diameter 5½", Length 12½"

76-648 Dark Bronze

76-658 Antique Verdi



PAR30 Landscape Floodlight

(1) 75W PAR30 (Longneck) max.

Dimensions: Diameter 4¼", Length 11½"

76-647 Dark Bronze

76-657 Antique Verdi



PAR20 Landscape Floodlight

(1) 50W PAR20 max.

Dimensions: Diameter 2¾", Length 6¼"

76-646 Dark Bronze

76-656 Antique Verdi



PAR16 Landscape Floodlight

(1) 50W PAR16 max.

Dimensions: Diameter 2½ ", Length 5½"

76-645 Dark Bronze

76-655 Antique Verdi



9W **LED** Landscape Floodlight (PAR20 size)

900 Lumens, 3000K, 80CRI

Dimensions: Diameter 2⅝", Length 6¼"

62-1203 Dark Gray

62-1204 Light Gray

62-1205 Dark Bronze



6W **LED** Landscape Floodlight (PAR16 size)

640 Lumens, 3000K, 80CRI

Dimensions: Diameter 2⅝", Length 5½"

62-1201 Dark Gray

62-1202 Light Gray

62-1200 Dark Bronze



Three Louver Small Hood

(1) 100W A19 max. / Medium base

Dimensions: Height 8 5/8", Diameter 6 1/8"

76-633 Old Bronze

77-324 Green





Two Louver Small Hood

(1) 75W A19 max. / Medium base

Dimensions: Height 7 1/8", Diameter 6 1/8"

76-632 Old Bronze

77-323 Green





Three Louver Large Hood

(1) 100W A19 max. / Medium base

Dimensions: Height 8 5/8", Diameter 9 5/8"

76-637 Old Bronze

76-636 Green





Two Louver Large Hood

(1) 75W A19 max. / Medium base

Dimensions: Height 7 1/8", Diameter 9 5/8"

76-635 Old Bronze

76-634 Green






OUTDOOR





1 and 2 Light Die Cast Mounting Plates

60-673 1 Light / Light Gray
60-674 2 Light / Light Gray
60-675 1 Light / Dark Gray
60-676 2 Light / Dark Gray
76-665 1 Light / Dark Bronze
76-666 2 Light / Dark Bronze
76-667 1 Light / Antique Verdi
76-668 2 Light / Antique Verdi





12" X ½" Steel Mounting Post

Threaded on Both Ends

90-1278 Green Finish
90-1279 Old Bronze Finish



3" Diameter PVC Mounting Post

Dimensions: Height 18", Diameter 3"

60-678 Dark Gray
60-680 Light Gray
76-641 Dark Bronze
76-664 Antique Verdi Finish



2" Diameter PVC Mounting Post

Dimensions: Height 18", Diameter 2"

60-677 Dark Gray
60-678 Light Gray
76-638 Green
76-639 Old Bronze
76-640 Dark Bronze
76-644 Antique Verdi



Incandescent Twist Lock Holders

Incandescent Maximum Wattages

10" Globes – 60 watt max.
12" to 14" Globes – 100 watt max.
16" Globes – 150 watt max.

77-692 4" Black
77-693 4" White
77-968 5½" Black
77-969 5½" White



White Acrylic Twist Lock Globe

Item #	Diameter	Fitter
50-784	10"	4"
50-785	12"	5¼"
50-786	14"	5¼"
50-787	16"	5¼"

Smoke Acrylic Twist Lock Globe

Item #	Diameter	Fitter
50-780	10"	4"
50-781	12"	5¼"
50-782	14"	5¼"
50-783	16"	5¼"



5" Round Pier Mount Bases with 3" Fitter

25-1206 Antique Brass
25-1207 Polished Brass
25-1208 Brushed Nickel



6" Square Pier Mount Bases with 3" Fitter

25-1200 Textured Black
25-1203 Old Bronze
25-1204 Old Penny Bronze
25-1205 White
25-4023* Satin Iron Ore
25-4024* Belgium Bronze
25-4026* Burlwood
25-4908* Rustic Bronze
25-5605* Stone Black
25-5615* Classic Bronze
25-5635* Aged Silver
25-5645* Claret Bronze
25-5655* Umber Bronze

*(not shown)



Die Cast Junction Boxes (can be added to industrial style wall mount fixtures)

76-650 White
76-651 Metallic Silver
76-652 Old Bronze

Task Lighting.





"TH425" page. 564




Thread Linear LED System

Cove and under-cabinet.
Simple. Functional. Consistent. Reliable.
Add dramatic LED lighting to any space, simply.



Connections are quick and easy with keyed connectors

- Assures proper current flow
- Makes connections simple



Included Accessories


Removable diffuser


Flat mounting clips


45° Mounting clips


Closed end cap

Key Features

- Available in 6", 10", 21" and 30"
- On board IC driver – no external driver required
- 2700K or 3500K
- 312 Lumens per foot at 2700K
- 330 Lumens per foot at 3500K
- CRI 80+
- Diffuser lens included for even light – eliminates hot spots and glare
- Flat mounting clips, 45˚ mounting clips, removable diffusing lens and closed end cap included with each unit
- Very low heat, no UV or IR radiation
- Direct-wire or portable installations – various connection accessories available
- Up to 65' continuous runs off one power feed
- Exact spacing of LEDs, including fixture to fixture for consistent, even lighting
- 50,000 hours rated life
- ENERGY STAR certified for under-cabinet and cove applications
- 5 year warranty*
- Construction: Extruded polycarbonate body and diffuser lens
- Power: 120V AC
- Light source: LED 2700K and 3500K
- Finish: White
- Dimming to less than 5% with electronic low voltage (ELV) dimmers
- Damp location listed

Item#	Description	Finish	Light Source	Watts	Volts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
63-101†	6" Linear LED	White	LED	1.8	120	6"	13⁄16"	11⁄16"	•	2700K	166*	80	Damp
63-201†	6" Linear LED	White	LED	1.8	120	6"	13⁄16"	11⁄16"	•	3500K	180*	80	Damp
63-102†	10" Linear LED	White	LED	3	120	10"	13⁄16"	11⁄16"	•	2700K	268*	80	Damp
63-202†	10" Linear LED	White	LED	3	120	10"	13⁄16"	11⁄16"	•	3500K	278*	80	Damp
63-103†	21" Linear LED	White	LED	7	120	21"	13⁄16"	11⁄16"	•	2700K	593*	80	Damp
63-203†	21" Linear LED	White	LED	7	120	21"	13⁄16"	11⁄16"	•	3500K	607*	80	Damp
63-104†	30" Linear LED	White	LED	10	120	30"	13⁄16"	11⁄16"	•	2700K	804*	80	Damp
63-204†	30" Linear LED	White	LED	10	120	30"	13⁄16"	11⁄16"	•	3500K	833*	80	Damp

*Lumens measured at LED source.

** Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

Technical Overview

Thread internals

- Advanced on-board IC direct drive technology
- No external driver required
- No capacitor = greater reliability and longer life
- Reduced size

Linear lighting continuity

- Custom PCB (printed circuit board) layout and fixture body design maintain LED package spacing as LED fixtures are joined together


Removable diffuser lens (included)

- Softens visual glare
- Reduced refl ectivity of LEDs from polished surfaces
- With lens removed lumen output increases by approximately 15%

Patented IC Direct Drive Circuitry




Consistent 0.5" LED Package Spacing



LED Packages

Removable diffuser




Advanced color management

It's what makes Thread different.

- The ANSI range of 2700K is divided into 12 ranks.
- Our LED Packages only use 9 of the 12 ranks within the ANSI standard
- Without the MRM procedure, the CCT may be spread over the range inside the blue diamond.
- After MRM, the range of CCT will shrink to within the green diamond
- The Thread system, uses only 6 ranks and blends those ranks, so that the actual CCT range is much smaller and is similar to a 5-step McAdam ellipse. Ranking falls within the black dashed diamond

MRM (Multi- Rank Mix) Diagram






Item#	Description	Color
63-301	10' switched power cord & plug	White
63-314	Hardwire Junction Box with On/Off Rocker Switch	White
63-315	Hardwire Junction Box (no switch)	White
63-302	Direct Connector	White
63-303	2" Connecting cable	White
63-304	6" Connecting cable	White
63-305	12" Connecting cable	White
63-306	18" Connecting cable	White
63-307	24" Connecting cable	White
63-309	Cable Splitter	White
63-311	Female to Female Coupler	White

Optional Power Accessories

Junction Box Features

- Available with and without on/off side mounted rocker switch
- Supplied with 1/4" Romex connectors and rubber hole plugs
- Approved for branch circuit wiring
- Accepts 14/3 wire
- 1/2" Knockouts on back of box
- Female power connector located on side of box




63-301
10' Switched power cord & plug



63-314
Hardwire junction box
(with ON/OFF rocker switch)

Female power connection






63-315
Hardwire junction box
(no switch)

Optional Connection Accessories



Direct connector
Power feed installation



Cable connector
Power feed installation



63-302
Direct connector



63-303 2" Connecting cable
63-304 6" Connecting cable
63-305 12" Connecting cable
63-306 18" Connecting cable
63-307 24" Connecting cable



63-309
Cable splitter



63-311
Female to female coupler

LED TRACK HEADS

White, Black or Brushed Nickel in 24° or 36° beam angles



DIMMABLE



TH401, TH403



TH405, TH407



TH402, TH404

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH401	Round 24°	White	LED	12	75W	•	3"	2 ¼"	5 ⅛"	3000K	1,020*	90	Dry
TH402	Round 24°	Black	LED	12	75W	•	3"	2 ¼"	5 ⅛"	3000K	1,020*	90	Dry
TH403	Round 36°	White	LED	12	75W	•	3"	2 ¼"	5 ⅛"	3000K	1,020*	90	Dry
TH404	Round 36°	Black	LED	12	75W	•	3"	2 ¼"	5 ⅛"	3000K	1,020*	90	Dry
TH405	Round 24°	Brushed Nickel	LED	12	75W	•	3"	2 ¼"	5 ⅛"	3000K	1,020*	90	Dry
TH407	Round 36°	Brushed Nickel	LED	12	75W	•	3"	2 ¼"	5 ⅛"	3000K	1,020*	90	Dry
TH411	Pinch Back 24°	White	LED	12	75W	•	2 ¾"	2 ¾"	5 ⅝"	3000K	1,020*	90	Dry
TH412	Pinch Back 24°	Black	LED	12	75W	•	2 ¾"	2 ¾"	5 ⅝"	3000K	1,020*	90	Dry
TH413	Pinch Back 36°	White	LED	12	75W	•	2 ¾"	2 ¾"	5 ⅝"	3000K	1,020*	90	Dry
TH414	Pinch Back 36°	Black	LED	12	75W	•	2 ¾"	2 ¾"	5 ⅝"	3000K	1,020*	90	Dry
TH415	Pinch Back 24°	Brushed Nickel	LED	12	75W	•	2 ¾"	2 ¾"	5 ⅝"	3000K	1,020*	90	Dry
TH417	Pinch Back 36°	Brushed Nickel	LED	12	75W	•	2 ¾"	2 ¼"	5 ⅛"	3000K	1,020*	90	Dry

*Lumens measured at LED source.

3 Conductor "H" type system.




TH411, TH413



TH415, TH417



TH412, TH414



LED TRACK HEADS

White, Black or Brushed Nickel in 24° or 36° beam angles

DIMMABLE



TH421, TH423



TH425, TH427



TH422, TH424

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH421	Angle Arm 24°	White	LED	12	75W	•	2 ½"	2 ⅜"	6 ¼"	3000K	1,020*	90	Dry
TH422	Angle Arm 24°	Black	LED	12	75W	•	2 ½"	2 ⅜"	6 ¼"	3000K	1,020*	90	Dry
TH423	Angle Arm 36°	White	LED	12	75W	•	2 ½"	2 ⅜"	6 ¼"	3000K	1,020*	90	Dry
TH424	Angle Arm 36°	Black	LED	12	75W	•	2 ½"	2 ⅜"	6 ¼"	3000K	1,020*	90	Dry
TH425	Angle Arm 24°	Brushed Nickel	LED	12	75W	•	2 ½"	2 ⅜"	6 ¼"	3000K	1,020*	90	Dry
TH427	Angle Arm 36°	Brushed Nickel	LED	12	75W	•	2 ½"	2 ⅜"	6 ¼"	3000K	1,020*	90	Dry
TH431	Barrel 24°	White	LED	12	75W	•	2 ¼"	3 ¼"	5"	3000K	1,020*	90	Dry
TH432	Barrel 24°	Black	LED	12	75W	•	2 ¼"	3 ¼"	5"	3000K	1,020*	90	Dry
TH433	Barrel 36°	White	LED	12	75W	•	2 ¼"	3 ¼"	5"	3000K	1,020*	90	Dry
TH434	Barrel 36°	Black	LED	12	75W	•	2 ¼"	3 ¼"	5"	3000K	1,020*	90	Dry
TH435	Barrel 24°	Brushed Nickel	LED	12	75W	•	2 ¼"	3 ¼"	5"	3000K	1,020*	90	Dry
TH437	Barrel 36°	Brushed Nickel	LED	12	75W	•	2 ¼"	3 ¼"	5"	3000K	1,020*	90	Dry

*Lumens measured at LED source.

3 Conductor "H" type system.



TH431, TH433



TH435, TH437



TH432, TH434

LED
TRACK HEADS

White, Black or Brushed Nickel in 24° or 36° beam angles



DIMMABLE



TH441, TH443



TH445, TH447



TH442, TH444

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH441	Pipe 24°	White	LED	12	75W	•	2 ⅜"	2 ⅜"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH442	Pipe 24°	Black	LED	12	75W	•	2 ⅜"	2 ⅜"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH443	Pipe 36°	White	LED	12	75W	•	2 ⅜"	2 ⅜"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH444	Pipe 36°	Black	LED	12	75W	•	2 ⅜"	2 ⅜"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH445	Pipe 24°	Brushed Nickel	LED	12	75W	•	2 ⅜"	2 ⅜"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH447	Pipe 36°	Brushed Nickel	LED	12	75W	•	2 ⅜"	2 ⅜"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH451	Taper Back 24°	White	LED	12	75W	•	2 ¹³⁄₁₆"	3 ¼"	5 ¼"	3000K	1,020*	90	Dry
TH452	Taper Back 24°	Black	LED	12	75W	•	2 ¹³⁄₁₆"	3 ¼"	5 ¼"	3000K	1,020*	90	Dry
TH453	Taper Back 36°	White	LED	12	75W	•	2 ¹³⁄₁₆"	3 ¼"	5 ¼"	3000K	1,020*	90	Dry
TH454	Taper Back 36°	Black	LED	12	75W	•	2 ¹³⁄₁₆"	3 ¼"	5 ¼"	3000K	1,020*	90	Dry
TH455	Taper Back 24°	Brushed Nickel	LED	12	75W	•	2 ¹³⁄₁₆"	3 ¼"	5 ¼"	3000K	1,020*	90	Dry
TH457	Taper Back 36°	Brushed Nickel	LED	12	75W	•	2 ¹³⁄₁₆"	3 ¼"	5 ¼"	3000K	1,020*	90	Dry

*Lumens measured at LED source.

3 Conductor "H" type system.



TH451, TH453



TH455, TH457



TH452, TH454

LED TRACK HEADS

White, Black or Brushed Nickel in 24° or 36° beam angles



DIMMABLE



TH461, TH463



TH465, TH467



TH462, TH464

Item#	Description	Finish	Light Source	Watts	Incand. Equiv.	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH461	Square 24°	White	LED	12	75W	•	2 ⅜"	2 ¾"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH462	Square 24°	Black	LED	12	75W	•	2 ⅜"	2 ¾"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH463	Square 36°	White	LED	12	75W	•	2 ⅜"	2 ¾"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH464	Square 36°	Black	LED	12	75W	•	2 ⅜"	2 ¾"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH465	Square 24°	Brushed Nickel	LED	12	75W	•	2 ⅜"	2 ¾"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH467	Square 36°	Brushed Nickel	LED	12	75W	•	2 ⅜"	2 ¾"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH471	Small Cylinder 24°	White	LED	12	75W	•	2 ³⁄₁₆"	3 ½"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH472	Small Cylinder 24°	Black	LED	12	75W	•	2 ³⁄₁₆"	3 ½"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH473	Small Cylinder 36°	White	LED	12	75W	•	2 ³⁄₁₆"	3 ½"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH474	Small Cylinder 36°	Black	LED	12	75W	•	2 ³⁄₁₆"	3 ½"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH475	Small Cylinder 24°	Brushed Nickel	LED	12	75W	•	2 ³⁄₁₆"	3 ½"	5 ³⁄₁₆"	3000K	1,020*	90	Dry
TH477	Small Cylinder 36°	Brushed Nickel	LED	12	75W	•	2 ³⁄₁₆"	3 ½"	5 ³⁄₁₆"	3000K	1,020*	90	Dry

*Lumens measured at LED source.

3 Conductor "H" type system.



TH471, TH473



TH475, TH477



TH472, TH474

LED
4' TRACK KITS

White, Black or Brushed Nickel in 36° beam angles




DIMMABLE

Kits Include

- 4' track with end caps
- 3 Track heads
- Floating canopy power feed
- All necessary mounting hardware



3 Conductor "H" type connector



Track with end cap removed



TK403



TK407



TK404

Item#	Description	Finish	Light Source	Tot. Watts	Incand. Equiv.	Track Length	Head Width	Head Height	Head Ext.	CCT	Tot. Lumens	CRI	Cert. Type
TK403	Round 36°	White	LED	36	3x75W	48"	3"	2 ¼"	5 ⅛"	3000K	3,060*	90	Dry
TK404	Round 36°	Black	LED	36	3x75W	48"	3"	2 ¼"	5 ⅛"	3000K	3,060*	90	Dry
TK407	Round 36°	Brushed Nickel	LED	36	3x75W	48"	3"	2 ¼"	5 ⅛"	3000K	3,060*	90	Dry
TK413	Pinch Back 36°	White	LED	36	3x75W	48"	2 ¾"	2 ¾"	5 ⅝"	3000K	3,060*	90	Dry
TK414	Pinch Back 36°	Black	LED	36	3x75W	48"	2 ¾"	2 ¾"	5 ⅝"	3000K	3,060*	90	Dry
TK417	Pinch Back 36°	Brushed Nickel	LED	36	3x75W	48"	2 ¾"	2 ¾"	5 ⅝"	3000K	3,060*	90	Dry
TK423	Angle Arm 36°	White	LED	36	3x75W	48"	2 ½"	2 ⅜"	6 ¼"	3000K	3,060*	90	Dry
TK424	Angle Arm 36°	Black	LED	36	3x75W	48"	2 ½"	2 ⅜"	6 ¼"	3000K	3,060*	90	Dry
TK427	Angle Arm 36°	Brushed Nickel	LED	36	3x75W	48"	2 ½"	2 ⅜"	6 ¼"	3000K	3,060*	90	Dry

*Lumens measured at LED source.

3 Conductor "H" type system.



TK413



TK417



TK414



TK423



TK427



TK424

4' TRACK KITS

4 Ft. Linear Track Kits Include:
- (1) Four foot track
- (3) Track lighting heads
- (1) Floating power feed canopy kit
- All necessary mounting hardware
- Four color display carton



PAR30 Gimbal Ring

(3) PAR30 (Shortneck) 75W max. / Medium Base

TK316 White



TK317 Black
TK343 Brushed Nickel
TK362 Russet Bronze



R30 Straight Cylinder

(3) R30/PAR30 (Longneck) 75W max. / Medium Base

TK318 White



TK319 Black
TK341 Brushed Nickel



R30 Step Cylinder

(3) R30/PAR30 (Longneck) 75W max. / Medium Base

TK320 White



TK321 Black
TK340 Brushed Nickel
TK361 Russet Bronze



R30 Bullet Cylinder

(3) R30/PAR30 (Longneck) 75W max. / Medium Base

TK322 White



TK323 Black
TK342 Brushed Nickel

Linear track kits supplied with floating canopy kit.







MR16 Square

(3) 50W MR16 / GU10 base 120V max.

TK345 White

TK346 Black
TK347 Brushed Nickel






MR16 Round Back

(3) 50W MR16 / GU10 base 120V max.

TK348 White

TK349 Black
TK354 Brushed Nickel





MR16 Gimbal Ring

(3) 50W MR16 / GU10 base 120V max.

TK355 White

TK352 Black
TK353 Brushed Nickel





12V MR16 Square

(3) 50W MR16 / GX5.3 base 12V max.

TK310 White

TK315 Black

TRACK HEADS

R20 Step Cylinder

Dimensions: Height 5 ¼ ,"Width 3 ½", Extension 7 ½"
(1) R20/PAR20 50W max. / Medium Base
TH204 White
TH205 Black
TH303 Brushed Nickel
TH341 Russet Bronze (shown)



R20 Straight Cylinder

Dimensions: Height 6 ½ ,"Width 4 ¼ ,"Extension 9 ½"
(1) R20/PAR20 50W max. / Medium Base
TH200 White
TH201 Black
TH307 Brushed Nickel (shown)
TH343 Russet Bronze



R20 Bullet Cylinder

Dimensions: Height 6", Width 3 ½ ,"Extension 8"
(1) R20/PAR20 50W max. / Medium Base
TH208 White
TH209 Black (shown)
TH305 Brushed Nickel
TH345 Russet Bronze



R30 Step Cylinder

Dimensions: Height 6 ½ ,"Width 4 ½ ,"Extension 8 ½"
(1) R30/PAR30 75W max. (Long Neck) / Medium Base
TH206 White
TH207 Black
TH304 Brushed Nickel (shown)
TH342 Russet Bronze



R30 Straight Cylinder

Dimensions: Height 7", Width 4 ½ ,"Extension 9 ½ "
(1) R30/PAR30 75W max. (Long Neck) / Medium Base
TH202 White
TH203 Black
TH308 Brushed Nickel
TH344 Russet Bronze (shown)



R30 Bullet Cylinder

Dimensions: Height 7", Width 4 ½ ,"Extension 9"
(1) R30/PAR30 75W max. (Long Neck) / Medium Base
TH210 White (shown)
TH211 Black
TH306 Brushed Nickel
TH346 Russet Bronze



PAR20 Short Bullet Cylinder

Dimensions: Height 4 ½ ,"Width 3 ½ ,"Extension 7"
(1) PAR20 50W max. / Medium Base
TH216 White (shown)
TH217 Black



PAR30 Short Bullet Cylinder

Dimensions: Height 5⅛ , Width 4½", Extension 8"
(1) PAR30 75W max. / (short neck) Medium Base
TH218 White
TH219 Black (shown)



PAR20 Gimbal Ring

Dimensions: Height 4½ , Width 2¾", Extension 6¾"
(1) PAR20 50W max. / Medium Base
TH220 White
TH221 Black
TH300 Brushed Nickel (shown)
TH347 Russet Bronze



PAR30 Gimbal Ring

Dimensions: Height 4¾", Width 4", Extension 10½"
(1) PAR30 75W max. / (short neck) Medium Base
TH222 White (shown)
TH223 Black
TH301 Brushed Nickel
TH348 Russet Bronze



TRACK HEADS

PAR38 Gimbal Ring

Dimensions: Height 6¼", Width 5", Extension 10½"

(1) PAR20 50W max. / Medium Base

TH224 White

TH225 Black (shown)

TH302 Brushed Nickel

TH349 Russet Bronze



PAR30 Euro Style

Dimensions: Height 7½ , Width 4½ , Extension 8½"

(1) PAR30 75W max. / (short neck) Medium Base

TH332 White

TH333 Black

TH331 Brushed Nickel (shown)



R40 Straight Cylinder

Dimensions: Height 8", Width 5½ , Extension 12"

(1) 150W BR40/PAR38/BR38 max. / Medium Base

TH283 White (shown)

TH284 Black



Universal Holder

Dimensions: Height 4¾", Width 2", Extension 7" (without lamp)

(1) R20/BR30/BR40/PAR20 /PAR30/PAR38 150W.max. / Medium Base

TH226 White

TH227 Black

TH324 Brushed Nickel (shown)



Mini Universal Holder

Dimensions: Height 4¾", Width 2", Extension 7" (without lamp)

(1) R20/BR30/BR40/PAR20 /PAR30/ PAR38 150W.max. / Medium Base

TH279 White

TH280 Black (shown)



MR16 Square

Dimensions: Height 3¼", Width 2¼", Extension 6½"
(1) 50W MR16 / GU10 base 120V max.
TH312 White
TH313 Black (shown)
TH314 Brushed Nickel



MR16 Roundback

Dimensions: Height 3¼", Width 2¼", Extension 6½"
(1) 50W MR16 / GU10 base 120V max.
TH315 White
TH316 Black
TH317 Brushed Nickel (shown)
TH351 Russet Bronze



MR16 Gimbal Ring

Dimensions: Height 2¼", Width 2", Extension 4½"
(1) 50W MR16 / GU10 base 120V max.
TH321 White
TH322 Black
TH323 Brushed Nickel
TH352 Russet Bronze (shown)



12V MR16 Square

Dimensions: Height 3¼", Width 2¼", Extension 6½"
(1) 50W MR16 12V max. / GX5.3 Base
TH232 White (shown)
TH233 Black



12V MR16 Round

Dimensions: Height 3¼", Width 2¼", Extension 6½"
(1) 50W MR16 12V max. / GX5.3 Base
TH234 White
TH235 Black (shown)



12V MR16 Gimbal Ring

Dimensions: Height 2¼", Width 2", Extension 6½"
(1) 50W MR16 12V max. / GX5.3 Base
TH238 White (shown)
TH239 Black



TRACK & ACCESSORIES



Track Power Feeds & Connectors



Floating Canopy
Electrifies the track anywhere along the length of the run

TP154 White
TP155 Black
TP202 Brown



Conduit Live End
Electrifies the track from the end of the run to a conduit pipe

TP169 White
TP170 Black
TP203 Brown



Live End and Canopy
Electrifies the track from the end of the run

TP152 White
TP153 Black
TP204 Brown




Inline Feed
Connects tracks in a straight run and supplies power

TP171 White
TP172 Black
TP211 Brown




Straight Connector
Connects tracks in a straight run

TP144 White
TP145 Black
TP205 Brown



"L" Connector
Connects tracks at a 90° angle

TP146 White
TP147 Black
TP208 Brown



"T" Connector
Connects three tracks together in a "T" shape pattern

TP148 White
TP149 Black
TP207 Brown



"X" Connector
Connects four tracks together in an "X" shape pattern

TP150 White
TP151 Black
TP206 Brown



Flexible Connector
Variable angle connector

TP167 White
TP168 Black
TP209 Brown



Live End Cord Kit
Electrifies the track from the end of the run, supplied with 15' of two conductor wire and line switch

TP156 White
TP157 Black
TP201 Brown



Pendant Track Adapter
Connects pendant (corded) to track.

- Supports up to 10 lbs max
- For SVT 18/3 wire

TP231 White
TP232 Black
TP233 Brown


Item#	Description	Finish	Length	Width	Height	Cert.
TR118	**2 Foot Track**, 2 dead end caps, all mounting hardware	White	24"	1 5⁄16"	5⁄8"	Dry
TR119	**2 Foot Track**, 2 dead end caps, all mounting hardware	Black	24"	1 5⁄16"	5⁄8"	Dry
TR120	**4 Foot Track**, 2 dead end caps, all mounting hardware	White	48"	1 5⁄16"	5⁄8"	Dry
TR121	**4 Foot Track**, 2 dead end caps, all mounting hardware	Black	48"	1 5⁄16"	5⁄8"	Dry
TR122	**8 Foot Track**, 2 dead end caps, all mounting hardware	White	96"	1 5⁄16"	5⁄8"	Dry
TR123	**8 Foot Track**, 2 dead end caps, all mounting hardware	Black	96"	1 5⁄16"	5⁄8"	Dry
TR124	**6 Foot Track**, 2 dead end caps, all mounting hardware	White	72"	1 5⁄16"	5⁄8"	Dry
TR125	**6 Foot Track**, 2 dead end caps, all mounting hardware	Black	72"	1 5⁄16"	5⁄8"	Dry
TR126	**2 Foot Track**, 2 dead end caps, all mounting hardware	Brushed Nickel	24"	1 5⁄16"	5⁄8"	Dry
TR127	**4 Foot Track**, 2 dead end caps, all mounting hardware	Brushed Nickel	48"	1 5⁄16"	5⁄8"	Dry
TR128	**6 Foot Track**, 2 dead end caps, all mounting hardware	Brushed Nickel	72"	1 5⁄16"	5⁄8"	Dry
TR129	**8 Foot Track**, 2 dead end caps, all mounting hardware	Brushed Nickel	96"	1 5⁄16"	5⁄8"	Dry
TR131	**2 Foot Track**, 2 dead end caps, all mounting hardware	Russet Bronze	24"	1 5⁄16"	5⁄8"	Dry
TR132	**4 Foot Track**, 2 dead end caps, all mounting hardware	Russet Bronze	48"	1 5⁄16"	5⁄8"	Dry
TR133	**6 Foot Track**, 2 dead end caps, all mounting hardware	Russet Bronze	72"	1 5⁄16"	5⁄8"	Dry
TR134	**8 Foot Track**, 2 dead end caps, all mounting hardware	Russet Bronze	96"	1 5⁄16"	5⁄8"	Dry

Tracks

Includes two dead end caps and all mounting hardware.



Used with 3 Conductor "H" type connector



Track with end cap removed





White Baffle

Replaces standard black baffle

TP180 White, for R20 or PAR20 round cylinders

TP181 White, for R30, BR30 or PAR 30 round cylinders



Line Voltage (120V) Monopoint Adapters

Individually mounts a single track head to a junction box

TP142 White
TP143 Black

Extensions

Lowers track heads to desired height

Size	White	Black
18 IN	**TP159**	**TP163**
24 IN	**TP160**	**TP164**
36 IN	**TP161**	**TP165**
48 IN	**TP162**	**TP166**



Low Voltage (12V) Monopoint Adapters

Offset monopoint for low voltage track heads

TP176 White
TP177 Black



TP159 18" extension shown with PAR38 track head and 120V monopoint adapter



24" Pendant Suspension Kit

Kit Includes: canopy, stem, support and power feed accessories

TP178 White
TP179 Black

INDEX

25-1200 555
25-1203 555
25-1204 555
25-1205 555
25-1206 555
25-1207 555
25-1208 555
25-4023 555
25-4024 555
25-4026 555
25-4091 . . . . . 295, 297
25-4908 555
25-5605 555
25-5615 555
25-5635 555
25-5645 555
25-5655 555
50-780 555
50-781 555
50-782 555
50-783 555
50-784 555
50-785 555
50-786 555
50-787 555
60-044 432
60-181 359
60-182 359
60-183 360
60-184 360
60-185 361
60-186 361
60-187 361
60-188 361
60-189 358
60-190 358
60-191 359
60-192 359
60-197 368
60-198 368
60-199 368
60-200 364
60-201 364
60-202 364
60-203 396
60-204 396
60-205 370
60-206 370
60-207 370
60-208 365
60-209 365
60-210 365
60-211 397
60-212 397
60-213 372
60-214 372
60-215 372
60-221 373
60-222 373
60-223 373
60-245 389
60-247 389
60-255 381
60-257 380
60-259 380
60-270 380
60-271 380
60-272 380
60-273 380
60-274 381
60-275 381
60-276 381
60-277 381
60-280 370
60-281 370
60-282 370
60-283 368
60-284 368
60-285 368
60-290 413
60-291 406
60-292 408
60-293 411
60-294 412
60-295 390
60-296 427
60-297 427
60-298 427
60-299 427
60-300 422
60-301 422
60-302 422
60-303 422
60-304 423
60-305 423
60-306 423
60-307 423
60-308 425
60-309 425
60-310 425
60-311 425
60-312 426
60-313 426
60-314 426
60-315 426
60-316 413
60-317 413
60-318 413
60-319 413
60-320 406
60-321 406
60-322 406
60-323 406
60-324 408
60-325 408
60-326 408
60-327 408
60-328 411
60-329 411
60-330 411
60-331 411
60-332 412
60-333 412
60-334 412
60-335 412
60-336 421
60-337 421
60-338 421
60-339 421
60-340 414
60-341 414
60-342 414
60-343 414
60-344 416
60-345 416
60-346 416
60-347 416
60-348 419
60-349 419
60-350 419
60-351 419
60-352 420
60-353 420
60-354 420
60-355 420
60-356 357
60-357 358
60-358 356
60-359 358
60-360 357
60-362 356
60-365 402
60-366 402
60-367 403
60-368 403
60-370 400
60-371 400
60-378 260
60-380 260
60-381 261
60-382 262
60-383 263
60-384 263
60-385 261
60-386 260
60-387 263
60-388 263
60-390 398
60-391 398
60-392 399
60-393 399
60-394 398
60-395 398
60-470 546
60-471 546
60-472 546
60-473 546
60-487 535
60-488 535
60-489 535
60-516 540
60-517 540
60-518 541
60-519 541
60-520 539
60-521 539
60-522 539
60-523 539
60-524 539
60-525 539
60-526 540
60-527 540
60-528 541
60-529 541
60-530 540
60-531 540
60-532 541
60-533 541
60-534 538
60-535 538
60-536 538
60-537 538
60-538 538
60-539 538
60-540 534
60-541 534
60-542 534
60-546 535
60-547 535
60-548 535
60-607 178
60-608 178
60-609 178
60-610 178
60-611 179
60-612 179
60-613 179
60-614 179
60-615 179
60-630 536
60-631 536
60-632 536
60-633 536
60-634 536
60-635 536
60-636 537
60-637 537
60-638 537
60-639 537
60-640 537
60-641 537
60-673 554
60-674 554
60-675 554
60-676 554
60-677 554
60-678 554
60-679 554
60-680 554
60-712 390
60-885 530
60-886 530
60-887 530
60-888 528
60-889 528
60-890 528
60-891 529
60-892 529
60-893 529
60-894 531
60-895 531
60-896 531
60-897 531
60-898 531
60-899 531
60-985 532
60-986 532
60-987 532
60-988 532
60-989 532
60-990 532
60-991 533
60-992 533
60-993 533
60-994 533
60-995 533
60-996 533
60-1021 256

60-1023 256
60-1024 257
60-1025 257
60-1026 258
60-1027 258
60-1028 257
60-1029 256
60-1031 259
60-1032 259
60-1035 259
60-1036 259
60-1037 258
60-1038 258
60-1251 361
60-1252 361
60-1255 372
60-1256 372
60-1257 372
60-1264 410
60-1265 410
60-1266 410
60-1267 410
60-1268 410
60-1269 418
60-1271 418
60-1272 418
60-1273 418
60-1274 356
60-1276 399
60-1277 403
60-1279 381
60-1284 424
60-1285 424
60-1286 424
60-1287 424
60-1290 363
60-1291 363
60-1298 363
60-1701 264
60-1702 264
60-1703 265
60-1707 265
60-1708 264
60-1709 265
60-1711 265
60-1821 354
60-1822 354
60-1823 354
60-1824 367
60-1825 367
60-1826 367
60-1827 366
60-1828 396
60-1829 396
60-1831 402
60-1832 404
60-1833 404
60-1834 404
60-1835 404
60-1841 355
60-1842 355
60-1843 355
60-1844 367
60-1845 367
60-1846 367
60-1847 366
60-1848 396
60-1849 396
60-1851 402
60-1852 405
60-1853 405
60-1854 405
60-1855 405
60-2641 387
60-2642 387
60-2643 387
60-2644 387
60-2645 387
60-2646 387
60-2851 171
60-2853 170
60-2855 168
60-2857 169
60-2859 169
60-2862 169
60-2864 169
60-2866 170
60-2868 171
60-2871 171
60-2873 171
60-2875 171
60-2932 295
60-2934 294
60-2936 294
60-2938 294
60-2971 175
60-2972 175
60-2973 175
60-2974 175
60-2975 174
60-2976 175
60-2977 174
60-2978 173
60-2979 172
60-2981 173
60-2982 173
60-2983 173
60-3141 360
60-3142 360
60-3143 359
60-3144 359
60-3145 371
60-3146 371
60-3147 371
60-3148 365
60-3149 365
60-3151 365
60-3152 397
60-3153 397
60-3155 409
60-3161 409
60-3162 409
60-3163 409
60-3164 409
60-3165 417
60-3166 417
60-3167 417
60-3168 417
60-3169 356
60-3171 356
60-3172 402
60-3173 399
60-3174 399
60-3175 371
60-3176 371
60-3177 371
60-3240 360
60-3241 360
60-3242 358
60-3243 358
60-3244 364
60-3245 364
60-3246 364
60-3247 397
60-3248 397
60-3249 389
60-3255 357
60-3256 357
60-3257 402
60-3258 398
60-3259 398
60-3261 369
60-3262 369
60-3263 369
60-3264 415
60-3265 415
60-3266 415
60-3271 369
60-3272 369
60-3273 369
60-3277 415
60-3278 407
60-3279 407
60-3281 407
60-3282 407
60-3283 407
60-4001 163
60-4002 163
60-4003 163
60-4004 163
60-4005 162
60-4006 162
60-4007 162
60-4009 163
60-4081 161
60-4082 161
60-4083 161
60-4084 161
60-4085 160
60-4086 160
60-4087 160
60-4088 160
60-4091 161
60-4141 151
60-4142 151
60-4143 151
60-4144 151
60-4145 149
60-4146 149
60-4147 150
60-4148 148
60-4149 148
60-4151 149
60-4152 150
60-4153 150
60-4154 150
60-4181 167
60-4182 167
60-4183 167
60-4184 167
60-4185 164
60-4186 164
60-4187 166
60-4188 166
60-4191 165
60-4192 165
60-4193 165
60-4194 165
60-4261 147
60-4262 147
60-4263 147
60-4264 147
60-4265 145
60-4266 145
60-4267 144
60-4268 145
60-4269 144
60-4271 146
60-4272 146
60-4273 146
60-4431 122
60-4433 122
60-4436 123
60-4437 123
60-4438 123
60-4439 123
60-4441 120
60-4443 120
60-4446 121
60-4447 121
60-4448 121
60-4449 121
60-4454 125
60-4458 125
60-4459 125
60-4464 124
60-4468 124
60-4469 124
60-4581 159
60-4582 159
60-4583 159
60-4584 159
60-4585 156
60-4586 156
60-4587 158
60-4588 158
60-4591 157
60-4592 157
60-4593 157
60-4620 103
60-4621 105
60-4622 105
60-4623 105
60-4624 103
60-4625 104
60-4626 103
60-4627 105
60-4628 104
60-4629 105
60-4630 102
60-4641 177
60-4642 177
60-4643 177
60-4644 177
60-4645 176
60-4647 176
60-4648 176
60-4651 177

INDEX

60-4652 177
60-4681 183
60-4682 183
60-4683 183
60-4684 183
60-4685 182
60-4686 181
60-4687 182
60-4688 182
60-4689 180
60-4691 181
60-4692 181
60-4720 107
60-4721 109
60-4722 109
60-4723 109
60-4724 107
60-4725 108
60-4726 107
60-4727 109
60-4728 108
60-4729 109
60-4730 106
60-4731 129
60-4732 129
60-4733 129
60-4734 129
60-4735 128
60-4736 127
60-4737 127
60-4738 128
60-4739 126
60-4741 127
60-4751 115
60-4752 115
60-4753 115
60-4754 115
60-4755 114
60-4756 113
60-4757 114
60-4758 113
60-4759 112
60-4761 113
60-4801 391
60-4802 391
60-4803 391
60-4804 391
60-4851 119
60-4852 119
60-4853 119
60-4854 119
60-4855 118
60-4856 117
60-4857 118
60-4858 117
60-4859 116
60-4861 117
60-4901 518
60-4902 518
60-4903 518
60-4904 518
60-4905 518
60-4906 518
60-4907 519
60-4908 519
60-4909 519
60-4911 519
60-4912 519
60-4913 519
60-4921 520
60-4922 520
60-4923 520
60-4924 520
60-4925 520
60-4926 520
60-4927 521
60-4928 521
60-4929 521
60-4931 521
60-4932 521
60-4933 521
60-4951 527
60-4952 527
60-4953 527
60-4954 527
60-4955 527
60-4956 527
60-4957 526
60-4958 526
60-4959 526
60-4961 524
60-4962 524
60-4963 524
60-4964 524
60-4965 524
60-4966 524
60-4967 522
60-4968 522
60-4969 522
60-4971 523
60-4972 523
60-4973 523
60-4974 525
60-4975 525
60-4976 525
60-4977 525
60-4978 525
60-4979 525
60-5031 235
60-5032 235
60-5033 235
60-5034 235
60-5035 233
60-5036 232
60-5037 234
60-5038 234
60-5039 232
60-5041 234
60-5042 233
60-5043 233
60-5044 234
60-5101 153
60-5102 153
60-5103 153
60-5104 152
60-5105 153
60-5106 153
60-5107 152
60-5108 152
60-5131 239
60-5132 239
60-5133 239
60-5134 239
60-5135 237
60-5136 236
60-5137 238
60-5138 238
60-5139 236
60-5141 238
60-5142 237
60-5143 237
60-5144 238
60-5171 336
60-5172 336
60-5173 336
60-5174 336
60-5177 338
60-5178 338
60-5181 337
60-5182 337
60-5183 337
60-5184 337
60-5187 339
60-5188 339
60-5201 131
60-5202 131
60-5203 131
60-5204 131
60-5205 130
60-5206 130
60-5207 130
60-5261 48
60-5262 48
60-5263 48
60-5264 48
60-5265 48
60-5301 133
60-5302 133
60-5303 133
60-5304 133
60-5305 132
60-5306 132
60-5307 132
60-5329 185
60-5331 184
60-5332 185
60-5333 185
60-5334 184
60-5335 186
60-5336 187
60-5337 187
60-5338 186
60-5339 187
60-5361 49
60-5362 49
60-5363 49
60-5364 49
60-5365 49
60-5372 147
60-5373 162
60-5374 433
60-5375 433
60-5376 433
60-5377 433
60-5378 432
60-5379 432
60-5381 432
60-5382 432
60-5383 433
60-5384 432
60-5401 62
60-5402 64
60-5403 65
60-5404 64
60-5405 65
60-5406 63
60-5407 62
60-5408 62
60-5409 63
60-5411 62
60-5412 64
60-5413 65
60-5414 64
60-5415 65
60-5416 63
60-5450 140
60-5451 141
60-5452 141
60-5453 141
60-5454 141
60-5455 141
60-5456 140
60-5457 140
60-5458 140
60-5460 140
60-5471 137
60-5472 137
60-5473 137
60-5474 137
60-5475 136
60-5476 136
60-5477 136
60-5478 137
60-5486 366
60-5491 155
60-5492 155
60-5493 155
60-5494 155
60-5495 154
60-5496 154
60-5497 155
60-5498 155
60-5499 154
60-5501 66
60-5502 68
60-5503 69
60-5504 68
60-5505 69
60-5506 67
60-5507 66
60-5508 66
60-5509 67
60-5511 66
60-5512 68
60-5513 69
60-5514 68
60-5515 69
60-5516 67
60-5541 61
60-5542 61
60-5543 61
60-5544 60
60-5545 60
60-5546 60
60-5547 61
60-5548 61
60-5550 142
60-5551 143

60-5552 143
60-5553 143
60-5554 143
60-5555 143
60-5556 142
60-5557 142
60-5558 142
60-5560 142
60-5571 139
60-5572 139
60-5573 139
60-5574 139
60-5575 138
60-5576 138
60-5577 138
60-5578 139
60-5586 366
60-5590 225
60-5591 227
60-5592 227
60-5593 227
60-5594 227
60-5595 226
60-5596 226
60-5597 225
60-5599 224
60-5600 225
60-5601 512
60-5602 512
60-5603 512
60-5604 513
60-5605 513
60-5606 513
60-5611 510
60-5612 510
60-5613 510
60-5614 511
60-5615 511
60-5616 511
60-5621 508
60-5622 508
60-5623 508
60-5624 509
60-5625 509
60-5626 509
60-5641 506
60-5642 506
60-5643 506
60-5644 507
60-5645 507
60-5646 507
60-5651 504
60-5652 504
60-5653 504
60-5654 505
60-5655 505
60-5656 505
60-5671 492
60-5672 492
60-5673 492
60-5674 493
60-5675 493
60-5676 493
60-5690 229
60-5691 231
60-5692 231
60-5693 231
60-5694 231
60-5695 230
60-5696 230
60-5697 229
60-5699 228
60-5700 229
60-5711 70
60-5712 70
60-5713 70
60-5715 70
60-5721 71
60-5722 71
60-5723 71
60-5725 71
60-5761 74
60-5762 74
60-5763 75
60-5764 74
60-5765 75
60-5766 75
60-5767 75
60-5771 76
60-5772 76
60-5773 77
60-5774 76
60-5775 77
60-5776 77
60-5777 77
60-5791 57
60-5792 57
60-5793 57
60-5794 56
60-5795 57
60-5800 240
60-5801 243
60-5802 243
60-5803 243
60-5804 242
60-5805 241
60-5806 242
60-5807 242
60-5808 242
60-5809 240
60-5821 251
60-5822 251
60-5823 251
60-5824 250
60-5825 248
60-5826 250
60-5827 250
60-5828 250
60-5829 248
60-5831 490
60-5832 490
60-5833 490
60-5834 491
60-5835 491
60-5836 491
60-5837 304
60-5838 304
60-5839 304
60-5841 100
60-5842 101
60-5843 100
60-5844 101
60-5847 305
60-5848 305
60-5849 305
60-5851 83
60-5852 82
60-5853 83
60-5854 82
60-5855 83
60-5856 81
60-5857 80
60-5858 81
60-5859 80
60-5860 81
60-5871 243
60-5872 241
60-5874 251
60-5875 249
60-5876 249
60-5877 249
60-5881 92
60-5882 93
60-5883 92
60-5884 93
60-5885 93
60-5886 94
60-5887 95
60-5888 94
60-5889 95
60-5890 95
60-5891 54
60-5892 55
60-5893 55
60-5894 55
60-5895 54
60-5896 98
60-5897 99
60-5898 98
60-5899 99
60-5900 244
60-5901 247
60-5902 247
60-5903 247
60-5904 246
60-5905 245
60-5906 246
60-5907 246
60-5908 246
60-5909 244
60-5921 255
60-5922 255
60-5923 255
60-5924 254
60-5925 252
60-5926 254
60-5927 254
60-5928 254
60-5929 252
60-5931 111
60-5937 111
60-5942 111
60-5948 111
60-5961 110
60-5964 110
60-5967 110
60-5971 247
60-5972 245
60-5974 255
60-5975 253
60-5976 253
60-5977 253
60-6121 47
60-6122 47
60-6123 47
60-6124 46
60-6125 44
60-6126 45
60-6127 45
60-6128 44
60-6129 47
60-6131 37
60-6132 36
60-6133 37
60-6134 36
60-6135 36
60-6201 199
60-6202 199
60-6203 199
60-6204 199
60-6205 197
60-6207 197
60-6208 198
60-6209 196
60-6211 197
60-6212 196
60-6213 198
60-6221 207
60-6222 207
60-6223 207
60-6224 207
60-6225 205
60-6226 205
60-6227 204
60-6228 206
60-6229 204
60-6231 205
60-6241 215
60-6242 215
60-6243 215
60-6244 215
60-6245 213
60-6246 213
60-6247 214
60-6248 214
60-6249 212
60-6251 212
60-6252 213
60-6253 214
60-6261 84
60-6262 84
60-6263 84
60-6271 89
60-6272 89
60-6273 89
60-6281 88
60-6282 88
60-6283 88
60-6291 73
60-6292 72
60-6293 72
60-6294 72
60-6295 73
60-6301 203
60-6302 203
60-6303 203
60-6304 203
60-6305 201

INDEX

60-6307 201
60-6308 202
60-6309 200
60-6311 201
60-6312 200
60-6313 202
60-6321 211
60-6322 211
60-6323 211
60-6324 211
60-6325 209
60-6326 209
60-6327 208
60-6328 210
60-6329 208
60-6331 209
60-6341 219
60-6342 219
60-6343 219
60-6344 219
60-6345 217
60-6346 217
60-6347 218
60-6348 218
60-6349 216
60-6351 216
60-6352 217
60-6353 218
60-6361 85
60-6362 85
60-6363 85
60-6369 221
60-6371 223
60-6372 223
60-6373 223
60-6374 223
60-6375 221
60-6376 222
60-6377 222
60-6378 221
60-6379 220
60-6381 40
60-6382 40
60-6383 41
60-6385 41
60-6387 40
60-6391 270
60-6392 270
60-6393 270
60-6395 271
60-6396 271
60-6397 271
60-6401 482
60-6402 482
60-6403 482
60-6405 483
60-6406 483
60-6411 38
60-6412 38
60-6413 39
60-6414 38
60-6415 38
60-6416 39
60-6417 39
60-6421 51
60-6422 51
60-6423 51
60-6424 52
60-6425 50
60-6426 50
60-6427 53
60-6428 53
60-6429 53
60-6430 53
60-6431 97
60-6432 96
60-6433 96
60-6434 97
60-6435 96
60-6436 97
60-6441 334
60-6442 335
60-6443 335
60-6444 334
60-6451 59
60-6452 58
60-6453 59
60-6454 59
60-6455 58
60-6481 33
60-6482 33
60-6483 32
60-6484 32
60-6501 484
60-6502 484
60-6503 485
60-6504 485
60-6511 486
60-6512 486
60-6513 487
60-6514 487
60-6521 25
60-6522 24
60-6523 24
60-6525 24
60-6526 25
60-6531 29
60-6532 29
60-6533 29
60-6534 28
60-6535 28
60-6536 28
60-6537 28
60-6538 29
60-6543 91
60-6544 90
60-6545 91
60-6561 195
60-6562 195
60-6563 195
60-6564 195
60-6565 194
60-6566 194
62-102 309
62-104 308
62-105 292
62-106 292
62-116 293
62-122 309
62-124 308
62-125 293
62-126 293
62-136 292
62-141 78
62-142 79
62-143 79
62-144 79
62-145 78
62-146 79
62-185 319
62-186 319
62-311 310
62-312 311
62-313 311
62-314 310
62-315 311
62-316 311
62-317 310
62-318 311
62-319 311
62-441 275
62-442 275
62-443 275
62-444 275
62-445 275
62-446 274
62-447 275
62-458 340
62-459 340
62-460 340
62-468 341
62-469 341
62-470 341
62-524 343
62-525 343
62-526 343
62-609 344
62-611 345
62-631 494
62-632 494
62-633 494
62-634 495
62-635 495
62-641 496
62-642 496
62-643 496
62-644 497
62-645 497
62-651 500
62-652 500
62-653 500
62-654 501
62-655 501
62-709 344
62-711 345
62-721 318
62-722 318
62-723 318
62-724 318
62-731 316
62-732 316
62-733 316
62-734 316
62-741 317
62-742 317
62-743 317
62-744 317
62-745 442
62-746 442
62-747 442
62-748 442
62-765 442
62-766 442
62-771 342
62-772 342
62-773 342
62-774 342
62-775 342
62-776 342
62-786 347
62-787 347
62-788 347
62-789 347
62-791 444
62-792 444
62-795R1 444
62-796R1 444
62-797 445
62-798 445
62-821 502
62-822 502
62-823 502
62-824 503
62-825 503
62-837 300
62-838 301
62-851 298
62-852 298
62-856 299
62-857 299
62-871 320
62-872 320
62-873 321
62-874 321
62-875 320
62-876 321
62-877 279
62-878 279
62-879 279
62-881 302
62-882 302
62-886 303
62-887 303
62-888 278
62-889 278
62-891 191
62-892 191
62-893 190
62-894 190
62-895 191
62-896 191
62-897 191
62-911 322
62-912 322
62-913 323
62-914 323
62-915 322
62-916 323
62-921 324
62-922 324
62-923 325
62-924 325
62-925 324
62-926 325
62-931 328
62-932 328
62-933 329
62-934 329

62-935 328
62-936 329
62-951 283
62-952 283
62-953 283
62-954 282
62-955 282
62-971 350
62-972 350
62-975 350
62-976 350
62-977 350
62-978 350
62-981 350
62-982 350
62-985R1 348
62-986R1 348
62-987R1 348
62-988R1 349
62-989R1 349
62-990R1 349
62-991 446
62-992 272
62-993 272
62-994 272
62-995 273
62-996 273
62-997 273
62-1031 437
62-1032 437
62-1033 441
62-1034 441
62-1035 434
62-1036 434
62-1037 434
62-1038 434
62-1039 435
62-1040 435
62-1041 434
62-1042 346
62-1043 346
62-1044 346
62-1045 436
62-1046 440
62-1051 450
62-1052 451
62-1053 450
62-1054 452
62-1055 453
62-1056 453
62-1057 453
62-1081 332
62-1082 332
62-1083 332
62-1091 333
62-1092 333
62-1093 333
62-1095 443
62-1096 443
62-1097 443
62-1098 443
62-1101 330
62-1102 330
62-1103 330
62-1131 331
62-1132 331
62-1133 331
62-1141 515
62-1142 515
62-1143 515
62-1144 515
62-1145 515
62-1146 515
62-1151 450
62-1152 451
62-1153 450
62-1154 452
62-1155 453
62-1156 453
62-1157 453
62-1161 472
62-1162 472
62-1163 472
62-1164 472
62-1165 472
62-1166 472
62-1167 472
62-1168 472
62-1171 454
62-1172 455
62-1173 454
62-1174 455
62-1175 456
62-1176 456
62-1177 456
62-1181 454
62-1182 455
62-1183 454
62-1184 455
62-1185 456
62-1186 456
62-1187 456
62-1191 457
62-1192 457
62-1200 552
62-1201 552
62-1202 552
62-1203 552
62-1204 552
62-1205 552
62-1221 476
62-1223 476
62-1231 480
62-1233 481
62-1235 481
62-1237 481
62-1241 477
62-1251 450
62-1252 451
62-1253 450
62-1254 452
62-1255 453
62-1256 453
62-1257 453
62-1261 473
62-1262 473
62-1263 473
62-1264 473
62-1265 473
62-1266 473
62-1267 473
62-1268 473
62-1291 457
62-1292 457
62-1294 457
62-1295 457
62-1301 471
62-1302 471
62-1303 471
62-1304 471
62-1305 471
62-1306 471
62-1307 471
62-1308 471
62-1321 314
62-1322 314
62-1323 314
62-1324 315
62-1325 315
62-1326 315
62-1327 312
62-1328 312
62-1329 312
62-1330 313
62-1331 313
62-1332 313
62-1351 287
62-1352 286
62-1353 287
62-1371 454
62-1372 455
62-1373 454
62-1374 455
62-1375 456
62-1376 456
62-1377 456
62-1381 454
62-1382 455
62-1383 454
62-1384 455
62-1385 456
62-1386 456
62-1387 456
62-1401 306
62-1402 306
62-1403 307
62-1404 306
62-1405 307
62-1406 307
62-1431 441
62-1432 441
62-1435 438
62-1436 438
62-1437 438
62-1438 438
62-1439 439
62-1440 439
62-1441 438
62-1442 346
62-1443 346
62-1444 346
62-1445 440
62-1451 288
62-1452 289
62-1453 289
62-1454 288
62-1455 288
62-1456 289
62-1457 289
62-1458 288
62-1461 290
62-1462 291
62-2932 297
62-2934 296
62-2936 296
63-101 559
63-102 559
63-103 559
63-104 559
63-201 559
63-202 559
63-203 559
63-204 559
63-301 561
63-302 561
63-303 561
63-304 561
63-305 561
63-306 561
63-307 561
63-309 561
63-311 561
63-314 561
63-315 561
65-113 514
65-114 514
65-401 517
65-402 517
65-403 516
65-404 516
65-405 517
65-406 517
65-407 516
65-408 516
65-409 517
65-410 517
65-411 516
65-412 516
65-1081 448
65-1082 448
65-1083 448
65-1084 448
65-1091 449
65-1092 449
65-1095 449
65-1096 449
65-1097 449
65-1098 449
65-1101 447
65-1102 447
65-1103 447
65-1104 447
65-1107 447
65-1108 447
76-024 373
76-025 373
76-026 373
76-091 377
76-092 377
76-093 377
76-124 375
76-125 375
76-126 375
76-127 375
76-128 375
76-129 375
76-130 379
76-131 378

INDEX

76-132. 379
76-133. 378
76-134. 379
76-135. 378
76-191. 377
76-192. 377
76-193. 377
76-243. 374
76-244. 374
76-245. 374
76-246. 374
76-247. 374
76-248. 374
76-250. 388
76-251. 388
76-252. 388
76-253. 388
76-256. 388
76-257. 388
76-268. 393
76-269. 393
76-270. 394
76-273. 430
76-276. 430
76-277. 431
76-280. 363
76-283. 401
76-284. 401
76-412. 395
76-416. 395
76-418. 395
76-422. 395
76-444. 362
76-445. 362
76-446. 400
76-447. 400
76-500. 550
76-501. 550
76-502. 551
76-503. 551
76-520. 551
76-521. 551
76-522. 551
76-523. 551
76-530. 551
76-531. 551
76-600. 383
76-601. 384
76-602. 383
76-603. 384
76-604. 383
76-605. 384
76-606. 376
76-607. 376
76-608. 376
76-609. 376
76-610. 376
76-611. 376
76-612. 385
76-613. 385
76-614. 385
76-615. 545
76-616. 544
76-617. 545
76-618. 544
76-620. 545
76-621. 545
76-622. 545
76-623. 545
76-624. 544
76-625. 544
76-626. 544
76-627. 544
76-632. 553
76-633. 553
76-634. 553
76-635. 553
76-636. 553
76-637. 553
76-638. 554
76-639. 554
76-640. 554
76-641. 554
76-644. 554
76-645. 552
76-646. 552
76-647. 552
76-648. 552
76-650. 555
76-651. 555
76-652. 555
76-655. 552
76-656. 552
76-657. 552
76-658. 552
76-660. 401
76-661. 401
76-662. 401
76-663. 401
76-664. 554
76-665. 554
76-666. 554
76-667. 554
76-668. 554
76-670. 386
76-671. 386
76-672. 385
76-673. 386
76-674. 386
76-675. 385
76-676. 386
76-677. 386
76-678. 385
76-682. 551
76-683. 551
76-684. 551
76-685. 551
76-690. 400
76-691. 400
76-693. 362
76-694. 362
76-695. 362
76-700. 548
76-701. 548
76-702. 548
76-703. 548
76-704. 548
76-705. 548
77-059. 382
77-060. 382
77-061. 382
77-062. 382
77-086. 430
77-087. 430
77-088. 431
77-097. 392
77-098. 392
77-099. 392
77-100. 392
77-101. 392
77-102. 392
77-108. 389
77-109. 390
77-110. 389
77-111. 390
77-119. 548
77-120. 431
77-121. 431
77-122. 390
77-123. 391
77-125. 391
77-126. 394
77-136. 547
77-137. 547
77-138. 547
77-139. 546
77-140. 546
77-141. 546
77-152. 547
77-153. 547
77-154. 547
77-155. 547
77-156. 547
77-157. 547
77-188. 428
77-189. 428
77-190. 428
77-191. 428
77-192. 429
77-193. 429
77-194. 429
77-195. 429
77-196. 429
77-323. 553
77-324. 553
77-342. 393
77-343. 393
77-344. 393
77-345. 383
77-346. 383
77-347. 383
77-392. 394
77-487. 550
77-488. 550
77-494. 550
77-495. 550
77-530. 547
77-531. 546
77-532. 547
77-533. 547
77-692. 555
77-693. 555
77-700. 550
77-701. 550
77-702. 550
77-703. 550
77-823. 393
77-824. 394
77-835. 546
77-852. 549
77-853. 549
77-857. 543
77-858. 542
77-859. 543
77-861. 542
77-863. 546
77-879. 546
77-891. 546
77-896. 549
77-897. 549
77-898. 549
77-899. 549
77-921. 384
77-924. 384
77-947. 389
77-948. 390
77-968. 555
77-969. 555
77-986. 382
77-987. 382
77-988. 384
77-989. 430
77-990. 430
77-991. 431
77-992. 548
77-995. 548
77-996. 548
90-1278 554
90-1279 554
S8672 467
S8673 467
S8674 467
S8675 467
S9299 351
S9368 469
S9369 469
S9780 351
S9880 468
S9881 468
S9882 470
S9883 470
S9884 470
S9885 470
S9886 470
S9887 470
S9888 470
S9889 470
S21500 458
S21501 458
S21502 458
S21503 459
S21504 459
S21505 459
S21506 459
S21507 460
S21508 460
S21509 461
S21510 461
S21511 461
S21512 462
S21513 462
S21514 462
S21515 463
S21516 463
S21517 463
S29320 458
S29321 458
S29322 458

S29323 458
S29324 459
S29325 459
S29326 459
S29327 459
S29328 460
S29329 460
S29330 460
S29331 460
S29332 461
S29333 461
S29334 461
S29335 461
S29336 462
S29337 462
S29338 462
S29339 462
S29340 463
S29341 463
S29342 463
S29343 463
S29344 465
S29345 465
S29346 465
S29347 465
S29349 460
S29357 460
S29358 462
S29359 458
S29360 460
S29361 461
S29362 462
S29363 463
S29367 460
S29379 462
S29650 464
S29651 464
S29652 464
S29653 465
S29654 465
S29655 460
S29656 466
S29657 466
S29658 466
S29659 466
S29690 462
S29691 464
TH200 574
TH201 574
TH202 574
TH203 574
TH204 574
TH205 574
TH206 574
TH207 574
TH208 574
TH209 574
TH210 575
TH211 575
TH216 575
TH217 575
TH218 575
TH219 575
TH220 575
TH221 575
TH222 575
TH223 575
TH224 576
TH225 576
TH226 576
TH227 576
TH232 577
TH233 577
TH234 577
TH235 577
TH238 577
TH239 577
TH279 576
TH280 576
TH283 576
TH284 576
TH300 575
TH301 575
TH302 576
TH303 574
TH304 574
TH305 574
TH306 575
TH307 574
TH308 574
TH312 577
TH313 577
TH314 577
TH315 577
TH316 577
TH317 577
TH321 577
TH322 577
TH323 577
TH324 576
TH331 576
TH332 576
TH333 576
TH341 574
TH342 574
TH343 574
TH344 574
TH345 574
TH346 575
TH347 575
TH348 575
TH349 576
TH351 577
TH352 577
TH401 562
TH402 562
TH403 562
TH404 562
TH405 562
TH407 562
TH411 563
TH412 563
TH413 563
TH414 563
TH415 563
TH417 563
TH421 564
TH422 564
TH423 564
TH424 564
TH425 564
TH427 564
TH431 565
TH432 565
TH433 565
TH434 565
TH435 565
TH437 565
TH441 566
TH442 566
TH443 566
TH444 566
TH445 566
TH447 566
TH451 567
TH452 567
TH453 567
TH454 567
TH455 567
TH457 567
TH461 568
TH462 568
TH463 568
TH464 568
TH465 568
TH467 568
TH471 569
TH472 569
TH473 569
TH474 569
TH475 569
TH477 569
TK310 573
TK315 573
TK316 572
TK317 572
TK318 572
TK319 572
TK320 572
TK321 572
TK322 572
TK323 572
TK340 572
TK341 572
TK342 572
TK343 572
TK345 573
TK346 573
TK347 573
TK348 573
TK349 573
TK352 573
TK353 573
TK354 573
TK355 573
TK361 572
TK362 572
TK403 570
TK404 570
TK407 570
TK413 571
TK414 571
TK417 571
TK423 571
TK424 571
TK427 571
TP142 579
TP143 579
TP144 578
TP145 578
TP146 578
TP147 578
TP148 578
TP149 578
TP150 578
TP151 578
TP152 578
TP153 578
TP154 578
TP155 578
TP156 578
TP157 578
TP159 579
TP160 579
TP161 579
TP162 579
TP163 579
TP164 579
TP165 579
TP166 579
TP167 578
TP168 578
TP169 578
TP170 578
TP171 578
TP172 578
TP176 579
TP177 579
TP178 579
TP179 579
TP180 579
TP181 579
TP201 578
TP202 578
TP203 578
TP204 578
TP205 578
TP206 578
TP207 578
TP208 578
TP209 578
TP211 578
TP231 578
TP232 578
TP233 578
TR118 579
TR119 579
TR120 579
TR121 579
TR122 579
TR123 579
TR124 579
TR125 579
TR126 579
TR127 579
TR128 579
TR129 579
TR131 579
TR132 579
TR133 579
TR134 579

www.nuvolighting.com
Catalog NU4050

National Toll-Free: **1.800.43.SATCO** (1.800.437.2826) www.satco.com

Corporate Offices & Distribution Center: **NEW YORK** 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027

Distribution Centers: **FLORIDA** 900 N.W. 159th Drive, Miami, FL 33169 800.437.2826 305.624.2044 FAX 305.623.0286
CALIFORNIA 31288 San Benito St. Hayward, CA 94544 800.437.2826 510.487.4822 FAX 510.487.8955
WASHINGTON 4710 116th St. S.W., Mukilteo, WA 98275 800.437.2826 425.789.3300 FAX 425.789.3310
TEXAS 2000 Valwood Parkway, Farmers Branch, TX 75234 800.437.2826 972.247.2437 FAX 972.247.5408
PUERTO RICO Campeche St. 23, Julio N. Matos Industrial Park, Carolina, PR 00984 787.757.3510 FAX 787.757.3540

Like us!

Follow us!

© Copyright 2019, SATCO Products, Inc

NUVO LIGHTING
THE RETAIL PROGRAM



SATCO® | NUVO®





Nuvo Lighting, the retail program.

The latest expressions in lighting, designed for success.

Any home, large or small, indoors or out, benefits from lighting that's beautifully designed and solidly built. These are the attributes we strive to deliver. Simply put, Nuvo Lighting offers the most well thought-out fixture programs on the market today. Discover our latest retail fixture programs – your customers are sure to follow.

Launched with more than 1,500 new fixtures for every purpose and decor, Nuvo Lighting set out with the belief that good value should also be beautiful, technologically advanced, manufactured to the highest standards and suitable for projects large or small. It's the reason our product line and business has grown every year since.

Turn on your lighting department: get to know Nuvo.

Contents

INDOOR
Flush Mount 8-9
Vanity 9-10
Flush Mount & Vanity 12-17

OUTDOOR
Cast Aluminum Lanterns 18-29
Small Lanterns 30-31
Coach & Flush Mount 32-33

LED
Recessed Downlights 36-37
Flush Mount & Utility 38-41
Ceiling Wrap 42-435
Strip Lights 44-45
Surface Mount 46-47
Flat Panel 48-49
Troffers 50-519
Vapor Proof Surface Mount 52-53
Linear Hi-Bay 54-55

INDEX 56



On the cover: Nuvo Lighting's 60-3470 outdoor lantern (page 26)

Opposite page: Nuvo's 60-6075 three light vanity in Brushed Nickel with Alabaster Glass (page 10)



With a fresh new assortment of beautifully designed indoor and outdoor fixtures from Nuvo Lighting you're sure to generate customer interest. Satco/Nuvo has been the leader in lighting for over 50 years. That experience is evident in every fixture we manufacture, and that experience knows how

Nuvo at retail:
Universal design. Great programs. Strong sales.

to put together a successful retail program. Good, functional fixture design with proven high consumer appeal, bright retail packaging that's easy for customers to understand, and great value combine to drive sales. Our fixture programs simply have it all.

Make your lighting aisle a destination, not an afterthought!





Nuvo makes lighting easy.

With attractive, bright, easy to understand packaging and point of purchase aides, Nuvo lighting products become a focal point on shelves. The product is prominently displayed on the front of the packaging, along with the relevant specifications in an easy to understand format. And the gondola headers draw attention to the entire display. Put Nuvo retail packaging to work for you!







Nuvo Lighting
Retail gondola headers.



Bright easy to read packaging
with large product photos
makes choosing lighting easier.

FLUSH





60-6000
Brushed Nickel / Alabaster Glass



60-6009
Brushed Nickel / Alabaster Glass



60-6001
Brushed Nickel / Alabaster Glass



60-6008
Brushed Nickel / Alabaster Glass

Item#	Description	Lamps	Base	Max. Watts	cULus	Length	Width	Height	Extention
60-6000	11" Flush Dome	(2)A19	Med.	60W	Damp	n/a	11 ⅜"	4 ⅞"	n/a
60-6001	13" Flush Dome	(2)A19	Med.	60W	Damp	n/a	13 ¼"	5 ⅜"	n/a
60-6008	6" Flush Ball	(1)A19	Med.	60W	Damp	n/a	6"	7 ¼"	n/a
60-6009	12" Twist and Lock	(1)A19	Med.	60W	Damp	n/a	11 ½"	4 ½"	n/a
60-6023	11" Flush Dome	(2)A19	Med.	60W	Damp	n/a	11 ¼"	5"	n/a
60-6024	13" Flush Dome	(2)A19	Med.	60W	Damp	n/a	13 ¼"	5 ½"	n/a
60-6027	8" Flush Drum	(1)A19	Med.	60W	Damp	n/a	8"	6"	n/a



60-6023
Brushed Nickel / Clear Ribbed Glass



60-6024
Brushed Nickel / Clear Ribbed Glass



60-6027
Polished Chrome / Crystal and White Glass

VANITY





60-6072
Brushed Nickel



60-6073
Brushed Nickel



60-6074
Brushed Nickel / Alabaster Glass



60-6075
Brushed Nickel / Alabaster Glass

Item#	Description	Lamps	Base	Max. Watts	cULus	Length	Width	Height	Extention
60-6072	18" 3 Light Vanity Strip	(3)Type G	Med.	100W	Damp	n/a	18"	4 ¾"	2"
60-6073	24" 4 Light Vanity Strip	(4)Type G	Med.	100W	Damp	n/a	24"	4 ¾"	2"
60-6074	18" 2 Light Vanity	(2)A19	Med.	100W	Damp	n/a	18"	7 ⅝"	8 ½"
60-6075	24" 3 Light Vanity	(3)A19	Med.	100W	Damp	n/a	24"	7 ⅝"	8 ½"
60-6077	1 Light Vanity	(1)A19	Med.	100W	Damp	n/a	6 ¼"	6 ⅛"	9"
60-6078	2 Light Vanity	(2)A19	Med.	100W	Damp	n/a	14 ⅞"	6 ⅛"	8"
60-6079	3 Light Vanity	(3)A19	Med.	100W	Damp	n/a	20 ½"	6 ⅛"	8"
60-6112	3 Light Vanity Strip	(3)Type G	Med.	100W	Damp	n/a	18"	4 ¾"	2"

Vanity fixtures listed for glass up or down installation.



60-6078
Brushed Nickel / Alabaster Glass



60-6077
Brushed Nickel / Alabaster Glass



60-6079
Brushed Nickel / Alabaster Glass



60-6112
Polished Nickel

FLUSH & VANITY





60-6010
Mahogany Bronze / Frosted Glass



60-6013
Mahogany Bronze / Frosted Glass



60-6011
Mahogany Bronze / Frosted Glass



60-6012
Mahogany Bronze / Frosted Glass

Item#	Description	Lamps	Base	Max. Watts	cULus	Length	Width	Height	Extention
60-6010	11" Flush Dome	(2)A19	Med.	60W	Damp	n/a	11 ⅜"	4 ⅞"	n/a
60-6011	13" Flush Dome	(2)A19	Med.	60W	Damp	n/a	13 ¼"	5 ⅜"	n/a
60-6012	6" Flush Ball	(1)A19	Med.	60W	Damp	n/a	6"	7 ¼"	n/a
60-6013	12" Twist and lock	(1)A19	Med.	60W	Damp	n/a	11 ½"	4 ½"	n/a
60-6080	18" 3 Light Vanity Strip	(3)Type G	Med.	100W	Damp	n/a	18"	4 ¾"	2"
60-6081	24" 4 Light Vanity Strip	(4)Type G	Med.	100W	Damp	n/a	24"	4 ¾"	2"
60-6082	18" 2 Light Vanity	(2)A19	Med.	100W	Damp	n/a	18"	7 ⅝"	8 ½"
60-6083	24" 3 Light Vanity	(3)A19	Med.	100W	Damp	n/a	24"	7 ⅝"	8 ½"

Vanity fixtures listed for glass up or down installation.



60-6080
Mahogany Bronze



60-6081
Mahogany Bronze



60-6082
Mahogany Bronze / Frosted Glass



60-6083
Mahogany Bronze / Frosted Glass

FLUSH & VANITY





60-6087
Mahogany Bronze / Frosted Glass



60-6085
Mahogany Bronze / Frosted Glass



60-6086
Mahogany Bronze / Frosted Glass

Item#	Description	Lamps	Base	Max. Watts	cULus	Length	Width	Height	Extention
60-6004	11" Flush Dome	(2)A19	Med.	60W	Damp	n/a	11 ⅜"	4 ⅞"	n/a
60-6026	Small Mushroom	(1)A19	Med.	60W	Damp	n/a	7 ½"	5"	n/a
60-6032	Square Floral Design	(2)A19	Med.	60W	Damp	n/a	11 ¾"	4 ¾"	n/a
60-6033	6" Flush Ball	(1)A19	Med.	60W	Damp	n/a	6"	7 ¼"	n/a
60-6085	1 Light Vanity	(1)A19	Med.	100W	Damp	n/a	6 ¼"	6 ⅛"	9"
60-6086	2 Light Vanity	(2)A19	Med.	100W	Damp	n/a	14 ⅞"	6 ⅛"	8"
60-6087	3 Light Vanity	(3)A19	Med.	100W	Damp	n/a	20 ½"	6 ⅛"	8"
60-6113	Square Floral Design w/pull chain	(2)A19	Med.	60W	Damp	n/a	11 ¾"	4 ¾"	n/a

Vanity fixtures listed for glass up or down installation.



60-6033
White / White Glass



60-6032
White / White Floral Glass



60-6004
Textured White / Alabaster Glass




60-6113
White / White Floral Glass



60-6026
White / White Glass

FLUSH & VANITY





60-6114
Antique Brass / Frosted Glass



60-6015
Polished Brass / Clear Ribbed Glass



60-6016
Polished Brass / Clear Ribbed Glass



60-6030
Polished Brass / Frosted Grape Glass

Item#	Description	Lamps	Base	Max. Watts	cULus	Length	Width	Height	Extention
60-6015	11" Flush Dome	(2)A19	Med.	60W	Damp	n/a	11 ¼"	5"	n/a
60-6016	13" Flush Dome	(2)A19	Med.	60W	Damp	n/a	13 ¼"	5 ½"	n/a
60-6028	6" Flush Ball	(1)A19	Med.	60W	Damp	n/a	6"	7 ¼"	n/a
60-6029	Clear Bottom Squat Ball	(1)A19	Med.	60W	Damp	n/a	5"	5 ½"	n/a
60-6030	Small Mushroom	(1)A19	Med.	60W	Damp	n/a	6"	5"	n/a
60-6031	Clear Pineapple	(1)A19	Med.	60W	Damp	n/a	5"	5 ½"	n/a
60-6097	Vanity w/ on-off switch	(1)A19	Med.	60W	Damp	n/a	4 ½"	7 ¾"	4 ⅞"
60-6014	Small Mushroom	(1)A19	Med.	60W	Damp	n/a	7 ½"	5"	n/a



60-6029
Polished Brass / Frosted & Clear Glass



60-6031
Polished Brass / Pineapple Glass



60-6028
Polished Brass / White Glass



60-6097
Polished Brass / Frosted Grape Glass

CAST ALUMINUM OUTDOOR LANTERNS





60-3477
White / Frosted Glass



60-3478
Rustic Bronze / Frosted Glass



60-3479
Textured Black / Frosted Glass

Item#	Description	Lamps	Base	Max. Watts	cULus	Length	Width	Height	Extention
60-3477	Wall Lantern, Arm Up	(1)A19	Med.	100W	Wet	n/a	6 ⅛"	18 ¼"	6 ⅞"
60-3478	Wall Lantern, Arm Up	(1)A19	Med.	100W	Wet	n/a	6 ⅛"	18 ¼"	6 ⅞"
60-3479	Wall Lantern, Arm Up	(1)A19	Med.	100W	Wet	n/a	6 ⅛"	18 ¼"	6 ⅞"
60-3480	Wall Lantern, Arm Down	(1)A19	Med.	100W	Wet	n/a	6 ⅛"	13 ¾"	6 ⅞"
60-3481	Wall Lantern, Arm Down	(1)A19	Med.	100W	Wet	n/a	6 ⅛"	13 ¾"	6 ⅞"
60-3482	Wall Lantern, Arm Down	(1)A19	Med.	100W	Wet	n/a	6 ⅛"	13 ¾"	6 ⅞"
60-3483	Post Lantern	(1)A19	Med.	100W	Wet	n/a	6 ⅛"	18 ¼"	n/a

Matching pier mount base for **60-3483** post lantern: **25-4908**



60-3480
White / Frosted Glass



60-3482
Textured Black / Frosted Glass



60-3481
Rustic Bronze / Frosted Glass



60-3483
Rustic Bronze / Frosted Glass

CAST ALUMINUM OUTDOOR LANTERNS





60-3487
White / Clear Water Glass



60-3488
Rustic Bronze / Clear Water Glass



60-3489
Textured Black / Clear Water Glass

Item#	Description	Lamps	Base	Max. Watts	cULus	Length	Width	Height	Extention
60-3484	Wall Lantern, Arm Down	(1)A19	Med.	100W	Wet	n/a	6 ⅛"	12 ¼"	8"
60-3485	Wall Lantern, Arm Down	(1)A19	Med.	100W	Wet	n/a	6 ⅛"	12 ¼"	8"
60-3486	Wall Lantern, Arm Down	(1)A19	Med.	100W	Wet	n/a	6 ⅛"	12 ¼"	8"
60-3487	Wall Lantern, Arm Up	(1)A19	Med.	100W	Wet	n/a	6 ⅛"	17"	8"
60-3488	Wall Lantern, Arm Up	(1)A19	Med.	100W	Wet	n/a	6 ⅛"	17"	8"
60-3489	Wall Lantern, Arm Up	(1)A19	Med.	100W	Wet	n/a	6 ⅛"	17"	8"
60-3490	Hanging Lantern	(1)A19	Med.	100W	Damp	n/a	6 ⅛"	10 ¾"	n/a

Additional chain (3') for **60-3490** hanging lantern: **25-4998**



60-3484
White / Clear Water Glass



60-3485
Rustic Bronze / Clear Water Glass



60-3490
Rustic Bronze / Clear Water Glass



60-3486
Textured Black / Clear Water Glass

CAST ALUMINUM OUTDOOR LANTERNS





60-3494
White / Clear Beveled Glass



60-3496
Textured Black / Clear Beveled Glass



60-3495
Rustic Bronze / Clear Beveled Glass

Item#	Description	Lamps	Base	Max. Watts	cULus	Length	Width	Height	Extention
60-3494	Wall Lantern, Arm Down	(1)A19	Med.	100W	Wet	n/a	8"	15 ¾"	7 ⅞"
60-3495	Wall Lantern, Arm Down	(1)A19	Med.	100W	Wet	n/a	8"	15 ¾"	7 ⅞"
60-3496	Wall Lantern, Arm Down	(1)A19	Med.	100W	Wet	n/a	8"	15 ¾"	7 ⅞"
60-3497	Wall Lantern, Arm Up	(1)A19	Med.	100W	Wet	n/a	8"	22"	7 ⅞"
60-3498	Wall Lantern, Arm Up	(1)A19	Med.	100W	Wet	n/a	8"	22"	7 ⅞"
60-3499	Wall Lantern, Arm Up	(1)A19	Med.	100W	Wet	n/a	8"	22"	7 ⅞"



60-3497
White / Clear Beveled Glass



60-3498
Old Bronze / Clear Beveled Glass



60-3499
Textured Black / Clear Beveled Glass

CAST ALUMINUM OUTDOOR LANTERNS





60-3491
White / Clear Seeded Glass



60-3493
Textured Black / Clear Seeded Glass



60-3492
Rustic Bronze / Clear Seeded Glass

Item#	Description	Lamps	Base	Max. Watts	cULus	Length	Width	Height	Extention
60-3491	Wall Lantern, Arm Down	(1)A19	Med.	100W	Wet	n/a	7"	11 ¾"	9 ½"
60-3492	Wall Lantern, Arm Down	(1)A19	Med.	100W	Wet	n/a	7"	11 ¾"	9 ½"
60-3493	Wall Lantern, Arm Down	(1)A19	Med.	100W	Wet	n/a	7"	11 ¾"	9 ½"
60-3467	Wall Lantern, Arm Up	(1)A19	Med.	100W	Wet	n/a	6"	20"	9 ¾"
60-3468	Wall Lantern, Arm Up	(1)A19	Med.	100W	Wet	n/a	6"	20"	9 ¾"
60-3469	Wall Lantern, Arm Up	(1)A19	Med.	100W	Wet	n/a	6"	20"	9 ¾"



60-3467
White / Clear Beveled Glass



60-3468
Old Bronze / Clear Beveled Glass



60-3469
Textured Black / Clear Beveled Glass

CAST ALUMINUM OUTDOOR LANTERNS





60-3470
White / Clear Seeded Glass



60-3472
Textured Black / Clear Seeded Glass



60-3471
Old Bronze / Clear Seeded Glass

Item#	Description	Lamps	Base	Max. Watts	cULus	Length	Width	Height	Extention
60-3470	Wall Lantern, Arm Up	(1)A19	Med.	60W	Wet	n/a	7"	*12"	9 ¼"
60-3471	Wall Lantern, Arm Up	(1)A19	Med.	60W	Wet	n/a	7"	*12"	9 ¼"
60-3472	Wall Lantern, Arm Up	(1)A19	Med.	60W	Wet	n/a	7"	*12"	9 ¼"
60-3473	Wall Lantern, Arm Down	(1)A19	Med.	60W	Wet	n/a	7"	13"	9 ¼"
60-3474	Wall Lantern, Arm Down	(1)A19	Med.	60W	Wet	n/a	7"	13"	9 ¼"
60-3475	Wall Lantern, Arm Down	(1)A19	Med.	60W	Wet	n/a	7"	13"	9 ¼"
60-3476	Hanging Lantern	(1)A19	Med.	60W	Damp	n/a	7"	12 ⅝"	n/a

60-3470, **60-3471** and **60-3472**, come with long and short tails as shown.
*Measured with Short tail

Additional chain (3') for **60-3476** hanging lantern: **25-1071**



60-3473
White / Clear Seeded Glass



60-3474
Old Bronze / Clear Seeded Glass



60-3476
Textured Black / Clear Seeded Glass



60-3475
Textured Black / Clear Seeded Glass

CAST ALUMINUM OUTDOOR LANTERNS





60-3453
White / Clear Glass



60-3455
Textured Black / Clear Glass



60-3454
Old Bronze / Clear Glass



60-3456
Textured Black / Clear Glass

Item#	Description	Lamps	Base	Max. Watts	cULus	Length	Width	Height	Extention
60-3453	Wall Lantern, Arm Up	(1)A19	Med.	60W	Wet	n/a	6"	*18"	6 ⅛"
60-3454	Wall Lantern, Arm Up	(1)A19	Med.	60W	Wet	n/a	6"	*18"	6 ⅛"
60-3455	Wall Lantern, Arm Up	(1)A19	Med.	60W	Wet	n/a	6"	*18"	6 ⅛"
60-3456	Post Lantern	(1)A19	Med.	60W	Wet	n/a	6"	14"	n/a
60-3463	Cube Lantern	(1)A19	Med.	60W	Wet	n/a	4 ⅜"	8 ⅝"	6 ⅛"
60-3464	Cube Lantern	(1)A19	Med.	60W	Wet	n/a	4 ⅜"	8 ⅝"	6 ⅛"
60-3465	Cube Lantern	(1)A19	Med.	60W	Wet	n/a	4 ⅜"	8 ⅝"	6 ⅛"

60-5433, **60-5434** and **60-5433**, come with long and short tails as shown.
*Measured with long tail

Matching pier mount base for **60-3456** post lantern: **25-1200**



60-3465
Textured Black / Clear Beveled Glass



60-3463
White / Clear Beveled Glass



60-3464
Old Bronze / Clear Beveled Glass

SMALL OUTDOOR LANTERNS





60-3460
White / Clear Seeded Glass



60-3462
Textured Black / Clear Seeded Glass



60-3461
Old Bronze / Clear Seeded Glass

Item#	Description	Lamps	Base	Max. Watts	cULus	Length	Width	Height	Extention
60-3457	Onion Wall Lantern	(1)A19	Med.	60W	Wet	n/a	6"	10 5/8"	8"
60-3458	Onion Wall Lantern	(1)A19	Med.	60W	Wet	n/a	6"	10 5/8"	8"
60-3459	Onion Wall Lantern	(1)A19	Med.	60W	Wet	n/a	6"	10 5/8"	8"
60-3460	Piper Wall Lantern	(1)A19	Med.	60W	Wet	n/a	5"	10 5/8"	7"
60-3461	Piper Wall Lantern	(1)A19	Med.	60W	Wet	n/a	5"	10 5/8"	7"
60-3462	Piper Wall Lantern	(1)A19	Med.	60W	Wet	n/a	5"	10 5/8"	7"



60-3457
White / Clear Seeded Glass



60-3459
Textured Black / Clear Seeded Glass



60-3458
Old Bronze / Clear Seeded Glass

OUTDOOR COACH & FLUSH





60-3466
White / Satin Frosted Glass



60-6111
Black / Clear Ribbed Glass



60-6109
Gloss White / Frosted Ribbed Glass

Item#	Description	Lamps	Base	Max. Watts	cULus	Length	Width	Height	Extention
60-3466	Hood Wall Lantern	(1)A19	Med.	60W	Wet	n/a	6"	8 ⅞"	6 ⅞"
60-6109	Mason Jar Wall Lantern	(1)A19	Med.	60W	Wet	n/a	4"	8 ½"	5 ½"
60-6111	Mason Jar Wall Lantern	(1)A19	Med.	60W	Wet	n/a	4"	8 ½"	5 ½"
60-3450	Flush Ceiling Cage	(1)A19	Med.	60W	Damp	n/a	11 ⅜"	5"	•
60-3451	Flush Ceiling Cage	(1)A19	Med.	60W	Damp	n/a	11 ⅜"	5"	•
60-3452	Flush Ceiling Cage	(1)A19	Med.	60W	Damp	n/a	11 ⅜"	5"	•



60-3450
White / Frosted Glass



60-3452
Textured Black / Frosted Glass



60-3451
Old Bronze / Frosted Glass



Although consumers want the energy savings of today's most advanced lighting technologies, many are reluctant to give up the familiar look and performance of the fixtures they've always known. But the best cutting-edge technologies are the ones users eagerly adopt. That's why Nuvo's newest LED fixtures feature familiar designs while delivering the performance consumers have come to expect.

Nuvo LED

The latest technology meets familiar, trusted designs.

Our LED fixtures have opened a new world of energy savings for energy-conscious homeowners everywhere.

Today's LED fixtures are advanced without being cold. They can be efficient without compromising performance. In short, they can be everything Nuvo's new LED fixtures have been designed to be.



LED
RECESSED DOWNLIGHT
DIRECT WIRE, DIMMABLE, 120V



Direct Lit

Applications / Features
- Residential
- Office
- Retail
- Hospitality
- Drop ceilings
- Remodeling
- Direct replacement for 45 or 65 Watt reflector lamps uses only 7 or 9 Watts
- Integrated j-box for direct wire installation saves time and materials
- Dimmable
- Long life—40,000 hours
- c-UL-us classified
- Wet location
- 5 year warranty
- ENERGY STAR® certified

Highlights
- Easy install spring clips
- IC rated
- Low profile
- No recessed can required



S9011, S9012, S9013
White



S9026, S9027, S9028
White

Item#	Description	Light Source	Watts	cETLus	CCT	Lumens	CRI	Length	Width	Height	Extention
S9011**	4" Direct Lit **LED** Retrofit	LED	7	Wet	2700K	550*	83	n/a	5 ¾"	3 ¼"	n/a
S9012**	4" Direct Lit **LED** Retrofit	LED	7	Wet	3000K	550*	83	n/a	5 ¾"	3 ¼"	n/a
S9013**	4" Direct Lit **LED** Retrofit	LED	7	Wet	4000K	550*	83	n/a	5 ¾"	3 ¼"	n/a
S9026**	5"/6" Direct Lit **LED** Retrofit	LED	8	Wet	2700K	700*	83	n/a	7 ½"	3 ⅝"	n/a
S9027**	5"/6" Direct Lit **LED** Retrofit	LED	8	Wet	3000K	700*	83	n/a	7 ½"	3 ⅝"	n/a
S9028**	5"/6" Direct Lit **LED** Retrofit	LED	8	Wet	4000K	700*	83	n/a	7 ½"	3 ⅝"	n/a
S9055	4" Edge Lit **LED** Retrofit	LED	8.5	Damp	2700K	500*	83	n/a	4 ⅜"	1 ¾"	n/a
S9056	4" Edge Lit **LED** Retrofit	LED	8.5	Damp	3000K	500*	83	n/a	4 ⅜"	1 ¾"	n/a
S9057	4" Edge Lit **LED** Retrofit	LED	8.5	Damp	4000K	500*	83	n/a	4 ⅜"	1 ¾"	n/a
S9061	5"/6" Edge Lit **LED** Retrofit	LED	11.6	Damp	2700K	800*	83	n/a	6 ⅞"	1 ¾"	n/a
S9062	5"/6" Edge Lit **LED** Retrofit	LED	11.6	Damp	3000K	800*	83	n/a	6 ⅞"	1 ¾"	n/a
S9063	5"/6" Edge Lit **LED** Retrofit	LED	11.6	Damp	4000K	800*	83	n/a	6 ⅞"	1 ¾"	n/a

*Lumens measured at LED source.
Dimmable 120V

** ENERGY STAR

Edge Lit

Applications / Features

- Residential
- Office
- Retail
- Hospitality
- Drop ceilings
- Remodeling
- Direct replacement for 45 or 65 Watt reflector lamps uses only 8.5 or 11.6 Watts
- Edge lit technology
- Slim design
- Integrated j-box for direct wire installation saves time and materials
- Dimmable
- Long life—40,000 hours
- c-UL-us classified
- Damp location
- 5 year warranty

Highlights

- Easy install spring clips
- IC rated
- Low profile
- No recessed can required



S9055, S9056, S9057
White



S9061, S9062, S9063
White

LED FLUSH





S9881
White / White Polymer



S9880
White / White Polymer



1. Twist & unlock mounting bracket from lamp unit to remove.



2. Hook up support wire as shown to hold fixture while you make the electrical connections.



3. Match up alignment arrows indicated on the mounting bracket and lamp unit.



4. Twist & lock the lamp unit into the mounting bracket in the “lock” direction to match up alignment arrows.

Item#	Description	Light Source	Watts	cETLus	CCT	Lumens	CRI	Length	Width	Height	Extention
S9880	6" Blink Flush	LED Module	12.5	Damp	3000K	690*	90	n/a	6"	1"	n/a
S9881	8" Blink Flush	LED Module	16.5	Damp	3000K	940*	90	n/a	8"	1"	n/a
62-1161**	7" Disk Flush	LED Module	10.5	Damp	3000K	578*	90	n/a	7 ⅛"	1 ⅛"	n/a
62-1162**	7" Disk Flush	LED Module	10.5	Damp	3000K	578*	90	n/a	7 ⅛"	1 ⅛"	n/a
62-1163**	7" Disk Flush	LED Module	10.5	Damp	3000K	578*	90	n/a	7 ⅛"	1 ⅛"	n/a
62-1164**	7" Disk Flush	LED Module	10.5	Damp	4000K	610*	90	n/a	7 ⅛"	1 ⅛"	n/a
62-1165**	10" Disk Flush	LED Module	12	Damp	3000K	700*	90	n/a	9 ⅞"	1 ½"	n/a
62-1166**	10" Disk Flush	LED Module	12	Damp	3000K	700*	90	n/a	9 ⅞"	1 ½"	n/a
62-1167**	10" Disk Flush	LED Module	12	Damp	3000K	700*	90	n/a	9 ⅞"	1 ½"	n/a
62-1168**	10" Disk Flush	LED Module	12	Damp	3000K	700*	90	n/a	9 ⅞"	1 ½"	n/a

*Lumens measured at LED source.

** ENERGY STAR



62-1161, 62-1164
White / White Polymer



62-1162
Brushed Nickel / White Polymer



62-1163
Mahogany Bronze / White Polymer



62-1165, 62-1168
White / White Polymer



62-1166
Brushed Nickel / White Polymer



62-1167
Mahogany Bronze / White Polymer



Easy Installation
The LED Disk Lights mount only to junction boxes using the key hole slots built into the product.

LED UTILITY





62-547
White / White Polymer (14")



62-545
White / White Polymer (11")



LED module

Item#	Description	Light Source	Watts	cETLus	CCT	Lumens	CRI	Length	Width	Height	Extention
62-545**	11" Flush	LED Module	12.5	Damp	3000K	900*	80	n/a	11"	3 ⅛"	n/a
62-547**	14" Flush	LED Module	16.5	Damp	3000K	1,200*	80	n/a	14"	3 ½"	n/a
62-985**	14" Fabric Flush Drum	LED Module	16.5	Damp	3000K	1,150*	90	n/a	14"	4 ½"	n/a
62-986**	14" Filigree Flush	LED Module	16.5	Damp	3000K	1,150*	90	n/a	7 ⅝"	4 ½"	n/a
62-987**	14" Filigree Flush	LED Module	16.5	Damp	3000K	1,150*	90	n/a	7 ⅝"	4 ½"	n/a
62-988**	14" Filigree Flush	LED Module	16.5	Damp	3000K	1,150*	90	n/a	7 ⅝"	4 ½"	n/a
62-989**	14" Filigree Flush	LED Module	16.5	Damp	3000K	1,150*	90	n/a	7 ⅝"	4 ½"	n/a
62-990**	14" Fabric Flush Drum	LED Module	16.5	Damp	3000K	1,150*	90	n/a	14"	4 ½"	n/a

*Lumens measured at LED source.

** ENERGY STAR



62-985
Beige Fabric



62-990
White Fabric



62-988
Polished Nickel
White Fabric Shade



62-986
Natural Brass
White Fabric Shade



62-989
Polished Nickel
White Fabric Shade



62-987
Natural Brass
White Fabric Shade

LED
CEILING WRAP
100-277V



Applications
- Kitchens
- Work areas
- Hallways
- Laundry

Features
- 2' and 4' Lengths
- Maintenance free—no bulb to change
- Perfect, even light distribution
- CRI > 90
- Slim design
- 50,000 hour life
- Universal input voltage, 100-277V
- 3000K & 4000K options
- Certified for damp locations
- ENERGY STAR certified
- 5 Year warranty



65-1081, 65-1083
White

Item#	Description	Light Source	Watts	cETLus	CCT	Lumens	CRI	Length	Width	Height	Extention
65-1081	2' **LED** Ceiling Wrap	LED	20	Damp	4000K	1,600*	90	24 ½"	5 ½"	2 ⅝"	n/a
65-1082	4' **LED** Ceiling Wrap	LED	40	Damp	4000K	3,200*	90	47 ½"	5 ½"	2 ⅝"	n/a
65-1083	2' **LED** Ceiling Wrap	LED	20	Damp	3000K	1,600*	90	24 ½"	5 ½"	2 ⅝"	n/a
65-1084	4' **LED** Ceiling Wrap	LED	40	Damp	3000K	3,200*	90	47 ½"	5 ½"	2 ⅝"	n/a

*Lumens measured at LED source.
100-277V

** ENERGY STAR



65-1082, 65-1084
White

LED
STRIP LIGHT




Applications

- Bathrooms
- Closets
- Kitchen
- Cove lighting
- Work areas
- Hallways
- Retail

Features

- 4' Stand-alone model
- 1', 2', and 4' Connectable models
- Ceiling or wall mount
- Maintenance free—no bulb to change
- Consistent, even light distribution
- 90 CRI
- Ultra-slim design
- Damp location rated
- 4000K
- 50,000 hour life
- ENERGY STAR certified
- 5 Year warranty



65-1101
White / White Polymer
(non-connectable)

Item#	Description	Light Source	Watts	cETLus	CCT	Lumens	CRI	Length	Width	Height	Extention
65-1101	4' **LED** Strip Light 100-277V	LED	24	Damp	4000K	1,800*	90	46 5⁄8"	1 3⁄4"	1 7⁄8"	n/a
65-1102	1' Connectable **LED** Strip Light 120V	LED	12	Damp	4000K	840*	90	12 1⁄4"	1 5⁄8"	1 3⁄4"	n/a
65-1103	2' Connectable **LED** Strip Light 120V	LED	24	Damp	4000K	1,680*	90	22 3⁄4"	1 5⁄8"	1 3⁄4"	n/a
65-1104	4' Connectable **LED** Strip Light 120V	LED	36	Damp	4000K	2,600*	90	46 5⁄8"	1 5⁄8"	1 3⁄4"	n/a

*Lumens measured at LED source.
Ceiling or wall mount

** ENERGY STAR



65-1102
White / White Polymer
(connectable)



65-1103
White / White Polymer
(connectable)



65-1104
White / White Polymer
(connectable)

Accessories




65-1107
5' power cord
(for connectable strips)



65-1108
8" connector
(for connectable strips)

LED
SURFACE MOUNT
LOW PROFILE, 100-277V



Applications
- Kitchens
- Bathrooms
- Hallways
- Meeting rooms
- Hospitality
- Health care
- Offices
- Retail

Features
- Dimmable, 120V only
- White finish
- Damp location listed
- Ultra-low profile made for j-box installs
- Unique quick-lock mounting bracket
- Mounts directly to 3" and 4" junction boxes
- 100-277V
- 90 CRI*
- ENERGY STAR certified
- 5 Year limited warranty



62-1053, 62-1153
24" x 24" White



62-1052, 62-1152
12" x 24" White

62-1051, 62-1151
12" x 12" White



62-1054, 62-1154
12" x 48" White

Item#	Description	Light Source	Watts	cETLus	CCT	Lumens	CRI	Length	Width	Height	Extention
62-1051*	12" x 12" **LED** Surface Mount	LED	18	Damp	3000K	1,300	90	12"	12"	¾"	n/a
62-1052*	12" x 24" **LED** Surface Mount	LED	22	Damp	3000K	1,650	90	24"	12"	¾"	n/a
62-1053*	24" x 24" **LED** Surface Mount	LED	45	Damp	3000K	3,500	90	24"	24"	¾"	n/a
62-1054*	12" x 48" **LED** Surface Mount	LED	45	Damp	3000K	3,600	90	48"	12"	¾"	n/a
62-1055*	5" x 24" **LED** Surface Mount	LED	22	Damp	3000K	1,600	90	24"	5"	¾"	n/a
62-1056*	5" x 36" **LED** Surface Mount	LED	30	Damp	3000K	2,100	90	36"	5"	¾"	n/a
62-1057*	5" x 48" **LED** Surface Mount	LED	40	Damp	3000K	2,800	90	48"	5"	¾"	n/a
62-1151	12" x 12" **LED** Surface Mount	LED	18	Damp	5000K	1,600	80	12"	12"	¾"	n/a
62-1152	12" x 24" **LED** Surface Mount	LED	22	Damp	5000K	1,900	80	24"	12"	¾"	n/a
62-1153	24" x 24" **LED** Surface Mount	LED	45	Damp	5000K	4,050	80	24"	24"	¾"	n/a
62-1154	12" x 48" **LED** Surface Mount	LED	45	Damp	5000K	4,050	80	48"	12"	¾"	n/a
62-1155	5" x 24" **LED** Surface Mount	LED	22	Damp	5000K	1,870	80	24"	5"	¾"	n/a
62-1156	5" x 36" **LED** Surface Mount	LED	30	Damp	5000K	2,600	80	36"	5"	¾"	n/a
62-1157	5" x 48" **LED** Surface Mount	LED	40	Damp	5000K	3,300	80	48"	5"	¾"	n/a

Lumens measured at LED source.
100-277V, Dimmable at 120V only.

* ENERGY STAR



62-1057, 62-1157
5" x 48" White




62-1056, 62-1156
5" x 36" White



62-1055, 62-1155
5" x 24" White



Mount the "H" bracket to the J box and plug fixture using quick-connect plug.



Line up the bracket tabs and the marking on the fixture label. Slide fixture to lock onto bracket.



After tabs are aligned, slide fixture to lock onto the bracket.
(shown from above)

LED
FLAT PANEL
100-277V, 0-10V DIMMING



Features

- DLC 4.0 certified
- Maintenance free—no bulb to change
- Perfect, even light distribution
- CRI > 90
- Ultra-slim edge-lit design
- Lasts 50,000 hours of continuous use
- 0-10V dimming
- Universal input voltage—100-277V
- 3500K, 4000K and 5000K versions
- Suspended* or drop into T-bar grid
- Certified for damp locations
- 5 year warranty



65-311, 65-312, 65-313
2' x 2' White



Surface mount option:
65-950 1' x 4' Frame Kit
65-951 2' x 2' Frame Kit (shown)
65-952 2' x 4' Frame Kit



Suspended option:
65-953 1' x 4' Suspension Kit
65-954 2' x 2' Suspension Kit
65-955 2' x 4' Suspension Kit (shown)

Item#	Description	Light Source	Watts	cETLus	CCT	Lumens	CRI	Length	Width	Height	Extention
65-311	2' x 2' **LED** Flat Panel	Edge Lit LED	37	Damp	3500K	3,800*	90	23 ⅜"	23 ⅜"	1 ¾"	n/a
65-312	2' x 2' **LED** Flat Panel	Edge Lit LED	37	Damp	4000K	3,880*	90	23 ⅜"	23 ⅜"	1 ¾"	n/a
65-313	2' x 2' **LED** Flat Panel	Edge Lit LED	37	Damp	5000K	3,960*	90	23 ⅜"	23 ⅜"	1 ¾"	n/a
65-314	1' x 4' **LED** Flat Panel	Edge Lit LED	37	Damp	3500K	3,800*	90	47 ½"	11 ¾"	1 ¾"	n/a
65-315	1' x 4' **LED** Flat Panel	Edge Lit LED	37	Damp	4000K	3,880*	90	47 ½"	11 ¾"	1 ¾"	n/a
65-316	1' x 4' **LED** Flat Panel	Edge Lit LED	37	Damp	5000K	3,960*	90	47 ½"	11 ¾"	1 ¾"	n/a
65-317	2' x 4' **LED** Flat Panel	Edge Lit LED	48	Damp	3500K	5,000*	90	47 ½"	23 ⅜"	1 ¾"	n/a
65-318	2' x 4' **LED** Flat Panel	Edge Lit LED	48	Damp	4000K	5,070*	90	47 ½"	23 ⅜"	1 ¾"	n/a
65-319	2' x 4' **LED** Flat Panel	Edge Lit LED	48	Damp	5000K	5,140*	90	47 ½"	23 ⅜"	1 ¾"	n/a

*Lumens measured at LED source.
100-277V, 0-10V Dimming – For suspended or drop-in.



65-314, 65-315, 65-316
1' x 4' White



65-317, 65-318, 65-319
2' x 4' White

LED
TROFFER
120-277V, 0-10V DIMMING



Features

- Volumetric design
- Acrylic linear prismatic lens
- Maintenance free—no bulb to change
- Even light distribution
- CRI >90
- Lasts 50,000 hours of continuous use
- 0-10V dimming
- Universal input voltage, 120V-277V
- Drop into T-bar grid
- Certified for damp locations
- 5 Year warranty



65-301, 65-302, 65-303 (32W)
White / Acrylic linear prismatic lens

Item#	Description	Light Source	Watts	cETLus	CCT	Lumens	CRI	Length	Width	Height	Extention
65-301	2' x 2' **LED** Troffer	LED	32	Damp	3500K	3,213*	90	23 ¾"	23 ¾"	2 ¾"	n/a
65-302	2' x 2' **LED** Troffer	LED	32	Damp	4000K	3,286*	90	23 ¾"	23 ¾"	2 ¾"	n/a
65-303	2' x 2' **LED** Troffer	LED	32	Damp	5000K	3,292*	90	23 ¾"	23 ¾"	2 ¾"	n/a
65-304	2' x4' **LED** Troffer	LED	40	Damp	3500K	4,222*	90	47 ¾"	23 ¾"	2 ¾"	n/a
65-305	2' x4' **LED** Troffer	LED	40	Damp	4000K	4,376*	90	47 ¾"	23 ¾"	2 ¾"	n/a
65-306	2' x4' **LED** Troffer	LED	40	Damp	5000K	4,533*	90	47 ¾"	23 ¾"	2 ¾"	n/a
65-307	2' x4' **LED** Troffer	LED	65	Damp	3500K	6,543*	90	47 ¾"	23 ¾"	2 ¾"	n/a
65-308	2' x4' **LED** Troffer	LED	65	Damp	4000K	6,736*	90	47 ¾"	23 ¾"	2 ¾"	n/a
65-309	2' x4' **LED** Troffer	LED	65	Damp	5000K	6,898*	90	47 ¾"	23 ¾"	2 ¾"	n/a

*Lumens measured at LED source.
120-277V, 0-10V Dimming. Drop in to T-bar grid.



65-304, 65-305, 65-306 (40W)
65-307, 65-308, 65-309 (65W)
White / Acrylic linear prismatic lens

LED
VAPOR PROOF SURFACE MOUNT

100-277V



Applications

- Moisture-prone areas
- Cold storage/freezers
- Warehouses
- Food processing
- Parking structures
- Generally harsh environments

Features

- Available with or without occupancy sensor
- Tamper/vandal resistant
- High lumens/watt
- Heat resistant
- Optional suspension kit 62/1069
- 100-277 range voltage
- 0-10V dimming
- Damp location
- CRI 80
- Available in 4000K and 5000K
- Long life—50,000 hours
- DLC certified
- 5 Year warranty



62-1061, 62-1062, 62-1063, 62-1064

White & Gray / Frost

Item#	Description	Light Source	Watts	cETLus	CCT	Lumens	CRI	Length	Width	Height	Extention
62-1061	Vapor Proof **LED**	LED	29	Damp	4000K	3,200*	80	47 7⁄8"	4 5⁄8"	3 3⁄8"	n/a
62-1062	Vapor Proof **LED**	LED	29	Damp	5000K	3,400*	80	47 7⁄8"	4 5⁄8"	3 3⁄8"	n/a
62-1063	Vapor Proof **LED**	LED	58	Damp	4000K	6,400*	80	47 7⁄8"	4 5⁄8"	3 3⁄8"	n/a
62-1064	Vapor Proof **LED**	LED	58	Damp	5000K	7,000*	80	47 7⁄8"	4 5⁄8"	3 3⁄8"	n/a
62-1065	Vapor Proof **LED** w/ occ. sensor	LED	29	Damp	4000K	3,200*	80	47 7⁄8"	4 5⁄8"	3 3⁄8"	n/a
62-1066	Vapor Proof **LED** w/ occ. sensor	LED	29	Damp	5000K	3,400*	80	47 7⁄8"	4 5⁄8"	3 3⁄8"	n/a
62-1067	Vapor Proof **LED** w/ occ. sensor	LED	58	Damp	4000K	6,400*	80	47 7⁄8"	4 5⁄8"	3 3⁄8"	n/a
62-1068	Vapor Proof **LED** w/ occ. sensor	LED	58	Damp	5000K	7,000*	80	47 7⁄8"	4 5⁄8"	3 3⁄8"	n/a

*Lumens measured at LED source.
100-277V, 0-10V Dimming, IP65 rated.



62-1065, 62-1066, 62-1067, 62-1068

White & Gray / Frost
(with internal occupancy sensor)

LED
LINEAR HI-BAY
100-277V, 1-10V DIMMING



Applications
- Large commercial and industrial spaces
- Indoor/outdoor
- High ceilings
- Warehouses
- Retail
- Factories
- Loading docks

Features
- Broad, even light distribution
- 130 lumens per watt
- 100-277 range voltage
- 4000K
- CRI 80
- 0-10V Dimming
- IP20 rated
- Damp location
- 50,000 hour life
- DLC certified
- 5 Year warranty



62-1071, 62-1072, 62-1073


2' Industrial Gray
(shown with optional occupancy sensor **86-201**, sold separately)

Item#	Description	Light Source	Watts	cETLus	CCT	Lumens	CRI	Length	Width	Height	Extention
62-1071	2' Linear Hi-Bay **LED**	LED	75	Damp	4000K	9,750*	80	22"	15 ½"	2"	n/a
62-1072	2' Linear Hi-Bay **LED**	LED	100	Damp	4000K	13,000*	80	22"	15 ½"	2"	n/a
62-1073	2' Linear Hi-Bay **LED**	LED	150	Damp	4000K	19,500*	80	22"	15 ½"	2"	n/a
62-1074	4' Linear Hi-Bay **LED**	LED	210	Damp	4000K	27,300*	80	44"	15 ¾"	2"	n/a

*Lumens measured at LED source.
100-277V, 1-10V Dimming, IP20 rated.



62-1074
4' Industrial Gray
(shown with optional occupancy sensor **86-201**, sold separately)



62-1077 2' optional protective cage (shown)
62-1078 4' optional protective cage

INDEX

60-3450 33
60-3451 33
60-3452 33
60-3453 28
60-3454 28
60-3455 28
60-3456 28
60-3457 31
60-3458 31
60-3459 31
60-3460 30
60-3461 30
60-3462 30
60-3463 29
60-3464 29
60-3465 29
60-3466 32
60-3467 25
60-3468 25
60-3469 25
60-3470 26
60-3471 26
60-3472 26
60-3473 27
60-3474 27
60-3475 27
60-3476 27
60-3477 18
60-3478 18
60-3479 18
60-3480 19
60-3481 19
60-3482 19
60-3483 19
60-3484 21
60-3485 21
60-3486 21
60-3487 20
60-3488 20
60-3489 20
60-3490 21
60-3491 24
60-3492 24
60-3493 24
60-3494 22
60-3495 22
60-3496 22
60-3497 23
60-3498 23
60-3499 23
60-6000 8
60-6001 8
60-6004 15
60-6008 8
60-6009 8
60-6010 12
60-6011 12
60-6012 12
60-6013 12
60-6015 16
60-6016 16
60-6023 9
60-6024 9
60-6026 15
60-6027 9
60-6028 17
60-6029 17
60-6030 16
60-6031 17
60-6032 15
60-6033 15
60-6072 10
60-6073 10
60-6074 10
60-6075 10
60-6077 11
60-6078 11
60-6079 11
60-6080 13
60-6081 13
60-6082 13
60-6083 13
60-6085 14
60-6086 14
60-6087 14
60-6097 17
60-6109 32
60-6111 32
60-6112 11
60-6113 15
60-6114 16
62-545.....40
62-547.....40
62-985.....41
62-986.....41
62-987.....41
62-988.....41
62-989.....41
62-990.....41
62-1061 52
62-1062 52
62-1063 52
62-1064 52
62-1065 53
62-1066 53
62-1067 53
62-1068 53
62-1071 54
62-1072 54
62-1073 54
62-1074 55
62-1077 55
62-1078 55
62-1161 39
62-1162 39
62-1163 39
62-1164 39
62-1165 39
62-1166 39
62-1167 39
62-1168 39
65-301.....50
65-302.....50
65-303.....50
65-304.....51
65-305.....51
65-306.....51
65-307.....51
65-308.....51
65-309.....51
65-311.....48
65-312.....48
65-313.....48
65-314.....49
65-315.....49
65-316.....49
65-317.....49
65-318.....49
65-319.....49
65-950.....48
65-951.....48
65-952.....48
65-953.....48
65-954.....48
65-955.....48
65-1051 46
65-1052 46
65-1053 46
65-1054 46
65-1055 47
65-1056 47
65-1057 47
65-1081 42
65-1082 43
65-1083 42
65-1084 43
65-1101 44
65-1102 45
65-1103 45
65-1104 45
65-1107 45
65-1108 45
65-1151 46
65-1152 46
65-1153 46
65-1154 46
65-1155 47
65-1156 47
65-1157 47
86-201..... 54, 55
S9011 36
S9012 36
S9013 36
S9026 36
S9027 36
S9028 36
S9055 37
S9056 37
S9057 37
S9061 37
S9062 37
S9063 37
S9880 38
S9881 38

SATCO® | NUVO®

www.nuvolighting.com
Catalog NU1380

SATCO®

National Toll-Free: **1.800.43.SATCO** (1.800.437.2826) www.satco.com

Corporate Offices & Distribution Center: **NEW YORK** 110 Heartland Blvd., Bren2od, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027

Distribution Centers: **FLORIDA** 900 N.W. 159th Drive, Miami, FL 33169 800.437.2826 305.624.2044 FAX 305.623.0286
CALIFORNIA 31288 San Benito St. Hayward, CA 94544 800.437.2826 510.487.4822 FAX 510.487.8955
WASHINGTON 4710 116th St. S.W., Mukilteo, WA 98275 800.437.2826 425.789.3300 FAX 425.789.3310
TEXAS 2000 Valwood Parkway, Farmers Branch, TX 75234 800.437.2826 972.247.2437 FAX 972.247.5408
PUERTO RICO Campeche St. 23, Julio N. Matos Industrial Park, Carolina, PR 00984 787.757.3510 FAX 787.757.3540

Like us!

Follow us!

© Copyright 2018 SATCO Products, Inc